

# Dirt Moving, Ground Engaging Equipment

**WALLENSTEIN**

www.wallensteinequipment.com

**BACKHOES**

**FIVE MODELS OF SUB-FRAME, 3 POINT, OR SKID STEER MOUNTED BACKHOES** with up to 11'4" digging depth. All models include dual, cushioned swing cylinders, curved boom design for clean digging, wide stabilizers, and greasable, replaceable pins at all pivot points.



**Model GE605** for 18-28 HP tractors or mini skid steers. Digging depth of 6' 4" and a 100" reach.



**MODEL QC620** skid steer model provides 6' of digging depth.



**MODEL GX920** capable of digging up to 9'.



## Swing cushioning

Working efficiently means working smoothly, digging and swinging in rhythm. Swinging the boom is controlled by cushioning hydraulic cylinders that reduce machine shake by slowing the boom as it reaches the furthest ends of the swing range.



## Curved Boom

The right geometry makes the job easier with the over-arching design of the new curved boom. Dig deep without impacting the edge of the excavation. This protects the backhoe from unnecessary damage and prevents ground from falling back into the hole.



## Dual Cylinder Boom Pivot

All models use two hydraulic cylinders to control the boom swing. The dual cylinders provide strong, consistent movement throughout the entire 180-degree swing range.



**Model 920XT** with foot pedal controlled hydraulically extendable dipper stick adds 24" of digging depth.

## Continental Belton

### FOUR MODELS OF 3 POINT MOUNTED POST HOLE DIGGERS

from 30HP to 90HP gearboxes. 5 year warranty on gearboxes. Auger sizes from 6" to 24".



Distributed by:



www.cummingsandbricker.com  
support@cummingsandbricker.com

Batavia NY (800) 252-1552  
Carlisle PA (800) 222-8969

Call us or contact your local dealer for additional information.

# Dirt Moving, Ground Engaging Equipment

**WHEATHEART**  www.wheatheart.com

## POST POUNDERS

### Ideal for Fencing, Vineyard and Orchard Applications

- Hydraulic post hugger
- Does not use springs to drop the hammer on the post
- Multiple hydraulic tilt directions
- Free Standing when not in use and while driving a post- (prevents wear and tear on equipment)
- Multiple units available – Trailer, 3pt Side, Skid Steer and a farm duty center mast model
- Optional pilot auger to drill pilot holes in rocky and hard conditions
- Different dies available – T-post and square post (4X4, 4X6, 6X6 and 6X8)
- Quality components- Honda engine, Italian made valve along with brand name hydraulic pumps and motors
- Improved Hydraulic Cylinders

### Optional Self-Contained Hydraulic System

- The 4.5 cubic inch motor drives an efficient high volume pump
- The post pounder frame is utilized as an oil reservoir which dissipates heat effectively
- The self-contained hydraulic system eliminates any risk of oil contamination to the power unit

### Universal Mount Plate - Skid Loader Models

- Easy installation, taking only a few minutes to mount or detach from your skid steer

### Self Contained Trailer Models

Portability makes this product an excellent rental solution. Trailer models offer a wide stance, weighted counter balance/post carrier and low center of gravity for balance and stability. Honda motor driven self-contained hydraulic system.



3-point Side Mast



Side Mast



Center Mast



Trailer Model



### Easy Operation

Activate the two hydraulic tilt cylinders with the conveniently located joy stick control and direct the four way tilt mast side to side and front to back, allowing perfect post alignment in uneven terrain.



### Hydraulic Post Hugger

All Side Mast Post Pounders offer 16" of lateral movement coupled with a four way tilt mast, allowing side to side movement and perfect post positioning. Post Hugger is standard on all models and helps align posts for added convenience and safety.

### Optional Post Huggers



Square Post Hugger



T-Post Hugger



Cast Iron Cones

Distributed by:



www.cummingsandbricker.com  
support@cummingsandbricker.com

Batavia NY (800) 252-1552  
Carlisle PA (800) 222-8969

Call us or contact your local dealer for additional information.

# Dirt Moving, Ground Engaging Equipment



**BELLTEC**  
Better by Design

www.belltec.net

The widest selection of hydraulic planetary drive diggers on the market. Specialized augers for drilling through solid rock and concrete with rebar.

## COMPARISONS TO COMPETITION:



Nearly twice the width of tooth area on ring gears for long wear and greater load capacity



Wider output shaft support bearings for much longer life and better lateral support



39% higher rated needle bearing rating on planet gears with support on both front and rear



Larger sun gears with more teeth reduces tooth loads and stresses for longer life and greater load carrying capacity



Large bolt on output shaft vs. welded assembly



Durable housing with wide stance on mount ears to withstand high torque



Available with Steel or Carbide Teeth on RSA & SDA Series Augers



Belltec **NC-Series** hydraulic auger drives are available in three models for systems operating between 6 and 30 GPM and 2000 to 3000 PSI. NC-Series auger drives are designed with a planetary gearbox to eliminate chain and sprocket reductions found on drives in this class and price range.

The rugged NC-Series Drive will give better service since all rotating parts are sealed away from harmful dirt and debris, and fully running in oil. These compact units are designed to give exceptional service under average digging conditions. The auger rotation can be reversed to free it if it becomes caught under an obstruction. The NC-Series units are ideal for light to moderate drilling applications.



Belltec **Max Series** hydraulic auger drives are for systems operating between 10 and 35 GPM and 2000 to 3000 PSI. The Max Series planetary outperforms and has heavier components than any of its competitors. The Max Series was the first tubular frame skid steer hitch on the market with the largest and strongest cradle. Its mounting frame mounts to all modern skid loaders with the universal attach system.

The Max Series units are ideal for all drilling applications from dirt to solid rock and concrete when paired with the correct H-Series Auger

Distributed by:



www.cummingsandbricker.com  
support@cummingsandbricker.com

Batavia NY (800) 252-1552  
Carlisle PA (800) 222-8969

Call us or contact your local dealer for additional information.

# Dirt Moving, Ground Engaging Equipment

**BELLTEC H-SERIES** hydraulic auger drives are available in three models for systems operating between 10 and 35 GPM and 2000 to 3000 PSI. The H-Series planetary outperforms and has heavier components than any of its competitors.

The H-Series was the first tubular frame skid steer hitch on the market with the largest and strongest cradle. The mounting frame mounts to all modern skid loaders with the universal attach system. The H-Series units are ideal for the toughest applications, from dirt to solid rock and concrete when paired with the correct H-Series auger. The Bolt-on Output Shaft reduces downtime and costly repairs due to bent or broken shafts.

Belltec HTL-Series hydraulic auger drives are available in two models for systems operating between 6 and 30 GPM @ 3000 PSI. HTL-Series units are ideal for extreme drilling when paired with the correct auger. Output shaft RPM on the HTL series ranges from 9 RPM @ 6GPM to 26 RPM @ 30GPM. High torque for the toughest conditions. The trade off is slower digging in normal conditions.



Weighted frames give added down pressure for fast digging in tough conditions. Weighted frames of 1400#, 1900#, and 2400# are available

**BELLTEC'S TM48** uses a unique system that transforms a three-point on a tractor into a drilling machine capable of doing what the big truck rigs do: drill accurate, straight holes (to a depth of 5 ft. on a single auger) in almost any drilling condition, including solid rock and concrete.

If drilling holes is a problem for you, we have the solution. Whether it be hard, dry ground, rocky soil or solid rock. We can drill it.



[www.monroetufline.com](http://www.monroetufline.com)

## GRADERS & SCRAPERS

**GRADER BLADES** - Whether land leveling, road maintenance, ditching, terracing, snow removal, or general commercial grading is needed, Tufline has the right blade to match-up for all your applications.

MODEL	WIDTHS	HP	HITCH TYPE	ADJUSTMENT	FRAME
GB1	5' - 7'	20-40	Cat 1	Angle Tilt, & Offset	Tubular Frame 4x4
GB4/HR	6' - 8'	35-75	Cat 1 & 2 Dual Hitch	Hyd. Tilt & Angle, Manual offset	Tubular Frame 6x4 w/ Pivot Shaft
GB5	7' - 9'	55-85	Cat 2 & 3	Hydraulic, Manual or Combo	5 Square Tubing Frame 3/8" thick Mold board



**LAND PLANES** - Ideal for gravel road reconditioning, driveway grading, pot hole filling, and general land leveling and grading. All land planes perform with much more efficiency than large motorized graders and are cost effective for small grading jobs.

MODEL	WIDTHS	HP	HITCH TYPE	SIDE PLATES	SHANKS
LP1	5' - 8'	25-65	Cat 1 & 2 Dual Hitch	12 1/2" x 1/4"	NA
LP2	7' - 10'	40-110	Cat 1 & 2 Dual Hitch	18" x 1/4"	Available
LP3	7' - 10'	55-85	Cat 1 & 2 Dual Hitch	Adjustable 3/8" x 20" x 60"	Standard



### BOX SCRAPERS

1/4" end plates, radius formed moldboards, high-strength adjustable scarifier shanks, Cat 1 or 2 hitch and dual cutting edges

Available in hydraulic or manual from 4' - 8'



### LARGE CAPACITY BOX SCRAPERS

Models designed for 30-120 HP tractors, constructed of 4" square tubing, 3 point hitch fits Cat 1 & 2, and heavy duty reversible cutting edge.

Available in widths from 7' - 12'



### WHEELED BOX SCRAPERS

3/8" thick end plates, 1/4" thick formed mold board, Heavy duty reversible cutting edge, 3" x 8" hydraulic cylinders and draw pin hitch

Available in non-tilt & tilt models from 8' - 12'

Distributed by:



[www.cummingsandbricker.com](http://www.cummingsandbricker.com)  
[support@cummingsandbricker.com](mailto:support@cummingsandbricker.com)

Batavia NY (800) 252-1552  
 Carlisle PA (800) 222-8969

Call us or contact your local dealer for additional information.

# Dirt Moving, Ground Engaging Equipment



**KODIAK**

BY PALADIN

www.kodiakmfg.com

## ATTACHMENTS

\*Kodiak not sold by C&B in Ohio



**3 POINT REAR BLADES, BOX SCRAPERS, AND LANDSCAPE RAKES** from 4' to 8'.

Economy, standard, and heavy duty models.

**3 POINT AND PULL TYPE SPIKE AND PLUG AERATORS** from 3' to 7'.



www.horstwelding.com

HORST LOADER ATTACHMENTS

## ATTACHMENTS



**"BIG ARM" SKID STEER BACKHOE** with up to 12' reach height and 110 degree swivel.



A wide variety of replacement and specialized buckets and dozer blades for loaders, skid steers and telehandlers.



www.ab-eagleline.com

## ATTACHMENTS

**A&B Eagle Line: 3 point hitch attachments for compact tractors.**



**HYDRAULIC ANGLE REAR BLADES**



**ROAD GRADER BLADES** with dual cutting edges, with or without scarifier shanks cut and level evenly.



**LANDSCAPE RAKES** from 4' to 8'



**4', 5', AND 6' SPIKE AND PLUG AERATORS** can be used as 3 point or pull type.



**BOX SCRAPER BLADES** from 4' to 8'



**DIRT SCOOP** with 5 cu. ft. capacity. Reversible.

Distributed by:



www.cummingsandbricker.com  
support@cummingsandbricker.com

Batavia NY (800) 252-1552  
Carlisle PA (800) 222-8969

Call us or contact your local dealer for additional information.

# Dirt Moving, Ground Engaging Equipment



www.durabilindustries.com



**44" DIAMETER LAND ROLLERS** flatten high spots and firm soil, protecting equipment and allowing a faster harvest.

Available in 8', 10', and 12' widths with up to 5700# of loaded weight.



**LANDSCRAPERS** from 6' to 14'. Complete with tires, jack, cylinders and hoses.



**CTS SCRAPER** models feature a center tilt axle allowing more tilt angle using a single tilt cylinder.

CTS models available in 8', 10', and 12' widths.



**PASTURE PUNCH AERATORS** in 6', 8', 10 and 12' widths. Relieves compaction, promotes air and water movement, relieves root bound plants, helps activate fertilizer. (Interchange spiked rollers with smooth rollers for dual purpose)



**DP60 AND DP84 DIRT PANS** provide an efficient means of scooping, lifting, and moving soil between points without dragging the soil. 1.5, 3, and 4 cubic yard models available.



**96" UTILITY GRADER**  
ideal for driveways, terracing, and leveling.



www.strobelmfg.com

\*Strobel not sold by C&B in Ohio or Pennsylvania

## BOX SCRAPERS



General Purpose: 8', 10', 12'



Medium Duty: 10', 12', 14'



Heavy Duty: 10', 12', 14', 16'

**SIDE SUPPORTS:** tapered and beveled for extra strength and durability

**CURVED CUTTING BLADES:** unique design cuts quickly and accurately

**WELDED TONGUE:** tongue is welded to the back of the scraper rather than bolted or welded to the front support

**PIVOT POINTS:** all pivot points are anti-rotational and greasable

### MEDIUM & HEAVY DUTY

- Swivel tongue and various hitch and tongue options
- Optimal back and dump height
- Leading front and side replaceable cutting blades
- Machined bushings and anti-rotational pins provide a tighter tolerance which results in a longer life

Distributed by:



www.cummingsandbricker.com  
support@cummingsandbricker.com

Batavia NY (800) 252-1552  
Carlisle PA (800) 222-8969

Call us or contact your local dealer for additional information.