

Material Handling and Harvest



www.tubeline.ca

VERTICAL BEATER MANURE SPREADERS

NITRO

CAPACITIES

MODEL 375RS
12 Ton / 410 heaped cu. ft.

MODEL 450
13 Ton / 453 heaped cu. ft.

MODEL 525RS
15 Ton / 555 heaped cu. ft.

MODEL 600
17 Ton / 593 heaped cu. ft.

MODEL 750
20 Ton / 791 heaped cu. ft.

MODEL 950
25 Ton / 950 heaped cu. ft.

NITRO SPREADER represents a new generation of vertical beater manure spreaders. Even Spread. Every Time.

Feature-loaded, and innovative, the Nitro spreads manure evenly and efficiently. The variable speed, hydraulically driven apron chain feeds fast-moving vertical beaters that 'bite' the load and throw it into the field with remarkable consistency, ensuring a finely spread application every time.

NITRO SPREADER EFFICIENCY

Compared to conventional spreaders, the Nitro's high capacities reduces trips to the field and improves efficiency.



Heavy-duty chain and sprocket is designed to move heavy manure day after day without chain breaks.



Quick-drop removable beaters remove in minutes, converting your spreader into a rear discharge trailer for stockpiling or windrowing.



Guillotine end gate helps control the flow of sloppy, semi-solid, or light, dry poultry manure. The beaters have been engineered to provide an even, consistent spread pattern every time.



Nitro 600 - Single Axle



OPTIONAL POULTRY LITTER BEATERS

The interchangeable quick-drop beater system allows operators to conveniently switch between the vertical or poultry beater assemblies offering flexibility to both producers and custom operators. Each poultry litter beater assembly comes standard with Gearbox drive system to maximize distribution while metering material flow.



Nitro 375RS - Tandem Axle



Dual Horizontal Beater Assembly



Dual Horizontal Beater Assembly

Distributed by:



www.cummingsandbricker.com
support@cummingsandbricker.com

Batavia NY (800) 252-1552
Carlisle PA (800) 222-8969

Call us or contact your local dealer for additional information.

Material Handling and Harvest

WALLENSTEIN

www.wallensteinequipment.com

SPREADER

GET BACK ON YOUR HORSE FASTER

Keep your stable clean and tidy with the easy-to-use **MX MANURE SPREADER** from Wallenstein. Designed for equine facilities and hobby farms, the MX Manure Spreader is the perfect size to handle manure from barn to field without the mess. You can choose between PTO drive or ground-drive spreading options to suit your tractor's capabilities.



Unlike metal and wood, Poly-Floor boards are resistant to weather and extend the life of your spreader. They will not rust and are flexible making them virtually indestructible.

Wallenstein compact manure spreaders feature a one piece welded bed frame for durability, made from tubular steel. Frames start with a strong foundation and are built up using sturdy, heavy gauge steel construction. The job is finished with a baked on powder coated paint.



Wallenstein manure spreaders have 3 levels of unloading speed affecting the apron chain. A few quick moments is all it takes to get the right coverage for your application needs.

COLOR CHOICES:



5 YEAR WARRANTY!

25, 50, 80 and 130 bushel capacities.



MX130 Manure Spreader Specifications

- 130 bushel capacity
- 10 replaceable beater paddles
- 2-speed gearbox PTO
- Pinto chain
- Box dimensions: 48" x 134" x 23"
- Overall dimensions: 78" x 214" x 42" (loading)



www.strobelmfg.com

SEED TENDERS

*Strobel not sold by C&B in Ohio



2 Box Low Profile

4 Box Low Profile

BULK SEED TENDERS

- Available in 200, 300, 400 bushel gooseneck and 100 bushel bumper hitch units. Skid models available.
- Gooseneck trailer, 17.5-16 ply tires and 2-5/16" ball. Balanced, weight on your truck not your bumper.
- Low profile, 6'11" fill height, safer and easy to fill. 42 degree slope hopper for complete clean out.



BOX SEED TENDERS

- 3 Stage Telescoping Tube with 19' max reach
- Push button operation from auger
- 12V solenoid operated clutch
- Kohler w/electric start on 2 Box models/ 9hp on 3,4, & 6 Box models
- Lundell poly-cupped flighting (gentlest on seed)
- (2) 3500# torsion axles w/springs and equalizer/ 7000# on 3 & 4 Box, 10000# on 6 Box
- Electric brakes w/brake away safety brakes
- 1 handle, all box positive lock down system
- Tail, turn, & brake lights, 2 5/16" ball, safety chains
- 2:1 heavy duty superior gearbox

Distributed by:



www.cummingsandbricker.com
support@cummingsandbricker.com

Batavia NY (800) 252-1552
Carlisle PA (800) 222-8969

Call us or contact your local dealer for additional information.

Material Handling and Harvest



www.wifo.ca

FORKLIFTS





3 POINT HITCH AND SKID STEER MOUNTED FORKLIFTS with and without box rotators. Models with lift heights of 4'11", 6'6", 7'10" and 9'2" and 3500# or 4400# capacity .

Commercial models include Class II commercial carriage, box







www.hlaattachments.com

ATTACHMENTS

Attachments for skid steers, front end loaders and telehandlers.



Buckets

Grapples



Standard and hydraulically activated telescopic boom poles with 20' reach



Pallet Forks



Euro Style and Flat Tine Manure Forks



Stone Buckets



Side Discharge Buckets



www.mkmartin.ca

MATERIAL HANDLERS

General purpose **3-POINT HITCH BOX** comes in two sizes and is a handy assistant for the home landscaper or wood lot owner to carry fire wood, dirt, rocks, shrubbery waste and other materials.



DUMP BOX FEATURES:

- 3 pt hitch hookup
- Quick and easy dump
- Raise and lower to desired height for loading.
- Heavy duty tubular subframe.



www.baumanmfg.com

Conveyors

Conveyors and elevators for various applications:

- Ebersol Bale Elevator
- Ebersol Belt Conveyor
- Ebersol Wood Conveyor
- Ebersol Single Chain Conveyor
- Maple Leaf Tubular Bale Elevator
- Maple Left Mow Conveyor



Distributed by:



www.cummingsandbricker.com
support@cummingsandbricker.com

Batavia NY (800) 252-1552
Carlisle PA (800) 222-8969

Call us or contact your local dealer for additional information.

Material Handling and Harvest



www.pitbullblades.com

DOZER BLADES



Pitbull blades offer greater blade control, easy quick attach and the most compact mounting system available.

Blades are available in two size categories for tractors 300–600HP FWA tractors and 400–600HP articulated 4WD tractors. Built using T1 grade steel with AR400 wear points.

Blades come with a 2-year warranty.



www.teagle.co.uk

CEMENT MIXERS

HYDRAULIC DRIVEN CEMENT MIXERS

With a 10CF and 20CF capacity, this mixer rotates in one direction for mixing and in the opposite direction for unloading. The hydraulic motor drive makes it easily controlled from the tractor seat via the external services spool valve.



Reversible drive system

The deep spirals, needed to give a good unloading action, also give a quick and thorough mix. Because the drum does not tip to unload, the discharge height is always good.



www.marketfarmequipment.com

AUGERS

All MARKET augers feature a plastic tube constructed of heavy gauge white PVC and polyethylene plastic fighting for augering corrosive materials. Optional bristle or cupped steel fighting is available depending on your augering needs.



Truck Augers

Gravity Box Augers

Planter Cross augers



Sky Hook

Vertical and cross auger seed fill systems for most makes and models.

20' and 30' Transport augers

Maximum Reach Augers



Telescoping Downspout

10' and 12' Transfer augers

Plastic Dump Carts

Utility Wagons

Distributed by:



www.cummingsandbricker.com
support@cummingsandbricker.com

Batavia NY (800) 252-1552
Carlisle PA (800) 222-8969

Call us or contact your local dealer for additional information.

Material Handling and Harvest



www.bmc-agricola.es/

SPREADERS

BMC pendulum spreaders have been designed to distribute solid granulated fertilizers and seeds with total precision.

AIP, ASG & AIG Series Spreaders

- Hopper capacities available from 17.5 CF to 58 CF
- Durable polyester pressed hopper
- Steel frames
- Designed for tractors from 30HP and above.
- AIG and ASG models available with quick hitch and hydraulic controls



AIP Series Spreader

ASG Series Spreader



AIG Series Spreader



AMP Series Spreader

features a poly-ethylene 10.6 cubic feet hopper. Spreading width ranges from 3' to 46'

TWIN DISC SPREADERS



ACH Series Spreader ACH Series is designed for tractors 50 HP or higher and can handle large capacities, up to 5,931 lbs. with a spread width of 79'.



ADH Series Spreader ADH Series is designed for tractors 50 HP or higher and can handle large capacities, up to 2,359 lbs. with a spread width of 79'.

STANDARD FEATURES



Hydraulic Opening



Lighting Kit



Inner Screen



www.kodiakmfg.com

FERTILIZER SPREADER

*Kodiak is not sold by C&B in Ohio

FERTILIZER SPREADERS

- HD gearbox and PTO driveline
- Ground drive disengaged with pin on gearbox
- 1 7/8" ball hitch-adjustable tongue
- Cone shaped poly hoppers hold approximately 480-500 lbs and up to 1020 lbs.
- Pneumatic tires 16x6.5-8 ply
- Tubular steel frame



www.ab-eagleline.com

UTILITY CARRIERS

3 POINT MOUNTED UTILITY CARRIERS.

- 1500# and 3000# capacity.
- 1800# capacity 7' Boom Pole (Kodiak Mfg.)



Distributed by:



www.cummingsandbricker.com
support@cummingsandbricker.com

Batavia NY (800) 252-1552
Carlisle PA (800) 222-8969

Call us or contact your local dealer for additional information.