

[Click here for ordering programs-Select Program #4 from Bookmarks](#)

A & B THREE POINT HITCH ATTACHMENTS

PLOWS

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
1BP12CT	Plow 1 Bottom 12" For Compact Cat I 15-25HP	217	\$1,166.00
1BP12	Plow 1 Bottom 12" 15-30HP	256	\$1,384.00
1BP14	Plow 1 Bottom 14" 15-30HP	256	\$1,393.00
1BP16	Plow 1 Bottom 16" 15-30HP	256	\$1,418.00
2BP12	Plow 2 Bottom 12" 25-40HP	411	\$2,424.00
2BP14	Plow 2 Bottom 14" 25-40HP	411	\$2,436.00
2BP16	Plow 2 Bottom 16" 25-40HP	411	\$2,472.00
3BP14	Plow 3 Bottom 14" 35-50HP	695	\$5,236.00
3BP16	Plow 3 Bottom 16" 35-50HP	713	\$5,400.00

PLOW OPTIONS

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
1BPCL	Coulter For Plows (Will not fit 1BP12CT)	24	\$378.00
1BPGW	Gauge Wheel For Plows	30	\$418.00



Available with 12", 14" or 16" Bottom
 1/2" x 2 1/2" A-frame
 3 Point Hitch with Replaceable Cat 1 Lift Arm Pins
 1" x 4" Frame Members
 1" x 3" Vertical Beams
 Replaceable Shins, Shares, and Moldboards
 Shear Bolt Protection
 Grade 5 Heat Treated and Plated Fasteners
 Adjustable Width of Cut (Hill Side)
 Comes Assembled, Install A-frame and Ready & to Use
 15 - 30 HP Recommended
 Coulter or Gauge Wheel with Ball Bearings Optional





A & B THREE POINT HITCH ATTACHMENTS

DISC HARROWS


A&B offers several models of disc harrows to provide the results required by the customer. Heavier models will provide better penetration and fewer passes. For best results size the disc harrow to tractor horsepower and 3 point hitch lift capacity. C&B stocks machines with cut-out (notched) disc blades on the front gangs, and plain disc blades on rear gangs. Notched blades cut through sod and trash better than plain, and plain blades provide a more level finish. Disc harrows can be custom ordered with any combination required.

Note: Item number reflects the number of discs, diameter of the discs, and disc spacing front and rear.

Example: EH201877 EH = Eagle Harrow, 20 = number of discs, 18 = diameter of discs, 77 = 7 1/2" disc spacing front and rear.

GARDEN HARROWS

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
GH121477	Garden Harrow 4'4" For Compact Cat I 15-25HP	258	\$2,325.00
GH121677	Disc-Garden Harrow 4'4" 15-25HP	320	\$2,472.00
GH161677	Disc-Garden Harrow 5'5" 20-25HP	360	\$2,678.00



GARDEN HARROW

- HIGH STRENGTH TUBE FRAME
- 3 POINT CATEGORY I HITCH
- REINFORCED A-FRAME
- REAR STRUT IS MADE FROM HIGH STRENGTH TUBE
- TRIPLE SEALED BALL BEARINGS
- 7 1/2" SPACING FRONT AND REAR
- CUT-OUT DISC BLADES ON FRONT, PLAIN ON REAR
- COMES ASSEMBLED, INSTALL A-FRAME AND READY TO USE

EAGLE HARROWS

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
EH161877	Disc-Eagle Harrow 5'5" 30-35HP	591	\$3,122.00
EH201877	Disc-Eagle Harrow 6'6" 35-40HP	660	\$3,243.00
EH241877	Disc-Eagle Harrow 7'7" 35-40HP	740	\$3,692.00

EAGLE HARROW

- CLEVIS AND QUICK HITCH READY
- WELDED TUBE FRAME
- SINGLE PIN ADJUSTS FRONT OR REAR GANGS
- COMES ASSEMBLED
- INSTALL A-FRAME, READY TO USE
- 1" SQUARE AXLE WITH 7 1/2" SPACING
- CAST IRON BUMPER WASHERS AND SPACERS
- TRIPLE SEALED BALL BEARINGS
- 18" DISC BLADES- CUT-OUT FRONT, PLAIN REAR





A & B THREE POINT HITCH ATTACHMENTS


DISC HARROWS

FIELD HARROWS

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
FH181897	Disc-Field Harrow 6'6" 30-40HP	767	\$4,077.00
FH201877	Disc-Field Harrow 6'6" 30-40HP	791	\$3,913.00
FH201899	Disc-Field Harrow 6'6" 30-40HP	827	\$4,478.00
FH221897	Disc-Field Harrow 7' 40-45HP	859	\$4,425.00
FH241877	Disc-Field Harrow 7'7" 40-45HP	892	\$4,350.00

FIELD HARROW

- QUICK ATTACH READY
- WELDED TUBE FRAME
- THICK FRONT, CENTER, AND REAR STRUT TUBE
- THICK SIDE, GANG, AND REAR TUBES
- TRIPLE SEALED SELF-ALIGNING BALL BEARINGS
- SQUARE AXLES WITH UPSET HEADS
- COMBINATION DISC SPACING
- REMOVE 2 BOLTS TO ADJUST GANGS
- GRADE 5 HEAT TREATED AND PLATED FASTENERS
- WELDED 3 POINT HITCH WITH REPLACEMENT CAT. 1 LIFT ARM PINS
- COMES ASSEMBLED, INSTALL A-FRAME AND READY TO USE



HEAVY FIELD HARROWS

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
HFH161877	Disc-Heavy Field Harrow 5'5" 30-35HP	807	\$4,198.00
HFH161899	Disc-Heavy Field Harrow 6' 30-35HP	807	\$4,400.00
HFH181897	Disc-Heavy Field Harrow 6'6" 30-40HP	840	\$4,427.00
HFH201877	Disc-Heavy Field Harrow 6'6" 35-40HP	867	\$4,415.00
HFH201899	Disc-Heavy Field Harrow 7'4" 35-40HP	895	\$4,738.00
HFH221897	Disc-Heavy Field Harrow 7' 40-45HP	918	\$4,782.00
HFH241877	Disc-Heavy Field Harrow 7'7" 40-45HP	940	\$4,627.00



HEAVY FIELD HARROW

- WELDED TUBE FRAME
- TRIPLE SEALED BALL BEARINGS
- SQUARE AXLE WITH UPSET HEAD
- COMBINATION SPACING IS AVAILABLE
- PLAIN OR CUT- OUT DISC BLADES AVAILABLE
- SINGLE PIN ADJUSTS FRONT OR REAR GAUGES
- USES CAST IRON BUMPER WASHERS AND BLADE SPACERS
- GRADE 5 HEAT TREATED AND PLATED FASTENERS
- 3 POINT HITCH WITH REPLACEMENT CAT. 1 LIFT ARM PINS
- COMES ASSEMBLED, INSTALL A-FRAME AND READY TO USE



A & B THREE POINT HITCH ATTACHMENTS

DISC HARROWS

SCREW CRANK HARROWS

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
SCH161899	Disc-Screw Crank Harrow 6' 30-35HP	824	\$5,032.00
SCH181897	Disc-Screw Crank Harrow 6' 30-40HP	925	\$5,040.00
SCH201877	Disc-Screw Crank Harrow 6'6" 35-40HP	878	\$5,038.00
SCH201899	Disc-Screw Crank Harrow 7'4" 35-40HP	904	\$5,366.00
SCH221897	Disc-Screw Crank Harrow 7'7" 40-45HP	925	\$5,404.00
SCH241877	Disc-Screw Crank Harrow 7'7" 40-45HP	945	\$5,265.00

SCREW CRANK HARROW

HARROW CAN BE USED AS A TANDEM HARROW
HEAVY DUTY BUSH & BOG HARROW, OR A FLEXIBLE
TANDEM HARROW

HEAVY TUBING IS USED THROUGHOUT FOR ADDED
STRENGTH

TRIPLE SEALED BALL BEARINGS

SQUARE AXLES WITH UPSET HEAD

COMBINATION SPACING AVAILABLE

PLAIN OR CUT-OUT DISC BLADES

ONE SCREW CRANK ADJUSTS FRONT OR REAR
GAUGE

3 POINT HITCH WITH REPLACEABLE CAT. 1 LIFT ARM PINS

GANGS ANGLE FROM 0 DEGREESW TO 20 DEGREES WITH ONE SCREW CRANK

COMES ASSEMBLED, INSTALL A-FRAME AND READY TO USE

GRADE 5 HEAT TREATED AND PLATED FASTENERS



CLEVIS HITCH HARROWS

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
CHH202099	Disc-Clevis Hitch 8'2" Cat I/II 45-52HP	1217	\$8,505.00
CHH242088	Disc-Clevis Hitch 8'8" Cat I/II 45-55HP	1249	\$8,896.00
CHH242099	Disc-Clevis Hitch 9'8" Cat I/II 50-60HP	1403	\$9,169.00
CHH282088	Disc Clevis Hitch 10'0 Cat I/II 55-65HP	1372	\$9,484.00
CHH282099	Disc Clevis Hitch 11'3" Cat I/II 55-65HP	1589	\$9,679.00
CHH322088	Disc Clevis Hitch 11'4" Cat I/II 55-65HP	1496	\$10,139.00

CLEVIS HITCH HARROW

SAME SPECIFICATIONS AS THE FLEX HITCH HARROW EXCEPT WITH CLEVIS HITCH.



A & B THREE POINT HITCH ATTACHMENTS

DISC HARROWS

FLEX HITCH HARROWS

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
FHH202099	Disc-Flex Hitch Harrow 8'2" 45-52HP	1217	\$8,505.00
FHH242088	Disc-Flex Hitch Harrow 8'8" 45-55HP	1249	\$8,896.00
FHH242099	Disc-Flex Hitch Harrow 9'8" 50-60HP	1403	\$9,106.00
FHH282088	Disc-Flex Hitch Harrow 11'3" 55-65HP	1372	\$9,484.00
FHH282099	Disc-Flex Hitch Harrow 11'3" 55-65HP	1589	\$9,679.00
FHH322088	Disc-Flex Hitch Harrow 11'4" 55-65HP	1496	\$10,139.00

FLEXIBLE HITCH HARROW

REGREASEABLE SELF-ALIGNING BALL BEARINGS AN GANGS

8 GANG BEARINGS PER HARROW

SPACING IS AVAILABLE

DISC BLADES PLAIN OR CUT-OUT AVAILABLE

SQUARE HIGH CARBON AXLES

HEAVY CAST IRON SPACERS AND BUMPER WASHERS

DOUBLE U-BOLTS ON THE REINFORCED HANGERS

FRAME IS MADE FROM HEAVY SQUARE TUBING

GANG ANGLES TO 18 DEGREES

SINGLE PIN ADJUSTS FRONT OR REAR GANGS

GRADE 5 HEAT TREATED AND PLATED FASTENERS

3 POINT HITCH WITH REPLACEABLE CAT.2 LIFT ARM PINS

COMES ASSEMBLED, INSTALL A-FRAME AND READY TO USE

SCRAPERS ARE OPTIONAL

FLEXIBLE HITCH ALLOWS HARROW TO FLOAT ON UNEVEN TERRAIN



DISC HARROW OPTIONS

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
LTS12	Scrapers - For 12 Disc Harrows	65	\$601.00
LTS16	Scrapers - For 16 Disc Harrows	87	\$788.00
LTS18	Scrapers - For 18 Disc Harrow	98	\$889.00
LTS20	Scrapers - For 20 Disc Harrows	108	\$958.00
LTS22	Scrapers - For 22 Disc Harrows	119	\$1,067.00
LTS24	Scrapers - For 24 Disc Harrows	129	\$1,158.00
LTSINSTALL	Install And Assemble Scrapers For Disc Harrows		\$311.00
WHS20	Scraper Kit For FHH Harrows 20 Disc	112	\$1,527.00
WHS24	Scraper Kit For FHH Harrows 24 Disc	135	\$1,802.00
WHS28	Scraper Kit For FHH Harrows 28 Disc	157	\$2,107.00
WHS32	Scraper Kit For FHH Harrows 32 Disc	180	\$2,418.00
WHSINSTL	Install And Assemble Scrapers For FHH Disc Harrows		\$523.00



A & B THREE POINT HITCH ATTACHMENTS

DISC HARROWS

Model	GH (Compact Garden Harrow)	GH (Garden Harrow)	EH (Eagle Harrow)	FH (Field Harrow)	HFH (Heavy Field Harrow)	SCH (Screw Crank Bush & Bog)	CHH (Clevish Hitch Harrow)	FHH (Flexible Hitch Harrow)
Frame	1/8" X 2" X 2"	1/8" X 2" X 2"	3/16" x 2" x 3"	3/16" X 3" X 3" (front / center / rear strut) 1/8" X 3" X 3" (side / rear)	3/16" X 3" X 3"	3/16" X 3" X 3"	1/2 " Angle and Heavy Square Tubing	1/2 " Angle and Heavy Square Tubing
Gang Tubes	N/A	N/A	3/16" x 3" x 3"	1/8" X 3" X 3"	3/16" x 3" x 3"	3" x 3"	1/4" X 4" X 3"	1/4" X 4" X 3"
Gang Adjustment	Remove Bolts	Remove Bolts	Single Pin Adjusts Both	Remove Bolts	Single Pin Adjusts Both	Screw Crank	Single Pin Adjusts Both	Single Pin Adjusts Both
Axles	15/16" Cold Rolled	15/16" Cold Rolled	1" Square	1" Square	1" Square	1" Square	1 1/8" Square High Carbon	1 1/8" Square High Carbon
Disc Diameter (Plain or Cut-out)	14"	16"	16" or 18"	18" or 20"	18" or 20"	18" or 20"	20" or 22"	20" or 22"
Bearings	Triple Sealed Self-Aligning						Regreasable Self-aligning	
Hitch Type	Cat I Compact	Cat I	Cat I	Cat I	Cat I	Cat I	Cat I/Cat II	Cat II
Scrapers	N/A	N/A	Optional	Optional	Optional Lift Type	Optional Lift Type	Optional	Optional
Fasteners	Grade 5 Heat Treated							


Note: Item number reflects the number of discs, diameter of the discs, and disc spacing front and rear.

Example: EH201877 EH = Eagle Harrow, 20 = number of discs, 18 = diameter of discs, 77 = 7 1/2" disc spacing front and rear.

Stock units are equipped with Cut-Out (Notched) Discs on the Front, Plain Blades on the Rear.




GH For Compact Cat I



Garden Harrow For Cat I



EH Eagle Harrow



FH Field Harrow



HFH Heavy Field Harrow



SCH Screw Crank Harrow



FHH Flexible Hitch Harrow
(CHH the same except has fixed clevis hitch)



A & B THREE POINT HITCH ATTACHMENTS

AERATORS-PLUG TYPE AND SPIKE TYPE-COMBINATION 3PH OR PULL

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
APL340	Aerator-Plug 3PH/Pull-48" (Filled Weight 517#)	349	\$3,111.00
APL350	Aerator-Plug 3PH/Pull-60" (Filled Weight 646#)	436	\$3,594.00
APL360	Aerator-Plug 3PH/Pull-72" (Filled Weight 775#)	523	\$4,230.00
AL340	Aerator-Spike 3PH/Pull-48" (Filled Weight 484#)	316	\$1,937.00
AL350	Aerator-Spike 3PH/Pull-60" (Filled Weight 605#)	395	\$2,157.00
AL360	Aerator-Spike 3PH/Pull-72" (Filled Weight 726#)	474	\$2,575.00

A&B Aerators

A&B aerators can be used as 3 point hitch or pull type. Drawbar and 3 point hitch are included with all models.

The 12" diameter drum is mounted on 1" pillow block bearings and can be filled for additional weight.

Core spoons on the plug type models are 7/8" dia. X 7 1/2" long and utilize a unique mounting system which allows them to swivel in the mount for easier penetration and release of plugs.

Spikes are 3/8" X 2" X 2 1/2" X 4" welded .



Number of core spoons or spikes:

4' models- 52

5' models- 65

6' models- 78



PASTURE RENOVATOR

3 Point Hitch with Cat 1 Lift Arm Pins
 Scarifier Shanks have Replaceable Points
 Scarifier Shanks have 3 Depth settings
 Scarifier Shanks Made from Hardened Steel
 Heavy Duty A-frame for Added Strength
 Comes Assembled Ready to use
 25-40 Recommended HP
 Reverse Shanks and Use to Move Brush
 Rakes Roots and Branches




ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
PR666	Pasture Renovator 66" Wide/6 Shank 25-40HP	180	\$1,185.00
PR778	Pasture Renovator 78" Wide/7 Shank 25-40HP	210	\$1,277.00



A & B THREE POINT HITCH ATTACHMENTS

GRADER BLADES



BGS40CT

- 1" Pivot Bolt
- ¼' Thick Moldboard –Double Formed
- Hitch is 3" x 3" Reinforced Tube
- Slider Style allows Blade to Offset Right or Left up to 10"
- ½" x 6" Reversible Cutting Edge
- Reinforced Blade Rotation Assembly
- Three Positions Forward and Reverse
- 3 Point hitch with Replaceable Cat I Lift Arm Pins

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
BGS40CT	Grader Blade 48" For Compact Cat I 15-25HP	183	\$1,116.00
BGE40	Grader Blade 48"/Economy 15-25HP	155	\$828.00
BGE50	Grader Blade 60"/Economy 15-25HP	193	\$895.00
BGE60	Grader Blade 72"/Economy 15-25HP	232	\$985.00
BGS50	Grader Blade 60"/Slider Style 15-25HP	231	\$1,168.00
BGS60	Grader Blade 72"/Slider Style 25-40HP	294	\$1,242.00
BGS70	Grader Blade 84"/Slider Style 25-40HP	316	\$1,315.00
BGS80	Grader Blade 96"/Slider Style 25-40HP	338	\$1,431.00
BGD50	Grader Blade 60"/Slider Style W/Tilt 25-40HP	243	\$1,426.00
BGD60	Grader Blade 72"/Slider Style W/Tilt 25-40HP	306	\$1,483.00
BGD70	Grader Blade 84"/Slider Style W/Tilt 25-40HP	328	\$1,550.00
BGD80	Grader Blade 96"/Slider Style W/Tilt 25-40HP	350	\$1,664.00

CAT I GRADER BLADES

- 1 ¼" Pivot Bolt (1" on 5' models)
- ¼" thick Moldboard- Double Formed for Added Strength
- 5' Models: Hitch is 5"x3" tube Reinforced with 4"x3/8" Top and Bottom
- 6',7,&8' Models: Hitch is 6"x3" tube Reinforced with 5"x3/8" Top and Bottom
- A-frame is 3"x3/8"
- Slider Style allows Blade to Offset Right or Left up to 16"
- BGD Models have 5 Tilt Positions of 15 to 30 Degrees
- ½" x 6" Reversible Cutting Edge
- Reinforced Blade Rotation Assembly
- Five Positions Forward and Reverse
- 3 Point Hitch with Replaceable Cat I Lift Arm Pins



BGD Models – Slider Style with Tilt

BGE – ECONOMY BLADES

- Compact Hitch for Compact and Subcompact Tractors
- 3/16" Thick Moldboard-Double Formed for Extra Strength
- ½"x6" Reversible Cutting Edge
- Three Angle Positions Forward and Reverse



A & B THREE POINT HITCH ATTACHMENTS

GRADER BLADES

HYDRAULIC ANGLE GRADER BLADES

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
BGH40	Rear Blade 48" Hydraulic Angle 20-35HP (No Hoses/Couplers)	218	\$2,025.00
BGH50	Rear Blade 60" Hydraulic Angle 20-35HP (No Hoses/Couplers)	232	\$2,088.00
BGH60	Rear Blade 72" Hydraulic Angle 20-35HP (No Hoses/Couplers)	248	\$2,241.00
BGH70	Rear Blade 84" Hydraulic Angle 25-35HP (No Hoses/Couplers)	276	\$2,399.00



ROW CROP CULTIVATOR

- All Welded Frame
- Shank Locks to keep Shanks Aligned as Set
- Each shank has 3 Mounting Positions
- 2 1/2" Reversible Points
- High Clearance
- A One row Covington or Cole Planter can be mounted
- 15-25 HP Recommended
- Grade 5 Heat Treated and Plated Fasteners
- 3 Point Hitch with Replaceable Cat I Lift Arm Pins



ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
RC650	Cultivator 1 Row	136	\$801.00

SUBSOILER

- Heavy duty 1" Wide x 6" Shank
- 1/2" x 3" Wide x 12" Reversible Point for Longer Life
- Shear Bolt Protection on Top Link
- 15" Middlebuster Shovel will fit on Footpiece
- Grade 5 Heat Treated and Plated Fasteners
- 3 Point Hitch with Replaceable Cat I Lift Arm Pins
- 20-35 HP Recommended
- Comes Assembled and Ready to Use



ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
SS003	Subsoiler - 1"X 6" Shank 20-35HP	130	\$761.00



A & B THREE POINT HITCH ATTACHMENTS

SCOOP



- 5 Cubic Foot Capacity
- 3" x 2" High Strength Rectangular Tube Frame with Angle Base
- Fabricated from 3/16" Steel
- Reversible
- Rope Controlled Dumping and Automatic Re-latching from Tractor Seat
- Reverse Position works as a Shovel
- Assembled Complete
- 3 Point Hitch with 4 Replaceable Cat I Lift Arm Pins

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
RSO50	Scoop 5 Cubic Feet 15-25HP	216	\$1,160.00

UTILITY CARRIER

UCCA1:

- Angle Frame construction
- Use for Lifting Pallets and Boxes
- Replaceable Cat I Lift Arm Pins
- Add Boards and use as an All Purpose Carrier
- 25" Between angles, 38" angle length

UCCA2:

- Use for Pallets and Pallet Boxes
- Made of Heavy Wall Tubing
- Forks Shaped and Welded to Eliminate Gouging Ground
- All Welded Construction
- Replaceable Cat I Lift Arm Pins
- 25 1/2" between forks, 38" fork length



ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
UCCA1	Utility Carrier 1500# Capacity	55	\$326.00
UCCA2	Utility Carrier 3000# Capacity	95	\$626.00

WEIGHT BOX

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
BW010	Weight Box Cat I-25"W X 15"L X 20"H	95	\$584.00



BW010 WEIGHT BOX

- CAT I
- All Welded Construction
- Quick Hitch Ready
- Attach Pins & Ready To Use
- 23" x 15" x 20"
- 103 lbs.



A & B THREE POINT HITCH ATTACHMENTS

PULVERIZERS

Model	P500SR	P600SR	P700SR
Frame	Heavy Duty 10" x 10" Wide Flange Beam	Heavy Duty 10" x 10" Wide Flange Beam	Heavy Duty 10" x 10" Wide Flange Beam
Spikes	3/4" x 8" Double Row	3/4" x 8" Double Row	3/4" x 8" Double Row
Number of Spikes	26	31	36
Number of Studs on Roller	62	68	86
Stud Size	3/8" round x 1 3/8" long	3/8" round x 1 3/8" long	3/8" round x 1 3/8" long
Roller	Spring Loaded- 6" Tube 1" Shaft w/Greasable Pillow Block Bearings	Spring Loaded- 6" Tube 1" Shaft w/Greasable Pillow Block Bearings	Spring Loaded- 6" Tube 1" Shaft w/Greasable Pillow Block Bearings
Set- up	Completely Assembled	Completely Assembled	Completely Assembled
Option	Double Roller Kit	Double Roller Kit	Double Roller Kit



ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
P500SR	Pulverizer 60" Single Roller 20-30HP	460	\$2,924.00
P600SR	Pulverizer 72" Single Roller 25-35HP	534	\$3,350.00
P700SR	Pulverizer 84" Single Roller 30-50HP	608	\$3,747.00
P500DR	60" Double Roller Conversion Kit	678	\$3,927.00
P600DR	72" Double Roller Conversion Kit	767	\$4,469.00
P700DR	84" Double Roller Conversion Kit	861	\$4,959.00

ROAD GRADER

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
BGR50	Road Grader Blade 60" 30HP	485	\$2,252.00
BGR60	Road Grader Blade 72" 35HP	540	\$2,407.00
BGR70	Road Grader Blade 84" 40HP	594	\$2,483.00
BGR501	60" 4 Shank Road Grader-Angled Dual Edges	525	\$2,523.00
BGR601	72" 6 Shank Road Grader-Angled Dual Edges	567	\$2,659.00
BGR701	84" 6 Shank Road Grader-Angled Dual Edges	649	\$2,903.00

- Heavy End Plates
- Cutting Edges are 1/2" x 6" Abrasion Resistant Steel. Interchangeable and Reversible
- Welded A-Frame with Replaceable Cat I "C" Type Hitch Pins
- Quick hitch compatible
- Dual Cutting Edges are Angled for Constant Down Pressure Resulting in Better Cutting and Leveling
- Digging of the Dual Cutting Edges allows Grass and Debris to Flow Through Evenly
- Recycles Gravel by Turning, Mixing, Sifting and Leveling with NO Washboard Effect on Unpaved Roads






A & B THREE POINT HITCH ATTACHMENTS

LANDSCAPE RAKES

- 1" Pivot Bolt and 3' x 3" Reinforced Tube
- Reinforced Rotation Assembly
- Five Positions Forward and Reverse
- Turns 360 Degrees
- 1' x 5/16" x 27" SAE 5160 Heat Treated Spring Steel Teeth
- 3 Point Hitch with Replaceable Cat I Lift Arm Pins
- Grade 5 Heat Treated and Plated Fasteners



ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
RLH60	72" HD Landscape Rake Cat I 25-40HP	245	\$1,641.00
RLH70	84" HD Landscape Rake Cat I 25-40HP	276	\$1,806.00
RLH80	96" HD Landscape Rake Cat I 25-40HP	316	\$1,958.00
RLE40	Yard Rake 48"	139	\$996.00
RLE50	Yard Rake 60"	173	\$1,153.00
RLE60	Yard Rake 72"	208	\$1,307.00
RLE70	Yard Rake 84"	229	\$1,441.00
RLE80	Yard Rake 96"	249	\$1,563.00
RGWPR	Gauge Wheels-Pair		\$855.00

Cat I Landscape Rakes

- 1" Pivot Bolt (1 1/4" on 6', 7', & 8') and 5" x 3" Reinforced Tube
- Hitch is 6"x3" x 3/16" Tube Reinforced with 5"x3/8" Top and Bottom and 3"x 3/8" "A"-frame
- Reinforced Rotation Assembly
- Five Positions Forward and Reverse
- Turns 360 Degrees
- 1' x 5/16" x 27" SAE 5160 Heat Treated Spring Steel Teeth
- 3 Point Hitch with Replaceable Cat I Lift Arm Pins
- Grade 5 Heat Treated and Plated Fasteners (Exact fit)
- Optional Gauge Wheels



RGWPR Gauge Wheels



CUMMINGS & BRICKER

www.cummingsandbricker.com
support@cummingsandbricker.com

Effective: 04/04/2023

F.O.B. C&B



A & B THREE POINT HITCH ATTACHMENTS

BOX SCRAPERS

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
BLEC40	Box Scraper 48" Compact Cat I 15-25HP	280	\$1,372.00
BLEC50	Box Scraper 60" 15-25HP	330	\$1,454.00
BLEC55	Box Scraper 66" 25-35HP	416	\$1,651.00
BLEC60	Box Scraper 72" 25-35HP	450	\$1,706.00
BLS60	Box Scraper Standard Duty 72" 35-50HP, CAT I & II	770	\$3,608.00
BLS65	Box Scraper Standard Duty 78" 35-50HP, CAT I & II	810	\$3,810.00
BLS70	Box Scraper Standard Duty 84" 35-50HP, CAT I & II	830	\$3,972.00
BLS80	Box Scraper Standard Duty 96" 35-50HP, CAT I & II	962	\$3,972.00
BLCW55	Box Scraper Clevis Hitch 66" 25-40HP, CAT I & II	525	\$2,058.00
BLCW60	Box Scraper Clevis Hitch 72" 25-40HP, CAT I & II	557	\$2,113.00
BLCW65	Box Scraper Clevis Hitch 78" 25-40HP, CAT I & II	597	\$2,394.00
BLCW70	Box Scraper Clevis Hitch 84" 25-40HP, CAT I & II	638	\$2,495.00
BLCW80	Box Scraper Clevis Hitch 96" 25-40HP, CAT I & II	724	\$2,793.00
KBF60	Box Scraper 72" Floating Rear Moldboard 35-50HP, CAT I & II	881	\$4,425.00
KBF65	Box Scraper 78" Floating Rear Moldboard 35-50HP, CAT I & II	926	\$4,713.00
KBF70	Box Scraper 84" Floating Rear Moldboard 35-50HP, CAT I & II	973	\$4,914.00
KBF80	Box Scraper 96" Floating Rear Moldboard 35-50HP, CAT I & II	1061	\$5,645.00
DEDUCT	For No Shanks	Deduct \$12/Shank	



A & B THREE POINT HITCH ATTACHMENTS

BOX SCRAPERS

Model	BLEC (Medium Duty)	BLS (Standard Duty)	BLCW (Clevis Hitch)	BLR (Rollover)	KBF (Floating Rear Moldboard)
End Plate Thickness	BLEC40 -3/16" BLEC50 -3/16" BLEC60 - 1/4"	3/8"	3/8"	3/8"	3/8"
Back Plate Thickness	3/16" Triple Formed	3/16" Roll Formed	1/4" Roll Formed	1/4" Double Formed Top & Bottom	Front- 3/16" Roll Formed Rear- 3/16" Double Formed
Scarifier Tube Thickness	3/16"	BLS60/65 - 5/16" BLS70/80 - 3/8"	BLCW55/60/65 - 5/16" BLCW70/80 - 3/8"	5/16"	3/8"
Scarifier Points	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable
Number of Shanks	BLEC40 (3) BLEC50 (4) BLEC60 (5)	BLS60/BLS65 (7) BLS70 (8) BLS80 (9)	BLCW55/60/65 (6) BLCW70 (7) BLCW80 (8)	BLR55 (6) BLR60/65 (7) BLR70 (8)	KBF60/65 (7) KBF70 (8) KBF80 (9)
Scarifier Depth Settings	3	2	3	3	2
Cutting Edge	1/2" X 6" Reversible	1/2" X 6" Reversible	1/2" X 6" Reversible	1/2" X 6" Reversible and Interchangeable	1/2" X 6" Reversible
Hitch Type	Welded Cat I (BLEC40 Compact Cat I)	Welded Cat I & II	Welded Cat I & II Clevis Hitch	Welded Cat I & II	Welded Cat I & II
Recommended Horsepower	15-35	35-50	25-40	35-50	35-50



BLEC Compact CAT I



BLS Standard Duty



BLCW Clevis Hitch



BLR Rollover



KBF Floating Rear Moldboard

