




CUMMINGS & BRICKER

www.cummingsandbricker.com
support@cummingsandbricker.com

Effective: 12/28/2023

F.O.B. C&B



[Click here for ordering programs-Select Program #11 from Bookmarks](#)

TRANSPLANTER - BASIC UNIT

Holland Transplanter Co. has manufactured specialized vegetable planting machines since 1927.

The information below shows the most common machine configurations with commonly requested options.

A complete price list with all models, configurations, and options is available on request.

PRICES ARE F.O.B. FACTORY- LTL RATES APPLY



Please note: Dealers in Virginia please contact Holland at 800-275-4482

ITEMNUMBER	DESCRIPTION	PRICE
1500	Transplanter - 6, 8, or 10 plant holders - Specify Choices	\$2,300.00
ILPSHOE	Polymer Coated Furrow Opener	\$165.00
ILJPBOX	Jumbo (Tall) Plant Boxes (Pair)	\$225.00
39702	Cat I 3PT Hitch W/Barrel Mount Bracket-add barrel	\$600.00
39715	Cat II 3 Point Hitch W/Barrel Mount Bracket - Add Barrel	\$600.00
39503	Cushion Seats(Pair)	\$495.00

MODEL 1500

Quality designed for time proven results. Quality design, workmanship and materials have made our conventional bare root transplanters the proven leaders for over 65 years. These models can plant over 50 plants per minute, depending on plant spacings. Two operators feed the seedlings into rubber grippers which hold and protect the plant as it is guided into the furrow. A variety of optional plant holders are available for different type of seedlings. There is also an optional holder for your small greenhouse cell plants. Field spacing adjustments are easily made by changing sprockets.

- Adjustability - closing guides, seats, footrest and plant box locations are all adjustable to your individual needs to assure faster and more comfortable planting.
- Solid steel chain tighteners prevent packing wheel slippage.
- Heavy duty drive chains, conveyor chains and cast iron sprockets minimize breakage downtime.
- Grease fittings - all moving parts have grease fittings for a long and dependable life span.

Options like coultter blades, bed levelers, rubber packing wheels and cultivator attachments allow you to plant in different conditions, making this the most versatile transplanter on the market. These units can be used as a one row or multi row, either tractor mounted or tractor drawn.

Specify your choice of the following when ordering:

- Round point (lighter soil) Blunt point (heavy soil)
- P54, P54S, P54S3, or P54P plant holders
- SR metered water valve or continuous flow water valve.
NOTE: Unites with more than 10 plant holders are recommended to use Continuous flow valves.
- Standard width or adjustable plant boxes & stands.
NOTE: Adjustable plant boxes and stands are required on multi-row planters with row widths less than 40"





TRANSPLANTER - ROTARY

ITEMNUMBER	DESCRIPTION	PRICE
301001	Rotary One Transplanter W/Fiberglass Seat, Constant Flow water valve, and rubber packing wheels	\$4,500.00
300001	Rotary One Transplanter W/Rubber Packing Wheels and CF Water Valve, Less Seats	\$4,300.00
39410	Center Slide 4 Tray Holder	\$350.00
39402	Cat I 3PT Hitch W/Drive Wheel Assembly/Barrel Mount Brackets-add barrel	\$850.00
39417	Start-Rite Metered Water Valve (In Lieu Of Standard)	\$300.00
39602	55 Gallon Poly Tank W/Galvanized Liner	\$625.00



For planting greenhouse tray plug plants, our rotary planting unit is number one in its field. That's why we call it the Rotary One. With only one operator, this efficient machine will plant more than 60 plants per minute.

After an initial setting is made to fit your desired depth and plant spacing, plants are dropped into the rotating cups and the planter does the rest. Spacing and plant depth are both very uniform. This transplanter can be used as a single row unit mounted on a three point hitch, or any number of units can be mounted onto either a toolbar or a tractor-drawn main frame.

Standard with polymer furrow opener, polymer skid sled, six pant feeding cups, spacing sprockets, footrests, rubber packing wheels.

When ordering rotary transplanter units, specify choice of the following:

- Steel packing wheels in lieu of rubber packing wheels
- Start-rite metered water valve in lieu of continuous flow water valve
- Fiberglass molded seat or cushion padded seat.
- Specify if rotary planter unit is to be used with positive drive fertilizer attachments



TRANSPLANTER - MANUAL - OLD FAITHFUL

ITEMNUMBER	DESCRIPTION	PRICE
1525	Old Faithful Hand Planter W/7"x 2" opener, fiberglass seats, steel packing wheels, and weight brackets	Call For Pricing
ILRTPW	Rubber Packing Wheels ILO standard	\$1,100.00
599461	Cat 1 3 Point Hitch - For 1525	\$730.00
39524	Coulter Blade 20" - Includes Hitch Mount	\$625.00
ILCS	Cushion Padded Seats (Pair) ILOS Fiberglass	\$250.00

Holland's "Old Faithful" is just that. A transplanter with all the basic features. It will plant anything you can hold in your hand. Bulbs, plants, cuttings, seedlings, plugs, pots, seeds, potted cuttings, tree stock, nursery stock and grape rootings to name a few. Properly equipped it can handle large or small nursery stock from gallon containers to items as small as acorns.

Standard furrow opening is 7" D x 2" W.

In addition to standard features, available options include different sized furrow openers, disc or steel covering blades, and plant trays.





TRANSPLANTER - MULCH POT PLANTER

ITEMNUMBER	DESCRIPTION	PRICE
12651	Mulch Pot Planter 84" Spacing, Add Options / Specify Spade	\$7,300.00
12652	Mulch Pot Planter 42" Spacing, Add Options, Specify Spade	\$7,300.00
12653	Mulch Pot Planter 28" Spacing, Add Options, Specify Spade	\$7,300.00
12654	Mulch Pot Planter 21" Spacing, Add Options, Specify Spade	\$7,400.00
12655	Mulch Pot Planter 17" Spacing, Add Options, Specify Spade	\$7,500.00
12656	Mulch Pot Planter 14" Spacing, Add Options, Specify Spade	\$7,600.00
12657	Mulch Pot Planter 12" Spacing, Add Options, Specify Spade	\$7,700.00



The 1265 series is designed to plant through the layed plastic mulch without leaving the plastic torn or full of holes. The operators drop the seedlings into the revolving spades, the planter does the rest. The spade pops a hole through the plastic and into the ground, sets the plant into the hole, gives it a shot of water, and repacks the soil around it. This is the easiest and best way to set your greenhouse plug plants in plastic mulch.

Standard Equipment:

- Complete set of heavy duty spades (see chart)
- Two plant holding trays
- Two fiberglass seats
- 6: 70 x 15 drive tire and idler tire
- Rubber packing wheel with weight bracket
- Parking stand.

SPADE SIZE	PLANT SIZE/SHAPE
M10	¾" Round or Square
M10A	1" to 1 ½" Round or Square
M11	1" to 1 ½" Round
M12	1" to 1 ½" Square

SPADE SIZE	PLANT SIZE/SHAPE
M13	2" to 2 ¾" Square
M14	2" to 2 ¾" Round
M15**	3"
M16**	4"

**Not Available For Models 1265-7

Options In Lieu Of Standard Equipment

ITEMNUMBER	DESCRIPTION	PRICE
48113	Water Valve Attachment	\$650.00
48114	Double Water Valve	\$850.00

Options And Accessories

ITEMNUMBER	DESCRIPTION	PRICE
49009	Single Top Try attachment - 4'X5'	\$540.00

Specify Hitch

ITEMNUMBER	DESCRIPTION	PRICE
48060H	3PT CAT I Hitch W/ Barrel Mounting Brackets	\$730.00
48090	3PT Cat II Hitch W/Barrel Mount Bracket	\$730.00
48040H	Toolbar Hitch	\$475.00

Specify Spade Size

ITEMNUMBER	DESCRIPTION	PRICE
M10	Pair Of Spades - For ¾" Round Or Square Plants	Call For Pricing
M10A	Pair Of Spades - For 1" to 1 1/2" Round Or Square Plants	
M11	Pair Of Spades - For 1 1/2" to 2" Round Plants	
M12	Pair Of Spades - For 1 1/2" to 2" Square Plants	
M13	Pair Of Spades - For 2" to 2 3/4" Square Plants	
M14	Pair Of Spades - For 2" to 2 3/4" Round Plants	
M15	Pair Of Spades - For 3" Plants *Not Available For Models 1265-7*	
M16	Pair Of Spades - For 4" Plants *Not Available For Models 1265-7*	



CUMMINGS & BRICKER

www.cummingsandbricker.com
support@cummingsandbricker.com

Effective: 12/28/2023

F.O.B. C&B



TRANSPLANTER - TREE

ITEMNUMBER	DESCRIPTION	PRICE
59941	1550T Tree Transplanter-W/10" Blunt Point Furrow Opener W/Replaceable Chisel Point, 20" Coulter, Rear Wt. Bracket, Plant Boxes, 3 Plant Holders On Chain, Cat I 3 Point Hitch W/Down Pressure Springs, Steel Seats	\$5,500.00



Model 1550T Tree Transplanter

Picture shown with optional front coulters.

Complete with 10" blunt point furrow opener with replacement chisel point, 20" coulters blade, rear weight bracket, plant boxes and stand 3-P54 plant holders on chain (for minimum plant spacing of 40") CAT I 3-point hitch with double down pressure springs, steel seats, steel packing wheels.

***INQUIRE FOR ADDITIONAL OPTIONS**



BED SHAPERS - MULCH LAYERS



Available with or without fertilizer attachment. The 1275 can lay 48" plastic* without tearing, on flat ground or beds. The unit floats independent of its three point hitch, insuring a smooth application. By adding the fertilizer and drip irrigation attachments, you can reduce your expenses and still maximize your yield.



*Models for wider width plastic available on request.

ITEMNUMBER	DESCRIPTION	PRICE
46000	1275 Mulch Layer -Standard unit accepts up to 48" wide rolls. Wider widths available.	\$2,800.00
46003	Bed Shaper - 18" Top, 6" High	\$5,100.00
46004	Bed Shaper only 30" top - 6" high sides	\$5,100.00
123536	Bedshaper/Mulch Layer - 18" Top, 6" High, 36" Plastic	\$6,700.00
123548	Bed Shaper/Mulch Layer - 30" Top, 6" High, 48" Plastic	\$6,700.00
49005	Drip Irrigation Attachment For Mulch Layers - Model 1275	\$510.00
49003	Double Drip Line - For Model 1275 & 1235	\$795.00
49004	Heavy Duty Drip Irrigation Attachment For Model 1235 Bed Shapers	\$510.00
39652	6.70 X 15 Tractor Tire(Pair)	\$1,600.00



In one pass, (with the optional irrigation attachment), the HD Bedshaper/Mulch Layer will:

1. Shape the bed
2. Lay the irrigation tape
3. Lay the mulch

Large bed forming plates are adjustable, are lined with a polymer coating to resist soil build up during use.

Features:

- Irrigation tape dispenser roll (optional)
- Spare mulch roll holder
- Bed shaper
- Mulch packing wheels
- Soil closing discs



MULCH DIGGER - FOR PLASTIC MULCH

ITEMNUMBER	DESCRIPTION	PRICE
47000	1295 Mulch Digger - 3PH, Cutting Disc Blades & Lift Wings	\$3,500.00



The 1295 Mulch Digger straddles the plastic while cutting the sods outside edges and lifting those edges out of the soil leaving the plastic on top of the soil in one piece.

- 3 Point Hitch
- Solid welded tubular construction
- Heavy duty sod cutting discs
- Optional gauge wheels