

Click here for ordering programs-Select Program
#2A from Bookmarks

BALE WRAPPERS

INDIVIDUAL WRAPPER

Round Bale Wrappers

| ITEMNUMBER | DESCRIPTION | WEIGHT | PRICE |
|------------|---|--------|-------------|
| TL1000R | Individual Round Bale Wrapper 3PH - Twin Wrap Kit With 4" Offset Standard Equipment | 1400 | \$12,003.00 |
| TL1100RA | Individual Round Bale Wrapper 3PH - Auto Cycling | 1450 | \$23,383.00 |
| TL1100RAP | Individual Round Bale Wrapper 3PH - Auto Cycling, Includes Power Pack | 1550 | \$30,314.00 |

The TL1000R is an efficient choice for farmers looking to wrap individual round bales.



Capable of wrapping bales up to 5' x 5'6", the TL1000R uses auxiliary hydraulics to spin the table and wrap the bale. Twin wrap kit with 4" offset is standard. Once the bale has the desired amount of wrap, simply lift the 3 point hitch to unload the bale.

TL1000R Specifications

| | |
|-------------------|-----------------------|
| Bale Size | 4'x4' to 5'x5'6" |
| HP Required | 30HP |
| Three Point Hitch | Category II |
| Drive Type | Hydraulic |
| Bale Guides | Adjustable - 4' or 5" |



Twin Wrap (Offset) Uses 2 rolls of 30" film



Wrap Counter: Sets desired number of rotations of wrap per bale/displays current rotation.



Adjustable Bale Guides: Allows 4' or 5' bales to be centered on the turntable.



Manual Transport Lock: Secures bale platform to prevent dumping during transport.



3 Point Hitch Lift: Easily unloads wrapped bales.

TL1100R Automatic Individual Bale Wrapper

This automatic bale wrapper is easy to use and runs while mounted on the 3PH, connected to the tractor's hydraulics or as a standalone unit when equipped with an optional hydraulic power pack.

Standard with twin wrap kit. All functions of the TL1100R can be controlled from the wireless remote providing true one person operation.



SPECIFICATIONS

| | |
|---------------------|-----------------------|
| Bales Size | Up to 5' x 6' |
| Film Width | 30" (x2) |
| Min. Hydraulic Flow | 5 GPM @ 2500 PSI |
| Hitch | 3PH (Category II) |
| Drive Type | Hydraulic |
| Bale Guides | Adjustable (4' or 5') |
| Offset Twin Wrap | Fixed 4" |
| Length | 118" |
| Width | 79" |
| Height | 88" |
| Weight | 1,550* |
| Power Pack | Optional |



WIRELESS REMOTE

The wireless remote can run all functions of the TL1100R



LCD DISPLAY

An easy-to-read fully automatic display provides real time information & is easy to read in direct sun light



HYDRAULIC BALE DUMP

Wrapped bales are hydraulically dumped off the table at the end of the automatic cycle.

OTHER STANDARD FEATURES

- Hydraulically Powered
- Flow Control Regulated Table Rotation
- Mechanical Table Rotate Lock
- Adjustable Wrap Carrier
- Transport Lock
- Wrap Cutter

*Includes optional power pack



BALE WRAPPERS

INDIVIDUAL WRAPPER

Round And Square Bale Wrappers

| ITEMNUMBER | DESCRIPTION | WEIGHT | PRICE |
|-------------|--|--------|-------------|
| TL1700SR | Individual Square/Round Bale Wrapper Trailed, 7' Long Capacity - Twin Wrap Kit With 4" Offset Standard Equipment | 2865 | \$27,857.00 |
| TL1700SRMFC | Individual Square/Round Bale Wrapper W/Manual Flow 3X3 Bales/7' Long Capacity | 2865 | \$28,256.00 |
| TL1700SRP | Individual Square/Round Bale Wrapper W/Power Pack 3X3 Bales/7' Long Capacity | 3000 | \$34,346.00 |
| TL1700SRPA | Individual Square/Round Bale Wrapper W/Power Pack-Auto Cycle, 3X3 Bales/7' Long Capacity | 3000 | \$46,122.00 |
| TL1700SRA | Individual Square/Round Bale Wrapper W/Auto Cycling 3X3 Bales/7' Long Capacity | 2865 | \$39,287.00 |
| 41963 | Manual Flow Control For TL1700SR | | \$435.00 |
| 40983 | Hydraulic Power Pack For TL1700SR - 13 HP Honda (Less Oil, 38 quarts required) 4-6 Hr Install | | \$6,797.00 |
| 45477 | Auto Wrap W/Remote - For TL1700SR (For Use W/Power Pack #40983)**Requires Hyd Cooler #47494** | | \$11,830.00 |
| 45478 | Auto Wrap W/Remote - For TL1700SR (For Use W/Tractor Hydraulics) | | \$11,830.00 |
| 47494 | Cooling System | | \$1,431.00 |

TL1700SR Square/Round Bale Wrapper

The TL1700SR is ideal for small to medium sized operations. Hydraulically powered, the TL1700SR can easily switch between round and square bales by moving the secondary drive shaft on either of the appropriate stub shaft. Each stub shaft changes the drive ratio to provide the appropriate advancement of the bale. When the carrier arm is placed in the wrapping position, the carrier can be raised or lowered centering the wrap on the bale to provide even plastic coverage.



- Bale Size:** Square – 3' x 3' up to 7'
Round – 4' x 4' to 5' x 5'6"
- HP:** 30HP
- Hitch:** Trailer (Clevis)
- Drive Type:** Hydraulic
- Guide Roller:** 2



Optional Power Pack



Drive Selection: allows the wrapper to switch between round and square bales



Bale Bumper: Ensures the bale lands far enough away from the table to rotate.



Twin Wrap: Offset with 4" Lead



BALE WRAPPERS

INDIVIDUAL WRAPPER

High Speed Individual Round Bale Wrapper

| ITEMNUMBER | DESCRIPTION | WEIGHT | PRICE |
|--------------|--|--------|-------------|
| TL360 | Trailed - High Speed, For 4X4 Up To 5' X 5'6 Bales | 5100 | \$61,999.00 |
| TL360RCK | Remote Kit - For Stationary Wrapping - TL360 Models | | \$2,576.00 |
| 48528 | Bale Tipper - For TL360 Models | | \$1,374.00 |
| TLTWK360 | Twin Wrap Kit - Two Rolls Of Plastic Per Side (Four Total) For TL360 | | \$726.00 |
| TLNWLKECV360 | Nightworking Light Kit - 3 LED Lights (Factory Install) | | \$721.00 |

TL360 Individual Bale Wrapper

The TL360 utilizes the ECV control system for fully automatic cycling and precision wrapping of individual round bales.

BALE CAPACITY

Individual Wrapping – 4' x 4' to 5' x 5'6"

STANDARD FEATURES

- Safety switches on doors
- Shut off switch on the machine
- Electronic control valves
- Fully automatic cycling
- Precision wrapping
- Two 30" pre-tensioners
- Soft start (Hoop)
- High-pressure filter
- Automatic Cut/Hold
- Bale counter – lifetime count with ability to be resettable
- Self-diagnostic controls
- 12 button individual function controls
- In-cab full function control
- Easy to read display with RAM mount
- Plugs into 12-volt power outlet



MACHINE SPECIFICATIONS

- Computer-controlled
- Wireless film sensor
- Film Width 30" (x2) 55% stretch
- HP Required 60 HP
- Minimum 16 GPM required
- Hitch Trailer (Clevis)
- Drive Type - Hydraulic



BALE WRAPPERS

TL SERIES INLINE WRAPPERS

All wrappers require ONE HOUR of additional setup after delivery to dealership.

Based off of Tubeline's seasoned operating platforms, the TL Series Wrappers are available in the analogue LSV or the digital ECV.

The TL Series has 100% more shielding over their predecessors increasing safety while providing a sleek modern look and a reengineered door.

SPECIFICATIONS

- 13 HP Honda Engine
- Electric Start
- Self-contained Hydraulics
- 11L x 15 8 Ply or 27 x 10.5 Traction
- Quick Start Deck
- Up to 129 Bales/Hour

SILVER PACKAGE

- Wireless Plastic Sensor Shutdown Kit
- Remote Steer/Shut Down
- LED Work Lights
- Bale Dispatch (side mounted arm)

GOLD PACKAGE

- Wireless Plastic Sensor Shutdown Kit
- Remote Steer/Shut Down & remote start
- LED Work Lights
- Bale Dispatch (side mounted arm)
- 20 HP Engine With High Flow Hydraulics

PLATINUM PACKAGE

- Wireless Plastic Sensor Shutdown Kit
- Remote Steer/Shut Down (incl. remote start)
- LED Work Lights
- Offset Twin Wrap Kit
- Bale Dispatch (side mount arm)
- 20 HP Engine With High Flow Hydraulics
- Dual Power Drive
- Laser Guidance System



TL50 LSV/ECV

Round Bale Up to 6'

TL60 LSV/ECV

Round Bales Up to 6'
Square bales 3' x 3' x 6'

TL70 LSV/ECV

Round Bales Up to 6'
Square bales 3' x 3' x 7' or 4' x 4' x 6'
(Double stacked - 3' x 3' x 5 1/2' or 3' x 4' x 5 1/2')

FEATURES



Film Snap




Pivoting Door



Bale Dispatch



Offset Twin Wrap (optional)



Laser Steering (optional)



Power Drive (optional)



LSV Model Wrappers

| ITEMNUMBER | DESCRIPTION | WEIGHT | PRICE |
|-----------------|---|--------|-------------|
| TL50LSV | Automatic Bale Wrapper | 6300 | \$52,211.00 |
| TL50LSVSILVER | Automatic Bale Wrapper - SILVER PACKAGE | 6300 | \$57,285.00 |
| TL50LSVGOLD | Automatic Bale Wrapper - GOLD PACKAGE | 6300 | \$59,808.00 |
| TL50LSVPLATINUM | Automatic Bale Wrapper - PLATINUM PACKAGE | 6300 | \$64,789.00 |
| TL60LSV | Automatic Bale Wrapper | 7600 | \$60,398.00 |
| TL60LSVSILVER | Automatic Bale Wrapper - SILVER PACKAGE | 7600 | \$64,891.00 |
| TL60LSVGOLD | Automatic Bale Wrapper - GOLD PACKAGE | 7600 | \$67,982.00 |
| TL60LSVPLATINUM | Automatic Bale Wrapper - PLATINUM PACKAGE | 7600 | \$72,994.00 |
| TL70LSVGOLD | Automatic Bale Wrapper - GOLD PACKAGE | 9600 | \$82,245.00 |
| TL70LSVPLATINUM | Automatic Bale Wrapper - PLATINUM PACKAGE | 9600 | \$87,802.00 |




BALE WRAPPERS

TL SERIES INLINE WRAPPERS

ECV Model Wrappers (Electronic Controls)

| ITEMNUMBER | DESCRIPTION | WEIGHT | PRICE |
|-----------------|---|--------|-------------|
| TL50ECV | Automatic Bale Wrapper | 6300 | \$56,890.00 |
| TL50ECVSILVER | Automatic Bale Wrapper - SILVER PACKAGE | 6300 | \$61,378.00 |
| TL50ECVGOLD | Automatic Bale Wrapper - GOLD PACKAGE | 6300 | \$64,474.00 |
| TL50ECVPLATINUM | Automatic Bale Wrapper - PLATINUM PACKAGE | 6300 | \$69,463.00 |
| TL60ECV | Automatic Bale Wrapper | 7600 | \$65,073.00 |
| TL60ECVSILVER | Automatic Bale Wrapper - SILIVER PACKAGE | 7600 | \$69,565.00 |
| TL60ECVGOLD | Automatic Bale Wrapper - GOLD PACKAGE | 7600 | \$72,688.00 |
| TL60ECVPLATINUM | Automatic Bale Wrapper - PLATINUM PACKAGE | 7600 | \$77,637.00 |
| TL70ECVGOLD | Automatic Bale Wrapper - GOLD PACKAGE | 9600 | \$86,724.00 |
| TL70ECVPLATINUM | Automatic Bale Wrapper - PLATINUM PACKAGE | 9600 | \$92,290.00 |

LSV Series



Standard electric over hydraulic controls. LSV series controls Combine analogue switches and hydraulic levers.

The LSV control panel comes standard with a lifetime bale counter.

Optional equipment can be controlled through the toggle switches on the bottom of the control panel.

Hydraulic levers control the table and optional power drive systems.

ECV Series



Electric over hydraulic controls with an easy to use digital console which provides the brains behind our precision wrapping.

The digital control panel allows you to select functions, and configure settings at the touch of a button.

The multi-function joystick provides centralized control over steering and our optional power drive.

Large rocker switches are provided for primary features like power, emergency stop, & optional features like remote start & night lights.



BALE WRAPPERS

X2 SERIES BALE WRAPPERS

All wrappers require ONE HOUR of additional setup after delivery to dealership.

| ITEMNUMBER | DESCRIPTION | WEIGHT | PRICE |
|------------|--|--------|-------------|
| TLR5000AX2 | Automatic Continuous Big Bale Wrapper For Round Bales - Standard w/Large Hoop To Accommodate Up To 6' Diameter Bales | 5100 | \$52,521.00 |
| TLR5000ECV | Same as TL5000AX2 but with Electronic Control Valve | 5100 | \$57,200.00 |

CUT YOUR WRAP IN A SNAP!

NOW STANDARD ON ALL AX2 & ECV INLINE WRAPPERS

Push and hold the Film Snap button located beside the operator's panel until both tensioners pass, triggering each Film Snap bar. The Film Snap bar cuts the wrap quickly and easily.



TL5000 Wrapper Features

- Film Snap (quick cut of plastic wrap)
- Fully automatic cycling
- Electric start
- Spark arrester on engine
- Low oil alert on engine
- Road light c/w reflector
- Temperature gauge on hydraulic tank
- Lock pin on hoop to reload plastic
- Hydraulic steering
- Electric hydraulic switch in control panel
- Main control panel wired for field installed options
- Adjustable stroke length on charge table
- 2 - 30" pre-tensioners
- Adjustable tongue
- Automatically idles down when cycle completed
- Safety shut off switch on guards
- Plastic sensor shutdown Optional
- Twin wrap kit (for double plastic) Optional

SPECIFICATIONS

TLR5000

| | |
|------------------|--|
| Overall Length | 18' |
| Width | 9' (Without guards 8') |
| Height | 9' |
| Tires | (2) 11L x 15 8 ply (2) 27 x 10.5 Traction Impl. |
| Bale Size: Round | Up to 6' |
| Square | Not Applicable |
| Film Stretcher | (2) 30" x 55% (Twin Wrap Using 4 Rolls Optional) |
| Standard Power | Honda GX390 13HP |

Tubeline Wrapper Features

SETUP ON ALL INLINE WRAPPERS: \$250 - Assembled units will ship oversized, please inquire for freight rates

**CUMMINGS & BRICKER**www.cummingsandbricker.com
support@cummingsandbricker.com

Effective: 12/05/2023

F.O.B. C&B

TUBE•LINE™**BALE WRAPPERS****OPTIONAL EQUIPMENT**

All wrappers require ONE HOUR of additional setup after delivery to dealership.

| ITEMNUMBER | DESCRIPTION | PRICE |
|---------------|---|------------|
| TLPSSKW | Wireless Plastic Sensor Shutdown Kit (LSV models) | \$1,389.00 |
| TLPSSKWEVCV | Wireless Plastic Sensor Shutdown Kit (ECV models) | \$1,389.00 |
| TLGS | Laser Guidance System (LSV models) | \$2,505.00 |
| TLGSECV | Laser Guidance System (ECV Models) *Does not fit AX2 models* | \$1,341.00 |
| TLOSGLSV | Right Hand Door Kit - For TL50/60, Replaces Bolt On Guard | \$373.00 |
| TLOSGEVCV | Right Hand Door Kit - For TL50/60 ECV Models Replaces Bolt On Guard | \$373.00 |
| TLOS70LSV | Right Hand Door Kit - For TL70 LSV Models, Replaces Bolt On Gaurd | \$425.00 |
| TLOS70ECV | Right Hand Door Kit - For TL70 ECV Models, Replaces Bolt On Gaurd | \$425.00 |
| TLHPD50LSV | Hydraulic Power Drive - Single Wheel For TL50LSV | \$1,303.00 |
| TLHPD50ECV | Hydraulic Power Drive - Single Wheel For TL50ECV | \$2,195.00 |
| TLHPDD50LSV | Hydraulic Power Drive - Dual Wheel For TL50LSV | \$2,562.00 |
| TLHPDD50ECV | Hydraulic Power Drive - Dual Wheel For TL50ECV | \$3,459.00 |
| TLHPD60LSV | Hydraulic Power Drive - Single Wheel For TL60LSV | \$1,303.00 |
| TLHPD60ECV | Hydraulic Power Drive - Single Wheel For TL60ECV | \$2,195.00 |
| TLHPDD60LSV | Hydraulic Power Drive - Dual Wheel For TL60LSV | \$2,562.00 |
| TLHPDD60ECV | Hydraulic Power Drive - Dual Wheel For TL60ECV | \$3,459.00 |
| TLHPDD70LSV | Hydraulic Power Drive - Dual Wheel For TL70LSV | \$4,145.00 |
| TLHPDD70ECV | Hydraulic Power Drive - Dual Wheel For TL70ECV | \$4,145.00 |
| TLHPD5000ECV | Hydraulic Power Drive - Single Wheel For TL5000ECV | \$2,195.00 |
| TLHPDD5000ECV | Hydraulic Power Drive - Dual Wheel For TL5000ECV | \$3,459.00 |
| TLHPD5000 | Hydraulic Power Drive - Single Wheel For TLR5000AX2 | \$1,303.00 |
| TLHPDD5000 | Hydraulic Power Drive - Dual Wheel For TLR5000AX2 | \$2,562.00 |
| TLRSSKX2HD | Remote Steering And Shutdown Kit For (Start - Cycle Start) (Stop - Engine Stop) | \$1,889.00 |
| TLRSSKX2HDE | Remote Steering And Shutdown Kit Same As TLRSSKX2HD, Includes Engine Start | \$2,114.00 |
| TLRSSKX2HDECV | Remote Steering & Shutdown Kit (ECV models), includes remote engine start | \$2,114.00 |
| TLNWLK | Night Working Light Kit - Includes 3 Halogen Lamps (Factory Install) - All Inline Wrapper Models | \$298.00 |
| TLNWLKLED | Night Working Light Kit 3 LED Lights (Factory Install) | \$721.00 |
| TLNWLKECV | Night Working Light Kit 3 LED Lights ECV models (Factory Install) | \$721.00 |
| TLGR50 | Guide Rollers On Discharge Ramp (TL50) | \$749.00 |
| 48001T | Rear Guide Rollers Discharge Ramp - TL50 | \$749.00 |
| TLGR70 | Rear Guide Rollers Discharge Ramp - For TL70 | \$749.00 |
| TLRF | Suspension Front Axle For TL50/60 - Factory Option Only | \$2,118.00 |
| 47501 | Suspension Front Axle For TL70 - Factory Option Only | \$3,177.00 |
| TLTWKOFF | Offset Twin Wrap Kit For TL50/60 | \$1,016.00 |
| TL20HP | 20HP Honda Engine Kit - Includes High Flow Pump and Fuel Pump. When faster operation is desired by custom operators | \$3,492.00 |
| TLMPO5000 | Manual-Spring Assist Push-Off - For TLR5000(2013 and newer)/ TL50 | \$1,427.00 |
| TLGRNS | Guide Rollers -Standard on TLR5000 | \$749.00 |
| TLTWK | Twin Wrap Kit - For TLR5000 - Allows for use of two rolls of plastic per side (Four rolls total) | \$726.00 |

100-120 LEHIGH AVE.
P.O. BOX 928
BATAVIA, NY 14021
PHONE: 800-252-1552 FAX: 888-852-7406100 STOVER DRIVE
CARLISLE, PA 17015
PHONE: 800-222-8969
FAX: 717-249-9384



BALE WRAPPERS

OPTIONAL EQUIPMENT

OPTIONS:



Night Working Lights



Remote Steering & Shutdown



Hydraulic Power Drive



Guide Rollers




Plastic Sensor Shutdown



Quick Start Power Jack

SAFETY FEATURES:



Panic Stop Button



Limit switches on Safety Cages prevent operation when changing plastic.




Hoop Lock Pin prevents hoop rotation and hoop drift when changing plastic.



Optional on TLR5000 AX2 & ECV models only

Mounted to the side of the wrapper the spring assisted Bale Dispatch lowers across the tail to form a solid push bar. Once deployed one cycle of the ram is enough to push the bale from the tail of the wrapper.

1. Storage & Wrapping position.
2. Easily folds out and retracts using the integrated handle.
3. When extended, the Bale Dispatch rests in a pocket which provides a firm backstop when pushing in bales.



Optional on all 5000 & 5500 models (Standard on 6500)

Multiple layers of wrap protect your bales from unwanted holes and also bond to form stronger less penetrable wrap once applied.

Tubeline's twin wrap kit holds two rolls of film and passes them through a single stretcher activating the wraps bonding compound forming a stronger 2-Ply layer of film & folds them over helping to prevent piercing of the wrap.

Combining two sets of two rolls for a total of four, The twin wrap kit provides the same protection as four separate stretchers with the additional benefit of producing a more durable bonded 2-Ply film that stands up better than single ply layers.





Agreto Hay & Straw Moisture Meter

| ITEMNUMBER | DESCRIPTION | WEIGHT | PRICE |
|------------|--|--------|----------|
| AGFH0013 | 10" HFM II Hand Held Moisture Tester Probe | 2 | \$450.00 |
| AGFH0010 | 20" HFM II Hand Held Moisture Tester Probe | 2 | \$499.00 |
| AGFH0011 | 40" HFM II Hand Held Moisture Tester Probe | 2.5 | \$525.00 |
| AGFP0010 | Baler Mounted Moisture Monitor Universal Mounting-With Monitor | 3.5 | \$679.00 |

HAY & STRAW MOISTURE METERS

Professional measuring instruments for determining moisture and temperature of baled hay or straw.

Handheld Moisture Meter

Easy moisture control with ongoing display of the readings during the measurement procedure for rapid moisture measurement at different locations within the bale.

- Ergonomically shaped wooden handle
- Moisture range 9 to 70%
- Temperature range 32° F to 212° F
- 13mm LCD display
- Adjustable alert function
- No calibration necessary
- Power supply with 9 V battery



Baler-Mounted Moisture Meter



For farmers and contractors who want control of their moisture content during the baling process.

- Robust construction, high quality materials
- Splashproof display
- Stainless steel mounting bracket
- Backlit LCD display with 13mm high digits
- 0.8% Accuracy
- Measuring range from 9 to 70%
- Ongoing display of the measured value
- Adjustable alert function
- No calibration necessary
- Sensor plate of high-strength plastic
- Sturdy sensor mounting with 4 screws M8