


■ =C&B Distribution Area

**PRICES HAVE BEEN UPDATED FOR 2024.**  
**New catalog available soon. Please call or email for quote on current pricing.**

# Tufline®

## 2022





**2022 Price Index**

Effective Date 4.4.2022

|                                    |     |  |       |
|------------------------------------|-----|--|-------|
| Company Profile                    | 1   | TB25 TB30 TB40                               | 15    |
| Packaging Photos                   | 2   | Extra Capacity- PHB & CBS                    | 16    |
| Specialty Equipment                |     | DS1 & DS1T                                   | 17    |
| Row Disc Bedder                    | 3   | Tillers- RTC, RTM & RTR                      | 18    |
| Disc Plow                          | 4   | Pull Type Spreaders and ATV Disc             | 19    |
| Spike Harrow                       | 4   |  |       |
| 3pt. Spreader                      | 4   | Lift Type Disc Harrows                       |       |
| Subsoilers                         | 5   | Compact Models- TGE & TME                    | 20    |
| V Plow                             | 6   | Utility Models- THE                          | 21    |
| Cultipackers                       | 7-8 | TH   | 22    |
| CPL & BCP                          | 7   | Optional Equipment- TGE, TME, THE & TH       | 23    |
| DCP                                | 8   | Heavy Duty Models-TL43                       | 24    |
| High Capacity Carted Hay Rake: TVR | 9   | Optional Equipment TL43                      | 25    |
| Landscape Equipment                |     | T4X  | 26    |
| Landscape Rakes: LR1 & LR2         | 10  | HL   | 27    |
| Grader Blades- GB1, GB4, GB4HR     | 11  | Optional Equipment -TL43, T4X & HL           | 28    |
| GB5                                | 12  | 3pt. Offset Disc- TLO                        | 29    |
| Land Planes- LP1, LP2 & LP3        | 13  | LO40   | 30    |
| Box Blades- BB0, TB1 & TB2         | 14  | Optional Equipment-TLO & LO40                | 31    |
|                                    |     | Pull Type Disc TW5 & TW6                     | 32-38 |
|                                    |     | Optional Equipment TW5                       | 34-35 |
|                                    |     | Optional Equipment TW6                       | 38    |
|                                    |     | Pull Type Offset Disc- 38 Series & 40 Series | 39-44 |
|                                    |     | Optional Equipment                           | 44    |
|                                    |     | MVT  | 45-46 |





www.cummingsandbricker.com  
support@cummingsandbricker.com

Revised 7/05/2019



**DIRECT SHIP FREIGHT RATES BY SERIES**



**CUMMINGS & BRICKER - EASTERN U.S.**

\*\*Long Island zip codes excluded -  
Please call for rates

*Call for freight rate on Hay Rakes*

|  | North Carolina, Virginia,<br>West Virginia, Indiana, Ohio<br><b>FREIGHT</b> | Maryland, Delaware, Pennsylvania,<br>New York, New Jersey, Connecticut,<br>Rhode Island, Vermont, Massachusetts,<br>New Hampshire, & Maine<br><b>FREIGHT</b> |
|--|---|--|
| GB1 GRADER BLADE, LR1 LANDSCAPE RAKES, SH SPIKE HARROW, TB1, TB2 SERIES BOX SCRAPERS                 | \$200   | \$275  |
| GB4 GRADER BLADES, LR2 LANDSCAPE RAKES, TB25 SERIES BOX BLADES                                       | \$250   | \$375  |
| GB5 SERIES GRADER BLDES, TB30, TB40, PHB, & CBS SERIES BOX BLADES                                    | \$350   | \$500  |
| LAND PLANES, LP0, LP1 CULTI-PACKERS - CPL SERIES   | \$200   | \$250  |
| LAND PLANES, LP2, LP3 SERIES   | \$325   | \$500  |
| DRAG SCRAPERS, DS1 SERIES WHEEL BOX BLADES   | \$475   | \$650  |
| CULTIPACKERS - BCP SERIES, PASTURE RENOVATORS PRC SERIES, DISC PLOWS TDP SERIES                      | \$325   | \$525  |
| ROW DISC- RD SERIES, LRRD SERIES SUB SOILERS ONE AND 2 SHANK   | \$225   | \$325  |
| ROW DISC - MRRD, HRRD SERIES, SUB-SOILERS 3 SHANK  | \$325   | \$475  |
| 3 PT DISC TGE, TME SERIES  | \$225   | \$275  |
| 3 PT DISC THE, TH SERIES   | \$275   | \$350  |
| 3 PT DISC TL43, T4X, TLO SERIES  | \$425   | \$575  |
| ATV DISC   | \$175   | \$275  |
| SPREADERS SF SERIES <i>*packaging fee on spreaders</i>   | \$200/\$50*   | \$275/\$50*  |
| RTC Series Tillers   | \$185   | \$250  |
| RTM Series Tiller  | \$250   | \$300  |
| HL LIFT HARROWS , LO40 OFFSETS, TW5, TW6, 38, 42, VT SERIES WHEEL DISC, TVR RAKES, VP SERIES V PLOWS | CALL FOR RATE   | CALL FOR RATE  |

**CALL FOR QUOTE**

**New catalog available soon. Please call or email for quote on current pricing.**

Monroe Tufline has designed and manufactured a complete line of tillage and dirt working equipment since the company’s founding in 1958. Monroe Tufline Manufacturing Company Inc., was founded by brothers, Joseph S. Perkins and J.C. Perkins in Columbus, MS with the purpose of building quality farm equipment. Joe and J.C. had both worked in another farm implement business before becoming the first two employees of Monroe Manufacturing which was located in a small garage on “river hill” in Columbus near the Tombigbee River. The name Monroe Manufacturing was chosen due to their first customer being located in neighboring Monroe County Mississippi. The business was incorporated on November 23, 1961. There was another company named Monroe Manufacturing, hence the name Tufline was created by Joe Perkins and added to Monroe. He said “Tufline” meant a tough line of equipment. The Tufline brand name was born and has become a well known brand and synonymous with quality in the industry.

Monroe Tufline operated on Highway 82 west of town for a few years until moving in 1964 to the present location on 2219 Tufline Lane, just off Highway 45 North in Columbus. Many building additions and product additions occurred over the years as the business grew. The Monroe Mister sprayer was among one of the first products produced as were three point disc harrows, which was the primary product for many years until many new product offerings were introduced in the early 80’s and beyond. A big addition to the product offering was box blades and grader blades which were the first products in Tufline’s expanding line of Landscape equipment. Many other specialty implements were introduced over the years which became Tufline’s Specialty Equipment Line which include sub-soilers, v-plows, disc plows, row disc, pasture renovators, and cultipackers.

In the 90’s, Tufline’s Sportsman line of products was introduced which included disc harrows, box blades, landscape rakes, and pull type spreaders all designed to be pulled with all-terrain vehicles. These implements were designed with the same principles of quality that were put into the tractor implements which made them the toughest line of ATV implements on the market.

Tufline continued to grow and expand the disc harrow product line which continues to be the foundation and staple of their product offering. Lift disc harrows range from 4’ to 10’6” widths. Pull-Type disc harrows in tandem and offset designs are offered from 6’ to 17’ widths. The latest additions to Tufline’s product offering include wheeled box scrapers, vertical tillage implements, rotary tillers, and hay rakes.

Joe Perkins continued to work at the company he started with his brother until his passing in 1999. J.C. Perkins retired in 2002. Joe’s son, Tim Perkins, now serves as President and J.C.’s son, Sid Perkins, serves as Vice-President. They strive to continue to manage the company with the honesty and integrity that their fathers exemplified.

Tufline is very thankful for the continuous business from their loyal dealers and distributors that have offered our quality line of products for the last 60 plus years. These products are ideal for game plot development, small gardens, farming operations, and many other applications at the home, ranch, or farm. If you are not yet a part of our customer family, we trust you will be soon. We appreciate your interest in our products and look forward to serving you. For additional information on Monroe Tufline products and services, contact us or call 662-328-8347.

Mailing Address:  
PO BOX 7755  
COLUMBUS, MS 39705

Physical Address:  
2219 TUFLINE LANE  
COLUMBUS, MS 39705

662.328.8347  
products@monroetufline.com  
www.monroetufline.com





# PACKAGING

**PRICES HAVE BEEN UPDATED FOR 2024.**

**New catalog available soon. Please call or email for quote on current pricing.**

## PACKAGING

Below are some examples of our packaging of units ready for shipping.



TW5 SERIES



TW5 SERIES



DS1 SERIES



V-PLOW



TB40 SERIES



TB2 SERIES



TH SERIES



ROW DISC SERIES

### SPECIAL NOTES

- Horsepower requirements may vary from two wheel drive to four wheel drive according to tractor specifications, and ground conditions
- Please note any shortage on shipments not reported within 15 days of delivery date will not be honored.
- Specifications and prices are subject to change without prior notice. Prices FOB Columbus, Mississippi

**PRICES HAVE BEEN UPDATED FOR 2024.**

**New catalog available soon. Please call or email for quote on current pricing.**

**ROW DISC BEDDER**

**RD SERIES**

**1 Row Bedders**

- Designed for 15 to 50 horsepower tractors
- 3" Square tool bar
- 1 1/8" Square gang axle
- Sealed ball bearing
- Adjustable gang centers
- Plain blades standard
- Category 1
- Quick Hitch compatible



**RD42018**

| RD SERIES           |                      |
|---------------------|----------------------|
| <b>MODEL #</b>      | <b>RD42018</b>       |
| <b>Row</b>          | 1                    |
| <b>Blades</b>       | 20"/18"              |
| <b>Hitch</b>        | Cat.1                |
| <b>Color Option</b> | Tufline Red<br>Black |
| <b>Weight</b>       | 204#                 |
| <b>List</b>         | \$1,742              |



**RD42018**

**REVERSIBLE 6-BLADE MODELS**

**LRRD6**

- Designed for 25-50 horsepower tractors
- 3" Square x 84" Tool bar
- 2 - Three blade gangs
- Plain blades standard
- Notched disc blades optional
- Adjustable gang centers
- Gang reversible for pulling beds down
- Quick Hitch compatible



**LRRD6**

**MRRD6 and HRRD6**

- Designed for 40 to 75 horsepower tractors
- 4" Square x 84" Tool bar on MRRD6 and HRRD6
- 2 - Three blade gangs
- Plain blades standard
- Notched disc blades optional
- Adjustable gang centers
- Gang reversible for pulling beds down



**MRRD6**

**REVERSIBLE 6 BLADE MODELS**

| MODEL #             | LRRD6                | MRRD6                | HRRD6                |
|---------------------|----------------------|----------------------|----------------------|
| <b>Horsepower</b>   | 25-50                | 40-75                | 40-75                |
| <b>Tool Bar</b>     | 3" Sq. x 84"         | 4" Sq. x 84"         | 4" Sq. x 84"         |
| <b>Blades</b>       | 18",20" & 22"        | 20",22" & 24"        | 22",24" & 26"        |
| <b>Hitch</b>        | Cat. 1 & 2           | Cat. 2               | Cat. 2               |
| <b>Weight</b>       | 555#                 | 963#                 | 1,091#               |
| <b>Color Option</b> | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| <b>List</b>         | \$2,677              | \$4,080              | \$5,168              |



**HRRD6**



# DISC PLOW SPIKE TOOTH HARROW 3PT. SPREADERS

**PRICES HAVE BEEN UPDATED FOR 2024.**  
**New catalog available soon. Please call or email for quote on current pricing.**

## DISC PLOW

### TDP2 SERIES 2 & 3 Blade

- Designed for 50 to 75 horsepower tractors
- 2 & 3 blade models
- 22, 24, 26 or 28 inch disc blades
- Adjustable furrow wheels
- Gauge wheel standard on all models
- Blade scrapers optional equipment



**TDP2324**

| TDP2 SERIES  |         |         |         |         |         |         |
|--------------|---------|---------|---------|---------|---------|---------|
| MODEL #      | TDP2222 | TDP2224 | TDP2226 | TDP2324 | TDP2326 | TDP2328 |
| Width (in.)  | 27"     | 28 1/2" | 30"     | 42"     | 44"     | 46"     |
| Blades       | 2-22"   | 2-24"   | 2-26"   | 3-24"   | 3-26"   | 3-28"   |
| Hitch        | Cat. 1  | Cat. 1  | Cat. 1  | Cat. 2  | Cat. 2  | Cat. 2  |
| Weight       | 665#    | 693#    | 710#    | 1,005#  | 1,025#  | \$1,042 |
| Color Option | Black   | Black   | Black   | Black   | Black   | # Black |
| List         | \$4,724 | \$4,916 | \$5,058 | \$7,087 | \$7,306 | \$7,621 |

### OPTIONAL EQUIPMENT

| Part # | Description                       | Weight | List  |
|--------|-----------------------------------|--------|-------|
| SCPR2  | Scraper Kit for 2-Blade Disc Plow | 20#    | \$186 |
| SCPR3  | Scraper Kit for 3-Blade Disc Plow | 32#    | \$287 |

## SPIKE HARROW SH SERIES Temporarily Suspended

| MODEL #      | SH72  | SH90   |
|--------------|---|--------|
| Spikes       | 40  | 50     |
| Width (ft.)  | 6'  | 7'6"   |
| Weight       | 270#  | 310#   |
| Hitch        | Cat. 1  | Cat. 1 |
| Color Option | Black   | Black  |
| List         | Temporarily Suspended Please Call For Pricing |        |

SUSPENDED



### SF3500 SERIES 3 PT. HITCH SPREADER

- PTO driven
- Adjustable spreading angle right, left, or straight
- Engage, disengage lever
- Spreader veins, spreader plate and open & close plates are stainless
- Quick Hitch not available

### SF3500 SERIES

| Model #        | SF3500S   | SF3500P |
|----------------|-----------|---------|
| Hoper Material | Stainless | Poly    |
| Capacity       | *600#*    | *600#*  |
| Hitch          | Cat. 1    | Cat. 1  |
| Weight         | #205      | #205    |
| List           | \$1,509   | \$1,259 |



### OPTIONAL EQUIPMENT FOR SF3500 SERIES

| Part # | Description          | Weight | List |
|--------|----------------------|--------|------|
| 16594  | Articulated Agitator | 2#     | \$63 |

**PRICES HAVE BEEN UPDATED FOR 2024.**

**New catalog available soon. Please call or email for quote on current pricing.**

## SUBSOILERS

### ONE, TWO AND THREE SHANK SUBSOILER

- Designed for 30 to 130 horsepower tractors
- 24", 28" and 32" x 1 1/4" Hi-strength shanks
- One and Two shank models- Single bar - 7" x 5" tube frame
- Three shank models- Double bar - 7" x 5" & 5" x 3" tube frame
- Heat treated points
- Parking stands are standard equipment
- Quick Hitch compatible



**1S28**

#### SINGLE BAR SERIES

| MODEL #             | 1S24                 | 1S28                 | 1S242                | 1S282                | 2S24                 | 2S28                 | 2S2460               | 2S2860               | 2S2480               | 2S2880               |
|---------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| <b>Frame</b>        | 26"                  | 26"                  | 49"                  | 49"                  | 49"                  | 49"                  | 60"                  | 60"                  | 80"                  | 80"                  |
| <b>Shanks</b>       | 1-24"                | 1-28"                | 1-24"                | 1-28"                | 2-24"                | 2-28"                | 2-24"                | 2-28"                | 2-24"                | 2-28"                |
| <b>Spacing</b>      | 0                    | 0                    | 0                    | 0                    | 40"                  | 40"                  | 52"                  | 52"                  | 72"                  | 72"                  |
| <b>Weight</b>       | 229#                 | 243#                 | 370#                 | 385#                 | 520#                 | 548#                 | 555#                 | 609#                 | 627#                 | 655#                 |
| <b>Hitch</b>        | Cat. 1               | Cat. 1               | Cat. 2               | Cat. 2               | Cat. 2               | Cat. 2               | Cat. 2               | Cat. 2               | Cat. 2               | Cat. 2               |
| <b>Color Option</b> | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| <b>List</b>         | \$1,716              | \$1,789              | \$2,548              | \$2,635              | \$3,199              | \$3,291              | \$3,352              | \$3,475              | \$3,525              | \$3,610              |



**2S28**



**3S2890**

#### DOUBLE BAR SERIES

| MODEL #             | 3S-24-90             | 3S-28-90             | 3S-32-90             | 3S-24-107            | 3S-28-107            | 3S-32-107            |
|---------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| <b>Frame</b>        | 90"                  | 90"                  | 90"                  | 107"                 | 107"                 | 107"                 |
| <b>Shanks</b>       | 3-24"                | 3-28"                | 3-32"                | 3-24"                | 3-28"                | 3-32"                |
| <b>Spacing</b>      | Adj.                 | Adj.                 | Adj.                 | Adj.                 | Adj.                 | Adj.                 |
| <b>Weight</b>       | 1,160#               | 1,205#               | 1,264#               | 1,222#               | 1,267#               | 1,326#               |
| <b>Hitch</b>        | Cat. 2               | Cat. 2               | Cat. 2               | Cat. 2               | Cat. 2               | Cat. 2               |
| <b>Color Option</b> | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| <b>List</b>         | \$5,857              | \$5,990              | \$6,180              | \$6,038              | \$6,171              | \$6,362              |



# V PLOWS

**PRICES HAVE BEEN UPDATED FOR 2024.**

**New catalog available soon. Please call or email for quote on current pricing.**

## V PLOWS

### 28" & 32" SHANK MODELS

- Designed for 60 to 200 horsepower tractors
- Three point lift models
- Category 2 & 3
- 7" x 5" Tube Frame
- 28" or 32" x 1 1/4" Shanks
- Heat treated points
- All units equipped with shear bolts
- Gauge wheels & tires optional
- Quick Hitch compatible



**732182**

#### VP SERIES 28"

| MODEL #      | 32888                | 528120               | 528142               | 728142               | 728182               | 928182               | 728222               | 928222               | 1128222              |
|--------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Horsepower   | 60                   | 90-100               | 90-100               | 130-150              | 130-150              | 160-180              | 130-150              | 160-180              | 210-240              |
| Shanks       | 3-28"                | 5-28"                | 5-28"                | 7-28"                | 7-28"                | 9-28"                | 7-28"                | 9-28"                | 11-28"               |
| Frame        | 88"                  | 120"                 | 142"                 | 142"                 | 182"                 | 182"                 | 222"                 | 222"                 | 222"                 |
| Spacing      | 20-30"               | 20"                  | 20-30"               | 20"                  | 30"                  | 20"                  | 30"                  | 30"                  | 20"                  |
| Weight       | 1,036#               | 1,552#               | 1,618#               | 1,989"               | 2,134#               | 2,504#               | 2,248#               | 2,619#               | 2,990#               |
| Color Option | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| List         | \$7,389              | \$8,566              | \$8,842              | \$11,025             | \$11,855             | \$14,202             | \$12,219             | \$14,566             | \$16,735             |

#### VP SERIES 32"

| MODEL #      | 33288                | 532120               | 532142               | 732142               | 732182               | 932182               | 732222               | 932222               | 1132222              |
|--------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Horsepower   | 60                   | 90-100               | 90-100               | 130-150              | 130-150              | 160-180              | 130-150              | 160-180              | 210-240              |
| Shanks       | 3-32"                | 5-32"                | 5-32"                | 7-32"                | 7-32"                | 9-32"                | 7-32"                | 9-32"                | 11-32"               |
| Frame        | 88"                  | 120"                 | 142"                 | 142"                 | 182"                 | 182"                 | 222"                 | 222"                 | 222"                 |
| Spacing      | 20-30"               | 20"                  | 20-30"               | 20"                  | 20"                  | 20"                  | 30"                  | 20"                  | 20"                  |
| Weight       | 1,102#               | 1,660#               | 1,726#               | 2,139#               | 2,284#               | 2,695#               | 2,399#               | 2,812#               | 3,224#               |
| Color Option | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| List         | \$7,552              | \$8,817              | \$9,092              | \$11,376             | \$12,207             | \$14,655             | \$12,571             | \$15,019             | \$17,469             |

#### OPTIONAL EQUIPMENT

| Part #       | Description                          | Weight | List            |
|--------------|--------------------------------------|--------|-----------------|
| <b>GW5KB</b> | Gauge Wheel Kit with 2-9.5L Tires    | 250#   | \$2,541         |
| <b>13314</b> | Additional Charge for T-1, 28" Shank | N/C    | \$467 Per Shank |
| <b>13315</b> | Additional Charge for T-1, 32" Shank | N/C    | \$530 Per Shank |

**New catalog available soon. Please call or email for quote on current pricing.**

**CULTIPACKERS**

**CPL SERIES**

- Designed for 18 to 40 horsepower tractors
- 3 Point hitch
- 2" square tube steel main frames
- 9 1/2" Cast iron packer wheels
- 1 3/4" ball bearing
- Parking stands
- Category 1 hitch
- Quick Hitch compatible



**CP72L**

| CPL SERIES  |         |         |
|-------------|---------|---------|
| MODEL #     | CP48L   | CP72L   |
| Width (ft.) | 4'      | 6'      |
| Weight      | 310#    | 412#    |
| List        | \$1,853 | \$2,338 |

**OPTIONAL EQUIPMENT FOR CPL**

| Part #  | Description   | Weight | List  |
|---------|---|--------|-------|
| SKCP48L | Scraper Kit, CP48L  | 37#    | \$414 |
| SKCP72L | Scraper Kit, CP72L  | 53#    | \$531 |
| 16319   | Tongue Kit, Includes Ball Hitch & Clevis                  | 23#    | \$321 |
| 16320   | Tongue and Wheel , Includes Tongue Kit, Wheels & Brackets | 51#    | \$417 |

**BCP SERIES**

- Designed for 40 to 80 horsepower tractors
- 3 Point hitch
- Heavy duty 4" square tube steel main frames
- 16" Cast iron packer wheels
- Heavy duty gang assembly with 1 1/8" ball bearing
- Parking stands
- Category 1 hitch (BCP1816)
- Category 1 - 2 dual hitch (BCP2416)
- Category 2 hitch (BCP3616)
- Quick Hitch compatible



**BCP2416**

| BCP SERIES  |         |         |         |
|-------------|---------|---------|---------|
| MODEL #     | BCP1816 | BCP2416 | BCP3616 |
| Width (ft.) | 6'      | 8'      | 12'     |
| Weight      | 1,035#  | 1,208#  | 1,885#  |
| List        | \$4,450 | \$5,726 | \$8,460 |

**OPTIONAL EQUIPMENT FOR BCP SERIES**

| Part #    | Description                             | Weight | List  |
|-----------|---|--------|-------|
| 15600     | Tongue assembly for pull type transport | 110#   | \$823 |
| SKBCP1816 | Scraper Kit, BCP1816                    | 42#    | \$458 |
| SKBCP2416 | Scraper Kit, BCP2416                    | 58#    | \$606 |
| SKBCP3616 | Scraper Kit, BCP3616                    | 84#    | \$907 |



**New catalog available soon. Please call or email for quote on current pricing.**

## DCP SERIES


- Designed for 40 to 120 horsepower tractors
- Heavy duty 4" square tube steel main frames
- Front and Rear roller assemblies
- 16" Cast iron packer wheel
- Heavy duty gang assembly with 1 1/8" ball bearing
- 4" x 8" Hydraulic Cylinder
- Dual wheels, 9.5L 15 6 ply implement tires



| DCP SERIES          |                               |                               |                               |                               |
|---------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| MODEL #             | DCP8                          | DCP10                         | DCP12                         | DCP16                         |
| Width (ft.)         | 8'                            | 10'                           | 12'                           | 16'                           |
| Weight              | 4,025#                        | 4,650#                        | 5,200#                        | 5,730#                        |
| Tires (Dual wheels) | 9.5L 15 6 ply implement tires | 9.5L 15 6 ply implement tires | 9.5L 15 6 ply implement tires | 9.5L 15 6 ply implement tires |
| List                | \$19,298                      | \$21,472                      | \$23,375                      | \$25,549                      |



| OPTIONAL EQUIPMENT |                    |        |         |
|--------------------|--------------------|--------|---------|
| Part #             | Description        | Weight | List    |
| SKDCP8             | Scraper Kit, DCP8  | 116#   | \$1,234 |
| SKDCP10            | Scraper Kit, DCP10 | 135#   | \$1,445 |
| SKDCP12            | Scraper Kit, DCP12 | 168#   | \$1,850 |
| SKDCP16            | Scraper Kit, DCP16 | 232#   | \$2,465 |



**DCP10**

**New catalog available soon. Please call or email for quote on current pricing.**

**HIGH CAPACITY CARTED HAY RAKE  
TVR SERIES**

- Clevis hitch
- Independent rake wheel adjustment
- Adjustment of the swath width
- High clearance frame
- Hydraulic lift and folding



| TVR SERIES                  |                         |           |           |
|-----------------------------|-------------------------|-----------|-----------|
| MODEL #                     | TVR8                    | TVR10     | TVR12     |
| Horsepower (min.)           | 30                      | 30        | 50        |
| # of Finger Wheels          | 8                       | 10        | 12        |
| Tine Wheel Diameter (in.)   | 9/32"                   | 9/32"     | 9/32"     |
| Minimum Working Width (ft.) | 16'9"                   | 17'8"     | 19'9"     |
| Maximum Working Width (ft.) | 19'                     | 20'8"     | 24'2"     |
| Transport Width (ft.)       | 11'                     | 11'4"     | 11'6"     |
| Transport Height (ft.)      | 8'4"                    | 8'4"      | 8'4"      |
| Swath Width (min-max) (ft.) | 32"-83"                 | 32"-83"   | 32"-83"   |
| Rake Wheel Diameter (in.)   | 55"                     | 55"       | 55"       |
| Tires                       | 205/75-15               | 205/75-15 | 205/75-15 |
| Light Kit                   | Optional                | Optional  | Optional  |
| Weight                      | 1,687#                  | 2,019#    | 2,295#    |
| List                        | Please call for Pricing |           |           |

| OPTIONAL EQUIPMENT FOR TVR SERIES |                         |        |       |
|-----------------------------------|-------------------------|--------|-------|
| Part #                            | Description             | Weight | List  |
| TVRCK                             | Center Kicker Wheel Kit | 110#   | \$846 |





# LANDSCAPE RAKES

**PRICES HAVE BEEN UPDATED FOR 2024.**

**New catalog available soon. Please call or email for quote on current pricing.**

## Landscape Rakes

### LR1 Series

- All models have angle and offset adjustments
- Designed for 25 to 50 horsepower tractors
- Tubular constructed frame (4x4)
- Available in 5', 6', or 7'
- 1/4" X 1" Rake Tine
- Category 1
- Quick Hitch compatible



LR160

### LR2 Series

- All models have angle and offset adjustments
- Designed for 40 to 90 horsepower tractors
- Tubular constructed frame (4x4)
- Available in 6', 7', 8' & 10'
- 3/8" x 1 1/4" Heavy Duty Rake Tine
- Category 1 & 2
- Quick Hitch compatible



LR284

### LR1 SERIES & LR2 SERIES

| MODEL #      | LR160                | LR172                | LR184                | LR272                | LR284                | LR296                | LR2120               |
|--------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Width (ft.)  | 5'                   | 6'                   | 7'                   | 6'                   | 7'                   | 8'                   | 10'                  |
| Weight       | 348#                 | 382#                 | 405#                 | 475#                 | 525#                 | 575#                 | 650#                 |
| Hitch        | Cat.1                | Cat.1                | Cat.1                | Cat.1&2              | Cat.1&2              | Cat.1&2              | Cat.1&2              |
| Color Option | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| List         | \$1,960              | \$2,087              | \$2,178              | \$2,959              | \$3,275              | \$3,594              | \$3,909              |

### OPTIONAL EQUIPMENT

| Part # | Description   | Weight | List  |
|--------|---|--------|-------|
| 14677  | LR1 Gauge Wheel Kit -Includes 2 Mounting Brackets & Tires                                   | 78#    | \$696 |
| 16581  | LR2 Gauge Wheel Kit -Includes 2 Mounting Brackets & Tires                                   | 84#    | \$696 |
| 13256  | LR1 & LR2 Hydraulic Cylinder & Hose Kit<br>(Consists of: 2-6 ft. Hoses, and 1-3x8 Cylinder) | 28#    | \$519 |

**PRICES HAVE BEEN UPDATED FOR 2024.**

**New catalog available soon. Please call or email for quote on current pricing.**

## GRADER BLADES

### GB1 SERIES

- Designed for 30 to 60 horsepower
- All models have manual angle, tilt and offset adjustments
- Tubular constructed frame (4x4)
- Category 1



**GB1**

| GB1 SERIES   |                             |                      |                      |
|--------------|-----------------------------|----------------------|----------------------|
| MODEL #      | GB160                       | GB172                | GB184                |
| Width (ft.)  | 5'                          | 6'                   | 7'                   |
| Weight       | 386#                        | 403#                 | 437#                 |
| Adjustments  | Manual angle, tilt & offset |                      |                      |
| Hitch        | Cat.1                       | Cat.1                | Cat.1                |
| Color Option | Tufline Red<br>Black        | Tufline Red<br>Black | Tufline Red<br>Black |
| List         | \$2,179                     | \$2,255              | \$2,336              |

### GB4 SERIES

- Designed for 40 to 80 horsepower
- All models have manual angle, tilt and offset adjustments
- Optional Hydraulic offset only (see below 13256)
- Tubular constructed frame (4x4)
- Category 1 & 2 dual hitch



**GB484**

### GB4HR SERIES

- Designed for 40 to 80 horsepower
- Hydraulic tilt and angle, manual offset standard
- Optional Hydraulic offset (see below 13256)
- Tubular constructed frame (6x4) with pivot shaft 2 7/8"
- Category 1 & 2 dual hitch



**GB4HR**

| GB4 SERIES & GB4HR |                               |                      |                      |   |                      |                      |
|--------------------|-------------------------------|----------------------|----------------------|---|----------------------|----------------------|
| MODEL #            | GB472                         | GB484                | GB496                | GB472HR                                 | GB484HR              | GB496HR              |
| Width (ft.)        | 6'                            | 7'                   | 8'                   | 6'                                      | 7'                   | 8'                   |
| Weight             | 548#                          | 576#                 | 652#                 | 715#                                    | 765#                 | 840#                 |
| Adjustments        | Manual angle, tilt and offset |                      |                      | Manual offset; Hydraulic tilt and angle |                      |                      |
| Hitch              | Cat.1 & 2                     | Cat.1 & 2            | Cat.1 & 2            | Cat.1 & 2                               | Cat.1 & 2            | Cat.1 & 2            |
| Color Option       | Tufline Red<br>Black          | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black                    | Tufline Red<br>Black | Tufline Red<br>Black |
| List               | \$2,964                       | \$3,082              | \$3,221              | \$4,364                                 | \$4,675              | \$5,082              |





# GRADER BLADES

**PRICES HAVE BEEN UPDATED FOR 2024.**

**New catalog available soon. Please call or email for quote on current pricing.**

## GB5 SERIES

- Designed for 60 to 100 horsepower
- Five square tubing frame, 3/8" thick moldboard
- Manual Tilt, angle and offset adjustments
- Hydraulic, or combination adjustment optional kits optional
- Ratchet standard
- Category 2 & 3



GB596

\*Shown with hydraulic tilt and angle. Manual offset\*

| GB5 SERIES   |                             |       |             |       |             |       |
|--------------|-----------------------------|-------|-------------|-------|-------------|-------|
| MODEL #      | GB584                       |       | GB596       |       | GB5108      |       |
| Width (ft.)  | 7'                          |       | 8'          |       | 9'          |       |
| Weight       | 1,144#                      |       | 1,198#      |       | 1,242#      |       |
| Adjustments  | Manual angle, tilt & offset |       |             |       |             |       |
| Hitch        | Cat. 2 & 3                  |       | Cat. 2 & 3  |       | Cat. 2 & 3  |       |
| Color Option | Tufline Red                 | Black | Tufline Red | Black | Tufline Red | Black |
| List         | \$5,640                     |       | \$5,749     |       | \$5,976     |       |

## OPTIONAL EQUIPMENT

| Part # | Description  | Weight | List    |
|--------|--|--------|---------|
| 13413  | Skid Shoes Set for GB472, GB484, GB472HR and GB484HR   | 25#    | \$369   |
| 13760  | Skid Shoes Set for GB496 and GB496HR   | 25#    | \$384   |
| 13256  | Hydraulic Cylinder & Hose Kit for GB1, GB4 & GB4HR Series (Consists of: 2-6 ft. Hoses, 3x8 Cylinder) | 28#    | \$515   |
| 13584  | 3 Way Hydraulic Adjustment Kit - GB5 Only  | 105#   | \$1,806 |
| 13585  | 2 Way Hydraulic - GB5 Only   | 90#    | \$1,198 |
| 13586  | 1 Hydraulic Adjustment Kit - GB5 Only  | 99#    | \$900   |
| 13502  | Skid Shoes for GB5   | 28#    | \$416   |



**New catalog available soon. Please call or email for quote on current pricing.**

**LP1 SERIES**

- Ideal for large lots and driveways
- Designed for 25 to 65 horsepower tractors
- Category 1 hitch on 5' and 6' models
- Category 1 & 2 dual hitch on 7' and 8' models
- 12 1/2" x 1/4" side plates
- Reversible 6" cutting edges
- Quick Hitch compatible



| LP1 SERIES          |                      |                      |                      |                      |
|---------------------|----------------------|----------------------|----------------------|----------------------|
| <b>MODEL #</b>      | <b>LP160</b>         | <b>LP172</b>         | <b>LP184</b>         | <b>LP196</b>         |
| <b>Width (ft.)</b>  | 5'                   | 6'                   | 7'                   | 8'                   |
| <b>Weight</b>       | 394#                 | 532#                 | 598#                 | 642#                 |
| <b>Hitch</b>        | Cat. 1               | Cat. 1               | Cat. 1               | Cat. 1               |
| <b>Color Option</b> | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| <b>List</b>         | \$2,190              | \$2,333              | \$2,487              | \$2,630              |

**LP2 SERIES Temporarily Suspended Please call for Pricing**

- Ideal for gravel road reconditioning
- Designed for 40 to 110 horsepower tractors
- Category 1 & 2 dual hitch on 7' and 8' models
- Category 2 hitch on 10' model
- 18" x 1/4" side plates
- Reversible 6" cutting edges
- Quick Hitch compatible



**LP3 SERIES**

- Ideal for gravel road reconditioning
- Designed for 50 to 120 horsepower tractors
- Category 1 & 2 dual hitch on 7' and 8' models
- Category 2 hitch on 10' model
- 3/8" X 20" X 60" Adjustable side plates
- Shanks come standard
- Reversible 6" cutting edges
- Replaceable skid shoes
- Quick Hitch compatible



**LP2 SERIES & LP3 SERIES**

| MODEL #             | LP284   | LP296                | LP2120               | LP384                          | LP396                          | LP3120                         |
|---------------------|---|----------------------|----------------------|--------------------------------|--------------------------------|--------------------------------|
| <b>Width (ft.)</b>  | 7'  | 8'                   | 10'                  | 7'                             | 8'                             | 10'                            |
| <b>Shanks</b>       | N/A   | N/A                  | N/A                  | 4                              | 6                              | 8                              |
| <b>Side Plate</b>   | 18" x 1/4"                                    | 18" x 1/4"           | 18" x 1/4"           | 3/8" x 20" x 60"<br>Adjustable | 3/8" x 20" x 60"<br>Adjustable | 3/8" x 20" x 60"<br>Adjustable |
| <b>Weight</b>       | 785#  | 895#                 | 955#                 | 998#                           | 1,110#                         | 1,254#                         |
| <b>Hitch</b>        | Cat.1 & 2                                     | Cat.1 & 2            | Cat. 2               | Cat.1 & 2                      | Cat.1 & 2                      | Cat. 2                         |
| <b>Color Option</b> | Tufline Red<br>Black                          | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black           | Tufline Red<br>Black           | Tufline Red<br>Black           |
| <b>List</b>         | Temporarily Suspended Please Call for Pricing |                      |                      | \$5,033                        | \$5,310                        | \$5,872                        |

# BOX BLADES

**PRICES HAVE BEEN UPDATED FOR 2024.**

## BOX SCRAPERS BBO Series

**New catalog available soon. Please call or email for quote on current pricing.**

### Temporarily Suspended

- Light weight scrapers
- Designed for 20 to 40 horsepower tractors
- 3/16" X 17" X 26" end plates
- Dual 3/8" x 6" Reversible cutting edge
- Category 1
- Quick Hitch compatible
- Adjustable scarifier shanks



**BB060**

| BBO SERIES   |                         |                   |                   |
|--------------|-------------------------|-------------------|-------------------|
| MODEL #      | BBO48                   | BB060             | BB072             |
| Width (ft.)  | 4'                      | 5'                | 6'                |
| Shanks       | 3                       | 4                 | 5                 |
| Weight       | 269#                    | 336#              | 405#              |
| LD. CAP.     | 11.2 cu.ft.             | 14.0 cu.ft.       | 16.8 cu.ft.       |
| Hitch        | Cat. 1                  | Cat. 1            | Cat. 1            |
| Color Option | Tufline Red Black       | Tufline Red Black | Tufline Red Black |
| List         | Please call for Pricing |                   |                   |

## TB1 SERIES

- Medium weight scrapers
- Designed for 25 to 50 horsepower tractors
- 3/8" X 17" X 24" end plates
- Dual 3/8" x 6" Reversible Cutting Edge
- Category 1
- Quick hitch compatible
- Adjustable Scarifier Shanks



**TB172**

| TB1 SERIES   |                      |                      |                      |                      |
|--------------|----------------------|----------------------|----------------------|----------------------|
| MODEL #      | TB160                | TB166                | TB172                | TB184                |
| Width (ft.)  | 5'                   | 5'6"                 | 6'                   | 7'                   |
| Shanks       | 5                    | 6                    | 6                    | 8                    |
| Weight       | 509#                 | 540#                 | 586#                 | 669#                 |
| LD. CAP.     | 14.17 cu.ft.         | 15.58 cu.ft.         | 17.0 cu.ft.          | 19.8 cu.ft.          |
| Hitch        | Cat. 1               | Cat. 1               | Cat. 1               | Cat. 1               |
| Color Option | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| List         | \$2,073              | \$2,180              | \$2,242              | \$2,481              |

## TB2 SERIES

- Heavy duty scrapers
- Designed for 40 to 70 horsepower tractors
- 3/8" X 18" X 28" end plate
- Dual 3/8" x 6" Reversible Cutting Edge
- Category 1 Quick hitch on 6' models
- Category 1 & 2 dual Quick hitch on 6' 1/2", 7' & 8' models
- Adjustable Scarifier Shanks



**TB296**



**New catalog available soon. Please call or email for quote on current pricing.**

**TB25 SERIES**

- Designed for 50 to 80 horsepower tractors
- 1/2" X 18" X 33" End Plates - standard
- 1/4" Hinged Moldboard
- Category 1 & 2 Quick Hitch
- Notched, 3 position scarifier shanks



| TB2 SERIES & TB25 SERIES |                      |                      |                      |                      |                      |                      |                      |
|--------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| MODEL #                  | TB272                | TB278                | TB284                | TB296                | TB2572               | TB2584               | TB2596               |
| Width (ft.)              | 6'                   | 6'6"                 | 7'                   | 8'                   | 6'                   | 7'                   | 8'                   |
| Shanks                   | 6                    | 7                    | 8                    | 9                    | 7                    | 8                    | 9                    |
| Weight                   | 661#                 | 786#                 | 841#                 | 904#                 | 790#                 | 885#                 | 1,010#               |
| LD. CAP.                 | 21.0 cu.ft.          | 22.75 cu.ft.         | 24.5 cu.ft.          | 28.0 cu.ft.          | 21.0 cu.ft.          | 24.5 cu.ft.          | 28.0 cu.ft.          |
| Hitch                    | Cat. 1               | Cat. 1 & 2           | Cat. 1 & 2           | Cat. 1 & 2           | Cat. 1 & 2           | Cat. 1 & 2           | Cat. 1 & 2           |
| Color Option             | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| List                     | \$2,728              | \$2,960              | \$3,133              | \$3,372              | \$3,440              | \$3,765              | \$4,089              |

**HYDRAULIC BOX SCRAPERS**

**TB30 SERIES**

- Hydraulic retractable box scrapers
- Designed for 50 to 75 horse power tractors
- Includes hydraulic cylinder and hose kit
- TB30 Hydraulic Low Back 3/8" X 18" X 36" End Plates
- 5/8" Wall thickness scarifier bar
- Quick Hitch



**TB40 SERIES**

- Hydraulic retractable box scrapers
- Designed for 50 to 100 horse power tractors
- Includes hydraulic cylinder and hose kit
- TB40 Hydraulic High Back 1/2" X 33" X 43" End Plates
- 5/8" Wall thickness scarifier bar
- Quick Hitch



| TB30 SERIES & TB40 SERIES |                      |                      |                      |                      |                      |                      |                      |                      |                      |
|---------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| MODEL #                   | TB3060H              | TB3066H              | TB3072H              | TB3078H              | TB3084H              | TB3096H              | TB4078H              | TB4084H              | TB4096H              |
| Width (ft.)               | 5'                   | 5'6"                 | 6'                   | 6'6"                 | 7'                   | 8'                   | 6'6"                 | 7'                   | 8'                   |
| Shanks                    | 6                    | 6                    | 6                    | 8                    | 8                    | 8                    | 8                    | 8                    | 8                    |
| Weight                    | 725#                 | 772#                 | 815#                 | 1,016#               | 1,052#               | 1,146#               | 1,160#               | 1,200#               | 1,310#               |
| LD. CAP.                  | 21.8 cu.ft.          | 24.0 cu.ft.          | 26.2 cu.ft.          | 28.3 cu.ft.          | 30.5 cu.ft.          | 34.9 cu.ft.          | 32.0 cu.ft.          | 34.5 cu.ft.          | 39.4 cu.ft.          |
| Hitch                     | Cat. 1               | Cat. 1               | Cat. 1               | Cat. 1 & 2           | Cat. 1 & 2           | Cat. 1 & 2           | Cat. 1 & 2           | Cat. 1 & 2           | Cat. 1 & 2           |
| Color Option              | Tufline<br>Red Black | Tufline<br>Red Black | Tufline<br>Red Black | Tufline<br>Red Black | Tufline<br>Red Black | Tufline Red<br>Black | Tufline<br>Red Black | Tufline<br>Red Black | Tufline<br>Red Black |
| List                      | \$4,122              | \$4,212              | \$4,494              | \$4,767              | \$4,899              | \$5,154              | \$5,266              | \$5,342              | \$5,562              |

# EXTRA CAPACITY BLADES

**PRICES HAVE BEEN UPDATED FOR 2024.**

**New catalog available soon. Please call or email for quote on current pricing.**

## PHB SERIES

### EXTRA CAPACITY BOX SCRAPERS

- Ideal for poultry house and dairy barn cleaning
- Designed for 50 to 75 horsepower tractors
- 7' & 8' Models
- End Plates: 1/4" X 25 1/2" X 36" (7' & 8')
- End Plates: 3/8" X 25 1/2" X 36" (9')
- Reversible cutting edge (Front Only)
- Category 1 & 2 Quick Hitch
- Brackets for skid shoes (Standard)
- Skid shoes (Optional)



**PHB96**

## CBS SERIE EXTRA CAPACITY HEAVY DUTY BOX SCRAPER

- Designed for 35 to 120 horse power tractors
- 4" square tube, 3/8" end plates, & 1/4" moldboard
- Reversible cutting edge (Front Only)
- 3/8" X 25 1/2" X 36" END PLATE
- Category 1 & 2 Quick Hitch 7' & 8'
- Category 2 & 3 Quick Hitch 10' & 12'



**CBS96**

### PHB SERIES & CBS SERIES

| MODEL #      | PHB84   | PHB96                | PHB108               | CBS84                | CBS96                | CBS120               | CBS144               |
|--------------|---|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Width (ft.)  | 7'  | 8'                   | 9'                   | 7'                   | 8'                   | 10'                  | 12'                  |
| Weight       | 684#  | 748#                 | 840#                 | 725#                 | 815#                 | 1,010#               | 1,205#               |
| LD. CAP.     | 44 cu.ft.                                     | 50 cu.ft.            | 56 cu.ft.            | 36 cu.ft.            | 44 cu.ft.            | 50 cu.ft.            | 60 cu.ft.            |
| Hitch        | Cat. 1 & 2                                    | Cat. 1 & 2           | Cat. 1 & 2           | Cat. 1 & 2           | Cat. 1 & 2           | Cat. 2 & 3           | Cat. 2 & 3           |
| Color Option | Tufline Red<br>Black                          | Tufline Red<br>Black | Tufline Red<br>Black | Industrial<br>Yellow | Industrial<br>Yellow | Industrial<br>Yellow | Industrial<br>Yellow |
| List         | Temporarily Suspended Please Call for Pricing |                      |                      | \$2,861              | \$3,097              | \$3,528              | \$4,015              |

### OPTIONAL EQUIPMENT

| Part # | Description    | Weight | List  |
|--------|----------------|--------|-------|
| SSPHB  | Skid Shoes Set | 20#    | \$188 |

**New catalog available soon. Please call or email for quote on current pricing.**

**WHEELED BOX SCRAPERS**

**DS1 SERIES**

- Hydraulic wheeled box scraper
- Designed for 35 to 120 horsepower tractors
- 4" square tube, 3/8" end plates, & 1/4" moldboard
- Reversible cutting edge (Front Only)
- Tongue jack & safety chain - standard
- Hydraulic cylinder, hoses kit, and tires included
- 3/8" X 25 1/2" X 36" End Plate
- Tilt option available



| DS1 SERIES  |           |           |           |
|-------------|-----------|-----------|-----------|
| MODEL #     | DS196     | DS1120    | DS1144    |
| Width (ft.) | 8'        | 10'       | 12'       |
| Weight      | 1,300#    | 1,450#    | 1,600#    |
| LD. CAP.    | 44 cu.ft. | 50 cu.ft. | 60 cu.ft. |
| Hitch       | Draw Pin  | Draw Pin  | Draw Pin  |
| Tilt        | Optional  | Optional  | Optional  |
| List        | \$7,416   | \$7,568   | \$8,296   |

| DS1 TILT SERIES |         |         |         |
|-----------------|---------|---------|---------|
| MODEL #         | DS196T  | DS1120T | DS1144T |
| Weight w/Tilt   | 1,335#  | 1,485#  | 1,635#  |
| List w/Tilt     | \$8,026 | \$8,219 | \$8,486 |

| OPTIONAL EQUIPMENT |             |        |       |
|--------------------|-------------|--------|-------|
| Part #             | Description | Weight | List  |
| 15346              | Light Kit   | 20#    | \$773 |





# TILLERS

**PRICES HAVE BEEN UPDATED FOR 2024.**

**New catalog available soon. Please call or email for quote on current pricing.**

## ROTARY TILLER COMPACT SERIES

### RTC SERIES

- Designed for 15 -35 horsepower
- Gear Driven Transmission
- 6 Blades per Flange
- PTO with Slip Clutch
- Powder Coat Paint
- 6" Tilling Depth



RTC60

| RTC SERIES      |         |         |         |
|-----------------|---------|---------|---------|
| MODEL #         | RTC40   | RTC48   | RTC60   |
| Cut Width (in.) | 39"     | 48"     | 57"     |
| Blades          | 24      | 30      | 36      |
| Drive           | Gear    | Gear    | Gear    |
| Rotation        | Forward | Forward | Forward |
| Weight          | 330#    | 365#    | 395#    |

List Price **Please Call for Pricing**

## MEDIUM DUTY SERIES

### RTM SERIES

- Designed for 30 -60 horsepower
- Gear Driven Transmission
- Large Diameter Rotor
- 6 Blades per Flange
- PTO with Slip Clutch
- Powder Coat Paint
- 8" Tilling Depth



RTM60

### RTR SERIES

- Designed for 30 -60 horsepower
- Reverse Rotation
- Gear Driven Transmission
- Large Diameter Rotor
- 6 Blades per Flange
- PTO with Slip Clutch
- Powder Coat Paint
- 8" Tilling Depth

| RTM SERIES & RTR SERIES |         |         |         |         |         |         |         |
|-------------------------|---------|---------|---------|---------|---------|---------|---------|
| MODEL #                 | RTM50   | RTM60   | RTM66   | RTM72   | RTM84   | RTR60   | RTR72   |
| Cut Width (in.)         | 49"     | 57"     | 65"     | 73"     | 81"     | 57"     | 73"     |
| Blades                  | 36      | 42      | 48      | 54      | 60      | 42      | 54      |
| Drive                   | Gear    | Gear    | Gear    | Gear    | Gear    | Gear    | Gear    |
| Rotation                | Forward | Forward | Forward | Forward | Forward | Reverse | Reverse |
| Weight                  | 520#    | 545#    | 600#    | 650#    | 710#    | 545#    | 650#    |

List Price **Please Call for Pricing**

**New catalog available soon. Please call or email for quote on current pricing.**

**SF500 SERIES  
ATV SPREADER**

- Pull type
- Wheel driven
- Adjustable spreading angle right, left, or straight
- Engage, disengage lever
- Wide Wheel base for stability
- Wide pneumatic tires
- 1 7/8" Ball coupler hitch standard, 2" coupler optional
- Spreader veins, spreader plate and open & close plates are stainless



**SF500TSS**

\*\*Capacity may vary depending on material density.\*\*

| SF SERIES      |         |         |           |
|----------------|---------|---------|-----------|
| Model #        | SF500T  | SF500TP | SF500TSS  |
| Hoper Material | Metal   | Poly    | Stainless |
| Capacity       | *600#*  | *600#*  | *600#*    |
| Weight         | 225#    | 225#    | 225#      |
| List           | \$2,513 | \$3,073 | \$3,276   |

**OPTIONAL EQUIPMENT**

| Part # | Description            | Weight | List |
|--------|------------------------|--------|------|
| 14623  | 2" Ball Receiver Hitch | 2#     | \$59 |
| 16594  | Articulating Agitator  | 2#     | \$59 |



Articulated Agitator



Standard Agitator



**SF500T**

**ATV DISC Temporarily Suspended**

**ATVD SERIES 2**

- Designed for 300 & 400 cc ATVS
- 52" Cutting width
- 2" Square tubing main frame
- Adjustable gang angle
- 16" Notched disc blades with sealed bearings
- Ratchet lift for transport & depth control
- 1 7/8" Ball coupler hitch, 2" coupler optional

**ATVD SERIES 2**

|                 |                         |
|-----------------|-------------------------|
| Model #         | ATVD78162               |
| Cut Width (in.) | 52"                     |
| Blades          | 8-16"                   |
| Weight          | 347#                    |
| List            | Please call for Pricing |



**ATVD78162**

**CALL FOR SPECIAL PRICE  
\*LIMITED AVAILBILTY\***

**OPTIONAL EQUIPMENT**

| Part # | Description            | List |
|--------|------------------------|------|
| 14623  | 2" Ball Receiver Hitch | \$59 |

**New catalog available soon. Please call or email for quote on current pricing.**

**COMPACT MODELS**

**LIFT TANDEM DISC HARROWS**

**TGE SERIES**

- Designed for 15 to 28 horsepower tractors
- 4' & 5' 6" Cutting widths
- 2" Square tube main frame
- Adjustable gang cutting angles
- 7 1/2" Blade spacing
- Flanged mounted ball bearings
- 16" or 18" Notched blades standard
- Category 1 Quick Hitch
- 1" Square axle



**1TGE71618BF**

| TGE SERIES      |                      |                      |                      |                      |
|-----------------|----------------------|----------------------|----------------------|----------------------|
| MODEL #         | 1TGE71216BF          | 1TGE71218BF          | 1TGE71616BF          | 1TGE71618BF          |
| Cut Width (ft.) | 4'                   | 4'                   | 5'6"                 | 5'6"                 |
| Blades          | 12-16"               | 12-18"               | 16-16"               | 16-18"               |
| Spacing (in.)   | 7 1/2"               | 7 1/2"               | 7 1/2"               | 7 1/2"               |
| Weight          | 365#                 | 385#                 | 443#                 | 473#                 |
| Hitch           | Cat. 1               | Cat. 1               | Cat. 1               | Cat. 1               |
| Color Option    | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| List            | \$2,238              | \$2,288              | \$2,523              | \$2,573              |

**TME SERIELIFT TANDEM DISC HARROWS**

**ECONOMY** Temporarily Suspended Please Call for Pricing and Availability

- Designed for 20 to 35 horsepower tractors
- Available in 5' 6", 6' 8" & 6' 4" cutting widths
- Adjustable gang cutting angles
- 7 1/2" or 9" blade spacing
- 1" Axle, ball bearing
- 18" Notched blade standard
- Category 1
- Quick Hitch compatible
- Optional equipment- see page 25



**1TME71618BF**

| TME SERIES      |   |                      |                      |
|-----------------|---|----------------------|----------------------|
| MODEL #         | 1TME71618BF                                   | 1TME72018BF          | 1TME91618BF          |
| Cut Width (ft.) | 5' 6"   | 6' 8"                | 6' 4"                |
| Blades          | 16-18"  | 20-18"               | 16-18"               |
| Spacing (in.)   | 7 1/2"  | 7 1/2"               | 9"                   |
| Weight          | 606#  | 708#                 | 647#                 |
| Hitch           | Cat. 1  | Cat. 1               | Cat. 1               |
| Color Option    | Tufline Red<br>Black                          | Tufline Red<br>Black | Tufline Red<br>Black |
| List            | Temporarily Suspended Please Call for Pricing |                      |                      |

**SUSPENDED**



**New catalog available soon. Please call or email for quote on current pricing.**

# UTILITY MODELS

## THE SERIES

### LIFT TANDEM DISC HARROWS

- Designed for 25 to 45 horsepower tractors
- Available in 5' 6", 6' 4" and 6' 8" cutting widths
- 3" Square tubing frame
- Flangette ball bearings
- Or pillow block ball bearings
- 18" notched blades on 1" axle models
- 18" or 20" notched blades on 1 1/8" models
- Adjustable gang cutting angles
- Plain blades optional
- Category 1
- Quick Hitch compatible
- Optional equipment- see page 25



**1THE91618BF**

| THE SERIES 1" AXLE WITH FLANGE BEARING |                   |                   |                   |                   |
|--|-------------------|-------------------|-------------------|-------------------|
| MODEL #                                | 1THE71618BF       | 1THE72018BF       | 1THE91618BF       | 1THE971818BF      |
| Cut Width (ft.)                        | 5' 6"             | 6' 8"             | 6' 4"             | 6' 8"             |
| Blades                                 | 16-18"            | 20-18"            | 16-18"            | 18-18"            |
| Spacing (in.)                          | 7 1/2"            | 7 1/2"            | 9"                | 9 - 7 1/2"        |
| Weight                                 | 659#              | 732#              | 718#              | 736#              |
| Hitch                                  | Cat. 1            | Cat. 1            | Cat. 1            | Cat. 1            |
| Color Option                           | Tufline Red Black | Tufline Red Black | Tufline Red Black | Tufline Red Black |
| List                                   | \$3,257           | \$3,506           | \$3,376           | \$3,414           |

| THE SERIES 1 1/8" AXLE W/PILLOW BLOCK BEARING |                   |                   |                   |                   |                   |                   |                   |
|---|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| MODEL #                                       | THE71618PB        | THE72018PB        | THE72020PB        | THE91618PB        | THE91620PB        | THE971818PB       | THE971820PB       |
| Cut Width (ft.)                               | 5' 6"             | 6' 8"             | 6' 8"             | 6' 4"             | 6' 4"             | 6' 8"             | 6' 8"             |
| Blades  | 16-18"            | 20-18"            | 20-20"            | 16-18"            | 16-20"            | 18-18"            | 18-20"            |
| Spacing (in.)                                 | 7 1/2"            | 7 1/2"            | 7 1/2"            | 9"                | 9"                | 9 - 7 1/2"        | 9 - 7 1/2"        |
| Weight  | 695#              | 765#              | 825#              | 750#              | 798#              | 768#              | 789#              |
| Hitch   | Cat. 1            | Cat. 1            | Cat. 1            | Cat. 1            | Cat. 1            | Cat. 1            | Cat. 1            |
| Color Option                                  | Tufline Red Black | Tufline Red Black | Tufline Red Black | Tufline Red Black | Tufline Red Black | Tufline Red Black | Tufline Red Black |
| List  | \$3,862           | \$4,188           | \$4,349           | \$4,032           | \$4,141           | \$4,208           | \$4,322           |

**New catalog available soon. Please call or email for quote on current pricing.**

**UTILITY MODELS**

**TH SERIES**

**LIFT TANDEM DISC HARROWS**

- Designed for 35 to 55 horsepower tractors
- Available in 6' 4", 6' 8" and 8' cutting widths
- Notched blades standard/plain blades optional
- 3" Heavy square tube main frame
- 1 1/8" High Strength Axles
- Pillow block bearings
- Adjustable gang cutting angles
- Category 1
- Quick Hitch compatible
- Optional equipment- see page 25



**TH91620B**

| TH SERIES 20" BLADES |                      |                      |                      |                      |                      |                      |
|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| MODEL #              | TH91620B             | TH72020B             | TH971820B            | TH72420B             | TH92020B             | TH972220B            |
| Cut Width (ft.)      | 6' 4"                | 6' 8"                | 6' 8"                | 8'                   | 8'                   | 8'                   |
| Blades               | 16-20"               | 20-20"               | 18-20"               | 24-20"               | 20-20"               | 22-20"               |
| Spacing (in.)        | 9"                   | 7 1/2"               | 9 - 7 1/2"           | 7 1/2"               | 9"                   | 9 - 7 1/2"           |
| Weight               | 890#                 | 942#                 | 915#                 | 1,038#               | 968#                 | 1,005#               |
| Hitch                | Cat. 1               | Cat. 1               | Cat. 1               | Cat. 1               | Cat. 1               | Cat. 1               |
| Color Option         | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| List                 | \$3,911              | \$4,324              | \$4,105              | \$4,754              | \$4,467              | \$4,563              |

| TH SERIES 22" BLADES |                      |                      |                      |                      |                      |                   |
|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-------------------|
| MODEL #              | TH91622B             | TH72022B             | TH971822B            | TH72422B             | TH92022B             | TH972222B         |
| Cut Width (ft.)      | 6' 4"                | 6' 8"                | 6' 8"                | 8'                   | 8'                   | 8'                |
| Blades               | 16-22"               | 20-22"               | 18-22"               | 24-22"               | 20-22"               | 22-22"            |
| Spacing (in.)        | 9"                   | 7 1/2"               | 9 - 7 1/2"           | 7 1/2"               | 9"                   | 9 - 7 1/2"        |
| Weight               | 933#                 | 1,002#               | 969#                 | 1,118#               | 1,026#               | 1,069             |
| Hitch                | Cat. 1               | Cat. 1               | Cat. 1               | Cat. 1               | Cat. 1               | Cat. 1            |
| Color Option         | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red Black |
| List                 | \$4,391              | \$4,835              | \$4,563              | \$5,370              | \$4,980              | \$5,172           |

**ROLLER BASKET OPTION**

**FOR TH SERIES DISC HARROWS**

- Adjustable height and down pressure
- Heavy duty shock absorbing springs
- Spring loaded down pressure
- 14" Diameter baskets



| TH ROLLER BASKET |                       |         |             |        |         |
|------------------|-----------------------|---------|-------------|--------|---------|
| Model #          | Model Kit Fit         | Baskets | Width (in.) | Weight | List    |
| RB1276           | TH series - 6' 4" cut | 1-90"   | 96"         | 254#   | \$2,243 |
| RB1280           | TH series - 6' 8" cut | 1-90"   | 96"         | 254#   | \$2,243 |
| RB1296           | TH series - 8' cut    | 2-54"   | 117"        | 365#   | \$2,718 |

**PRICES HAVE BEEN UPDATED FOR 2024.**

**New catalog available soon. Please call or email for quote on current pricing.**

## OPTIONAL EQUIPMENT FOR TGE, TME, THE & TH SERIES

### REGULAR SCRAPER KIT TME, THE & TH 3 POINT DISC

| Model # | Model Kit Fit            | Weight | List    |
|---------|--------------------------|--------|---------|
| RSK716  | THE716, TME716           | 65#    | \$764   |
| RSK916  | THE916, TME916, TH916    | 72#    | \$782   |
| RSK720  | THE720, TME720, TH720    | 82#    | \$824   |
| RSK9718 | THE9718, TME9718, TH9718 | 80#    | \$882   |
| RSK724  | TH724, TH920             | 110#   | \$901   |
| RSK920  | TH920                    | 102#   | \$975   |
| RSK9722 | TH9722                   | 94#    | \$1,034 |

### HEAVY SCRAPER KIT THE & TH 3 POINT DISC

| Model # | Model Kit Fit   | Weight | List    |
|---------|-----------------|--------|---------|
| SK916   | TH916, THE916   | 157#   | \$1,295 |
| SK9718  | TH9718, THE9718 | 173#   | \$1,365 |
| SK720   | TH720, THE720   | 177#   | \$1,465 |
| SK724   | TH724           | 190#   | \$1,638 |
| SK920   | TH920           | 192#   | \$1,472 |
| SK9722  | TH9722          | 209#   | \$1,582 |

### OPTIONAL EQUIPMENT FOR THE & TH 3 POINT DISC

| Part # | Description                             | Weight | List          |
|--------|---|--------|---------------|
| T70316 | Outrigger Kit with 16" plain blades 42# | 42#    | \$395         |
| T70318 | Outrigger Kit with 18" plain blades 46# | 46#    | \$417         |
|        | Plain Blades                            | --     | \$5 per blade |





# TL43 SERIES **PRICES HAVE BEEN UPDATED FOR 2024.**

**New catalog available soon. Please call or email for quote on current pricing.**

## HEAVY DUTY MODELS

### TL43 SERIES

#### LIFT TANDEM DISC HARROWS

- Designed for 45 to 80 horsepower tractors
- Available in 6'4", 6'8" or 8' cutting widths
- 4" x 3" Tube frame
- Adjustable gang cutting angles
- Triple sealed ball bearings
- Heavy tube gang hanger
- 1 1/8" Gang axles
- Notched blades standard
- Plain blades optional
- Category 1 & 2
- Quick Hitch compatible



#### TL43 SERIES 20" BLADES

| MODEL #         | TL4391620            | TL43971820           | TL4372020            | TL4392020            | TL43972220           | TL4372420            |
|-----------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Cut Width (ft.) | 6' 4"                | 6' 8"                | 6' 8"                | 8'                   | 8'                   | 8'                   |
| Blades          | 16-20"               | 18-20"               | 20-20"               | 20-20"               | 22-20"               | 24-20"               |
| Spacing (in.)   | 9"                   | 9 - 7 1/2"           | 7 1/2"               | 9"                   | 9 - 7 1/2"           | 7 1/2"               |
| Weight          | 1,163#               | 1,189#               | 1,258#               | 1,318#               | 1,361#               | 1,404#               |
| Hitch           | Cat. 1 & 2           | Cat. 1 & 2           | Cat. 1 & 2           | Cat. 1 & 2           | Cat. 1 & 2           | Cat. 1 & 2           |
| Color Option    | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| List            | \$4,888              | \$5,116              | \$5,289              | \$5,469              | \$5,591              | \$5,765              |

#### TL43 SERIES 22" BLADES

| MODEL #         | TL4391622            | TL43971822           | TL4372022            | TL4392022            | TL43972222           | TL4372422            |
|-----------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Cut Width (ft.) | 6' 4"                | 6' 8"                | 6' 8"                | 8"                   | 8"                   | 8"                   |
| Blades          | 16-22"               | 18-22"               | 20-22"               | 20-22"               | 22-22"               | 24-22"               |
| Spacing (in.)   | 9"                   | 9 - 7 1/2"           | 7 1/2"               | 9"                   | 9 - 7 1/2"           | 7 1/2"               |
| Weight          | 1,247#               | 1,303#               | 1,342#               | 1,422#               | 1,475#               | 1,513#               |
| Hitch           | Cat. 1 & 2           | Cat. 1 & 2           | Cat. 1 & 2           | Cat. 1 & 2           | Cat. 1 & 2           | Cat. 1 & 2           |
| Color Option    | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| List            | \$5,373              | \$5,677              | \$5,894              | \$6,071              | \$6,267              | \$6,455              |



**PRICES HAVE BEEN UPDATED FOR 2024.**

**New catalog available soon. Please call or email for quote on current pricing.**

## OPTIONAL EQUIPMENT FOR TL43



### OPTIONAL EQUIPMENT FOR TL43 SERIES

| Part # | Description                             | Weight | List             |
|--------|---|--------|------------------|
| T70316 | Outrigger Kit with 16" plain blades 42# | 42#    | \$395            |
| T70318 | Outrigger Kit with 18" plain blades 46# | 46#    | \$417            |
| 13187  | Regreasable Bearings TL43 Series ONLY   | --     | \$49 per bearing |
| 11476  | Balk Breaker Assembly with Point        | 27#    | \$391            |
|        | Plain Blades                            | --     | \$5 per blade    |

### HEAVY SCRAPER KIT TL43 SERIES 3 POINT DISC

| Model #  | Model Kit Fit              | Weight | List    |
|----------|----------------------------|--------|---------|
| SK91643  | TL43-91620 OR TL43-91622   | 165#   | \$1,303 |
| SK971843 | TL43-971820 OR TL43-971822 | 176#   | \$1,380 |
| SK72043  | TL43-72020 OR TL43-72022   | 190#   | \$1,472 |
| SK92043  | TL43-92020 OR TL43-92022   | 195#   | \$1,492 |
| SK972243 | TL43-972220 OR TL43-972222 | 204#   | \$1,568 |
| SK72443  | TL43-72420 OR TL43-972422  | 215#   | \$1,657 |



### ROLLER BASKET OPTION FOR TL43 SERIES DISC HARROWS

- Adjustable height and down pressure
- Heavy duty shock absorbing springs
- Spring loaded down pressure
- 14" Diameter baskets

**RB1396**



### TL43 ROLLER BASKET

| Model # | Model Kit Fit         | Baskets | Width | Weight | List    |
|---------|-----------------------|---------|-------|--------|---------|
| RB1376  | TL43 series - 76" cut | 1-90"   | 96"   | 254#   | \$2,243 |
| RB1380  | TL43 series - 80" cut | 1-90"   | 96"   | 254#   | \$2,243 |
| RB1396  | TL43 series - 96" cut | 2-54"   | 117"  | 365#   | \$2,718 |

# T4X SERIES

**PRICES HAVE BEEN UPDATED FOR 2024.**

**New catalog available soon. Please call or email for quote on current pricing.**

## HEAVY DUTY MODELS

### T4X SERIES

#### HEAVY LIFT TANDEM DISC HARROWS

- Designed for 50 to 80 horsepower tractors
- Available in 8', 9' 6" cutting widths
- 4" Square tube frame
- Adjustable gang cutting angles
- Notched blades standard/plain blades optional
- Triple sealed ball bearings
- Heavy tube gang hangers
- 1 1/8" Gang axles
- Category 2
- Quick Hitch compatible



T4X92022B

#### T4X SERIES 20" BLADES

| MODEL #         | T4X92020B            | T4X972220B           | T4X92420B            | T4X972620B           |
|-----------------|----------------------|----------------------|----------------------|----------------------|
| Cut Width (ft.) | 8'                   | 8'                   | 9' 6"                | 9' 6"                |
| Blades          | 20-20"               | 22-20"               | 24-20"               | 26-20"               |
| Spacing (in.)   | 9"                   | 9 - 7 1/2"           | 9"                   | 9 - 7 1/2"           |
| Weight          | 1,445#               | 1,520#               | 1,594#               | 1,663#               |
| Hitch           | Cat. 2               | Cat. 2               | Cat. 2               | Cat. 2               |
| Color Option    | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| List            | \$6,077              | \$6,374              | \$6,623              | \$6,913              |

#### T4X SERIES 22" BLADES

| MODEL #         | T4X92022B            | T4X972222B           | T4X92422B            | T4X972622B           |
|-----------------|----------------------|----------------------|----------------------|----------------------|
| Cut Width (ft.) | 8'                   | 8'                   | 9' 6"                | 9' 6"                |
| Blades          | 20-22"               | 22-22"               | 24-22"               | 26-22"               |
| Spacing (in.)   | 9"                   | 9 - 7 1/2"           | 9"                   | 9 - 7 1/2"           |
| Weight          | 1,517#               | 1,591#               | 1,666#               | 1,741#               |
| Hitch           | Cat. 2               | Cat. 2               | Cat. 2               | Cat. 2               |
| Color Option    | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| List            | \$6,483              | \$6,821              | \$7,110              | \$7,441              |

#### OPTIONAL EQUIPMENT FOR T4X

| Part # | Description                             | Weight | List             |
|--------|---|--------|------------------|
| T70316 | Outrigger Kit with 16" plain blades 42# | 42#    | \$395            |
| T70318 | Outrigger Kit with 18" plain blades 46# | 46#    | \$417            |
| 13187  | Regreasable Bearings                    | --     | \$49 per bearing |
| 11476  | Balk Breaker Assembly with Point        | 27#    | \$391            |
|        | Plain Blades                            | --     | \$5 per blade    |

#### HEAVY SCRAPER KIT FOR T4X

| Model #  | Model Kit Fit | Weight | List    |
|----------|---------------|--------|---------|
| SK9204X  | T4X920        | 200#   | \$1,497 |
| SK9244X  | T4X924        | 215#   | \$1,679 |
| SK97224X | T4X9722       | 210#   | \$1,577 |
| SK97264X | T4X9726       | 230#   | \$1,728 |





**New catalog available soon. Please call or email for quote on current pricing.**

# HEAVY DUTY MODELS

## HL SERIES

### HEAVY LIFT TANDEM DISC HARROWS

- Designed for 60 to 100 horsepower tractors
- 1 1/2" Hi strength gang axles
- Avail. in 8', 9' 6" and 10' 6" cutting widths
- 5" X 3" Tube frame
- Gang angle adjustable
- Notched blades standard
- Plain blades optional
- Trunnion triple sealed ball bearings
- Heavy tube gang hangers
- Category 2
- Quick Hitch compatible



| HL SERIES 22" BLADES |                      |                      |                      |                      |
|----------------------|----------------------|----------------------|----------------------|----------------------|
| MODEL #              | HL92022B             | HL92422B             | HL102022B            | HL102422B            |
| Cut Width (ft.)      | 8'                   | 9' 6"                | 9' 6"                | 10' 6"               |
| Blades               | 20-22"               | 24-22"               | 20-22"               | 24-22"               |
| Spacing (in.)        | 9"                   | 9"                   | 10 1/2"              | 10 1/2"              |
| Weight               | 1,924#               | 2,118#               | 1,976#               | 2,180#               |
| Hitch                | Cat. 2               | Cat. 2               | Cat. 2               | Cat. 2               |
| Color Option         | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| List                 | \$8,858              | \$9,758              | \$9,468              | \$9,877              |

| HL SERIES 24" BLADES |                      |                      |                      |                      |
|----------------------|----------------------|----------------------|----------------------|----------------------|
| MODEL #              | HL92024B             | HL92424B             | HL102024B            | HL102424B            |
| Cut Width (ft.)      | 8'                   | 9' 6"                | 9' 6"                | 10' 6"               |
| Blades               | 20-24"               | 24-24"               | 20-24"               | 24-24"               |
| Spacing (in.)        | 9"                   | 9"                   | 10 1/2"              | 10 1/2"              |
| Weight               | 2,144#               | 2,382#               | 2,198#               | 2,445#               |
| Hitch                | Cat. 2               | Cat. 2               | Cat. 2               | Cat. 2               |
| Color Option         | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| List                 | \$9,728              | \$10,816             | \$10,352             | \$10,937             |

| OPTIONAL EQUIPMENT HL SERIES |                                  |        |                  |
|------------------------------|----------------------------------|--------|------------------|
| Part #                       | Description                      | Weight | List             |
| T70318                       | Outrigger Kit with 18" blades    | 46#    | \$395            |
| T70320                       | Outrigger Kit with 20" blades    | 52#    | \$417            |
| 13188                        | Regreasable Bearings             | --     | \$49 per bearing |
| --                           | Plain Blades                     | --     | \$5 per blade    |
| 11476                        | Balk Breaker Assembly with Point | 27#    | \$391            |

| HEAVY SCRAPER KIT HL 3 POINT DISC |               |        |         |
|-----------------------------------|---------------|--------|---------|
| Model #                           | Model Kit Fit | Weight | List    |
| SK920HL                           | HL920         | 198#   | \$1,532 |
| SK1020HL                          | HL1020        | 218#   | \$1,556 |
| SK924HL                           | HL924         | 225#   | \$1,696 |
| SK1024HL                          | HL1024        | 242#   | \$1,746 |



**New catalog available soon. Please call or email for quote on current pricing.****OPTIONAL ROLLER BASKET  
FOR T4X & HL****T4X ROLLER BASKET**

| Model # | Model Kit Fit            | Baskets | Width | Weight | List    |
|---------|--------------------------|---------|-------|--------|---------|
| RB1408  | T4X series - 8' cut**    | 2-54    | 117"  | 365#   | \$2,796 |
| RB1409  | T4X series - 9'6" cut**  | 2-60"   | 129"  | 425#   | \$3,215 |
| RB1410  | T4X series - 10'6" cut** | 2-66"   | 141"  | 585#   | \$3,774 |

**HL ROLLER BASKET**

| Model # | Model Kit Fit           | Baskets | Width | Weight | List    |
|---------|-------------------------|---------|-------|--------|---------|
| RB1408  | HL series - 8' cut**    | 2-54    | 117"  | 365#   | \$2,796 |
| RB1409  | HL series - 9'6" cut**  | 2-60"   | 129"  | 425#   | \$3,215 |
| RB1410  | HL series - 10'6" cut** | 2-66"   | 141"  | 585#   | \$3,774 |



**New catalog available soon. Please call or email for quote on current pricing.**

**TLO SERIES**

**3-POINT OFFSET DISC HARROW**

- Designed for 35 to 75 horsepower tractors
- 3" Square tube frame
- Adjustable gang cutting angles
- Front to rear leveling for side draft control
- Notched blades standard/plain blades optional
- 1 1/8" Square hi strength gang axles
- Blade scrapers optional
- Category 1 & 2
- Quick Hitch compatible



**TLO91822**

| <b>TLO SERIES 20" BLADES</b> |                      |                      |                      |                      |                      |
|------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| <b>MODEL #</b>               | <b>TLO91420</b>      | <b>TLO91620</b>      | <b>TLO91820</b>      | <b>TLO92020</b>      | <b>TLO92220</b>      |
| <b>Cut Width (ft.)</b>       | 5' 3"                | 6'                   | 6' 8"                | 7' 6"                | 8' 4"                |
| <b>Blades</b>                | 14-20"               | 16-20"               | 18-20"               | 20-20"               | 22-20"               |
| <b>Spacing (in.)</b>         | 9"                   | 9"                   | 9"                   | 9"                   | 9"                   |
| <b>Weight</b>                | 996#                 | 1,101#               | 1,185#               | 1,250#               | 1,318#               |
| <b>Hitch</b>                 | Cat. 1 & 2           | Cat. 1 & 2           | Cat. 1 & 2           | Cat. 1 & 2           | Cat. 1 & 2           |
| <b>Color Option</b>          | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| <b>List</b>                  | \$4,641              | \$4,987              | \$5,325              | \$5,589              | \$5,880              |

| <b>TLO SERIES 22" BLADES</b> |                      |                      |                      |                      |                      |
|------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| <b>MODEL #</b>               | <b>TLO91422</b>      | <b>TLO91622</b>      | <b>TLO91822</b>      | <b>TLO92022</b>      | <b>TLO92222</b>      |
| <b>Cut Width (ft.)</b>       | 5' 3"                | 6'                   | 6' 8"                | 7' 6"                | 8' 4"                |
| <b>Blades</b>                | 14-22"               | 16-22"               | 18-22"               | 20-22"               | 22-22"               |
| <b>Spacing (in.)</b>         | 9"                   | 9"                   | 9"                   | 9"                   | 9"                   |
| <b>Weight</b>                | 1,052#               | 1,165#               | 1,257#               | 1,330#               | 1,406#               |
| <b>Hitch</b>                 | Cat. 1 & 2           | Cat. 1 & 2           | Cat. 1 & 2           | Cat. 1 & 2           | Cat. 1 & 2           |
| <b>Color Option</b>          | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| <b>List</b>                  | \$4,932              | \$5,318              | \$5,699              | \$6,004              | \$6,335              |

**TLO91822**





# LO40 SERIES

**PRICES HAVE BEEN UPDATED FOR 2024.**

**New catalog available soon. Please call or email for quote on current pricing.**

## LO40 SERIES

### HEAVY LIFT OFFSET DISC HARROW

- Designed for 60 to 120 horsepower tractors
- Available in 6' to 9' cutting widths
- 4" Square tubular frame
- Adjustable gang cutting angles
- 1 1/2" RC Square cold drawn axle
- Blade scrapers optional
- Category 2 & 3
- Quick Hitch compatible



**LO4091824**

#### LO40 SERIES 22" BLADES

| MODEL #         | LO4091622            | LO4091822            | LO4092022            | LO40101622           | LO4092222            | LO4092422            |
|-----------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Cut Width (ft.) | 6'                   | 6' 8"                | 7' 6"                | 6' 10"               | 8' 4"                | 9'                   |
| Bearings        | 6                    | 8                    | 8                    | 6                    | 8                    | 8                    |
| Blades          | 16-22"               | 18-22"               | 20-22"               | 16-22"               | 22-22"               | 24-22"               |
| Spacing (in.)   | 9"                   | 9"                   | 9"                   | 10 1/2"              | 9"                   | 9"                   |
| Weight          | 1,500#               | 1,572#               | 1,716#               | 1,592#               | 1,914#               | 2,089#               |
| Hitch           | Cat. 2 & 3           | Cat. 2 & 3           | Cat. 2 & 3           | Cat. 2 & 3           | Cat. 2 & 3           | Cat. 2 & 3           |
| Color Option    | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| List            | \$7,814              | \$8,548              | \$9,429              | \$8,562              | \$9,780              | \$9,900              |

#### LO40 SERIES 24" BLADES

| MODEL #         | LO4091624            | LO4091824            | LO4092024            | LO40101624           | LO4092224            | LO4092424            |
|-----------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Cut Width (ft.) | 6'                   | 6' 8"                | 7' 6"                | 6' 10"               | 8' 4"                | 9'                   |
| Bearings        | 6                    | 8                    | 8                    | 6                    | 8                    | 8                    |
| Blades          | 16-24"               | 18-24"               | 20-24"               | 16-24"               | 22-2"                | 24-24"               |
| Spacing (in.)   | 9"                   | 9"                   | 9"                   | 10 1/2"              | 9"                   | 9"                   |
| Weight          | 1,725#               | 1,830#               | 2,018#               | 1,848#               | 2,150#               | 2,362#               |
| Hitch           | Cat. 2 & 3           | Cat. 2 & 3           | Cat. 2 & 3           | Cat. 2 & 3           | Cat. 2 & 3           | Cat. 2 & 3           |
| Color Option    | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| List            | \$8,656              | \$9,359              | \$10,097             | \$9,483              | \$10,501             | \$11,264             |



**LO4091824**

**PRICES HAVE BEEN UPDATED FOR 2024.**

**New catalog available soon. Please call or email for quote on current pricing.**

## OPTIONAL EQUIPMENT FOR TLO & LO40

### HEAVY SCRAPER KIT FOR TLO SERIES

| Model #  | Model Kit Fit | Weight | List    |
|----------|---------------|--------|---------|
| SK914TLO | TLO914        | 156#   | \$1,229 |
| SK916TLO | TLO916        | 192#   | \$1,303 |
| SK918TLO | TLO918        | 207#   | \$1,374 |
| SK920TLO | TLO920        | 224#   | \$1,468 |
| SK922TLO | TLO922        | 250#   | \$1,549 |

### OPTIONAL EQUIPMENT FOR TLO SERIES

| Part #   | Description                        | Weight | List             |
|----------|------------------------------------|--------|------------------|
| T7031218 | Outrigger Kit with 18" plain blade | 21#    | \$210            |
| T7031220 | Outrigger Kit with 20" plain blade | 23#    | \$224            |
| 13187    | Regreasable Bearings               | --     | \$49 per bearing |
|          | Plain Blades                       | --     | \$5 per blade    |



### HEAVY SCRAPER KIT LO40 OFFSET DISC

| Model #    | Model Kit Fit | Weight | List    |
|------------|---------------|--------|---------|
| SK916LO40  | LO40916       | 226#   | \$1,389 |
| SK918LO40  | LO40918       | 235#   | \$1,443 |
| SK920LO40  | LO40920       | 252#   | \$1,562 |
| SK1016LO40 | LO401016      | 240#   | \$1,402 |
| SK922LO40  | LO40922       | 286#   | \$1,632 |
| SK924LO40  | LO40924       | 312#   | \$1,755 |

### OPTIONAL EQUIPMENT FOR LO40 SERIES

| Part #   | Description                        | Weight | List             |
|----------|------------------------------------|--------|------------------|
| T7031218 | Outrigger Kit with 18" plain blade | 21#    | \$210            |
| T7031220 | Outrigger Kit with 20" plain blade | 23#    | \$225            |
| 13188    | Regreasable Bearings               | --     | \$49 per bearing |
|          | Plain Blades                       | --     | \$5 per blade    |

# TW5 SERIES

**PRICES HAVE BEEN UPDATED FOR 2024.**

**New catalog available soon. Please call or email for quote on current pricing.**

## TW5 SERIES

### TANDEM WHEEL-TYPE DISC HARROW

**8' - 9' 6"**

- Designed for 35 to 65 horsepower tractors
- 3" Square tube frame
- 1 1/8" Square hi-strength axles,
- Triple sealed ball bearings
- Front to rear leveling system & depth control
- Tube type gang hangers
- 9" or 7 1/2" or combination blade spacing
- 20" or 22" Notched blades standard
- Tongue jack & safety chain
- 3 x 8 Hyd. cylinder, set of hydraulic hoses
- 2- 9.5L 15 6 ply Imp. tires



#### TW5 SERIES 20" BLADES (8' - 9' 6")

| MODEL #         | TW72420              | TW92020              | TW972220             | TW92420              | TW972620             | TW72820              |
|-----------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Cut Width (ft.) | 8'                   | 8'                   | 8'                   | 9' 6"                | 9' 6"                | 9' 6"                |
| Bearings        | 8                    | 8                    | 8                    | 8                    | 8                    | 8                    |
| Horsepower      | 35-55                | 35-55                | 35-55                | 40-65                | 40-65                | 40-65                |
| Blades          | 24-20"               | 20-20"               | 22-20"               | 24-20"               | 26-20"               | 28-20"               |
| Spacing (in.)   | 7 1/2"               | 9"                   | 9 - 7 1/2"           | 9"                   | 9 - 7 1/2"           | 7 1/2"               |
| Weight          | 1,915#               | 1,805#               | 1,840#               | 1,925#               | 1,965#               | 1,995#               |
| Color Option    | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| List            | \$10,367             | \$9,887              | \$10,102             | \$10,315             | \$10,669             | \$10,960             |



TW92822

#### TW5 SERIES 22" BLADES (8' - 9' 6")

| MODEL #         | TW72422              | TW92022              | TW972222             | TW92422              | TW972622             | TW72822              |
|-----------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Cut Width (ft.) | 8'                   | 8'                   | 8'                   | 9' 6"                | 9' 6"                | 9' 6"                |
| Bearings        | 8                    | 8                    | 8                    | 8                    | 8                    | 8                    |
| Horsepower      | 35-55                | 35-55                | 35-55                | 40-65                | 40-65                | 40-65                |
| Blades          | 24-22"               | 20-22"               | 22-22"               | 24-22"               | 26-22"               | 28-22"               |
| Spacing (in.)   | 7 1/2"               | 9"                   | 9 - 7 1/2"           | 9"                   | 9 - 7 1/2"           | 7 1/2"               |
| Weight          | 2,023#               | 1,895#               | 1,939                | 2,033#               | 2,082#               | 2,121#               |
| Color Option    | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| List            | \$10,868             | \$10,497             | \$10,745             | \$11,020             | \$11,426             | \$11,776             |



**New catalog available soon. Please call or email for quote on current pricing.**

**TW5 SERIES  
TANDEM WHEEL  
TYPE DISC HARROW 10' 6" - 15'**

- Designed for 50 to 85 horsepower tractors
- 4" x 3" & 5" x 3" Hi-yield tube frames
- 1 1/8" Square hi-strength axles
- Triple sealed ball bearings
- Front to rear leveling system & depth control
- 9" or 7 1/2" or combination blade spacing
- 20" or 22" Disc Blades
- Notched blades standard
- Tongue jack & safety chain
- 3 x 8 Hyd. cylinder, set of hydraulic hoses,
- 2- 9.5L 15 6 ply Imp. tires



**TW973022**

\*Shown with optional Roller Basket RB1510\*

**TW5 SERIES 20" BLADES (10' 6" - 13' 4")**

| MODEL #         | TW92820              | TW973020             | TW73220              | TW93220              | TW973420             | TW73620              | TW93620              | TW74020              | TW973820             |
|-----------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Cut Width (ft.) | 10' 6"               | 10' 6"               | 10' 6"               | 12'                  | 12'                  | 12'                  | 13' 4"               | 13' 4"               | 13' 4"               |
| Bearings        | 12                   | 12                   | 12                   | 12                   | 12                   | 12                   | 16                   | 16                   | 16                   |
| Horsepower      | 50-75                | 50-75                | 50-75                | 60-80                | 60-80                | 60-80                | 65-85                | 65-85                | 65-85                |
| Blades          | 28-20"               | 30-20"               | 32-20"               | 32-20"               | 34-20"               | 36-20"               | 36-20"               | 40-20"               | 38-20"               |
| Spacing (in.)   | 9"                   | 9 - 7 1/2"           | 7 1/2"               | 9"                   | 9 - 7 1/2"           | 7 1/2"               | 9"                   | 7 1/2"               | 9 - 7 1/2"           |
| Weight          | 2,370#               | 2,410#               | 2,450#               | 2,900#               | 2,950#               | 2,990#               | 2,968#               | 3,240#               | 3,180#               |
| Color Option    | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| List            | \$12,091             | \$12,129             | \$12,629             | \$13,435             | \$14,153             | \$14,271             | \$14,754             | \$15,509             | \$15,232             |

**TW5 SERIES 22" BLADES (10' 6" - 13' 4")**

| MODEL #         | TW92822              | TW973022             | TW73222              | TW93222              | TW973422             | TW73622              | TW93622              | TW74022              | TW973822             |
|-----------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Cut Width (ft.) | 10' 6"               | 10' 6"               | 10' 6"               | 12'                  | 12'                  | 12'                  | 13' 4"               | 13' 4"               | 13' 4"               |
| Bearings        | 12                   | 12                   | 12                   | 12                   | 12                   | 12                   | 16                   | 16                   | 16                   |
| Horsepower      | 50-75                | 50-75                | 50-75                | 60-80                | 60-80                | 60-80                | 65-85                | 65-85                | 65-85                |
| Blades          | 28-22"               | 30-22"               | 32-22"               | 32-22"               | 34-22"               | 36-22"               | 36-22"               | 40-22"               | 38-22"               |
| Spacing (in.)   | 9"                   | 9 - 7 1/2"           | 7 1/2"               | 9"                   | 9 - 7 1/2"           | 7 1/2"               | 9"                   | 7 1/2"               | 9 - 7 1/2"           |
| Weight          | 2,496#               | 2,545#               | 2,594#               | 3,044#               | 3,103#               | 3,152#               | 3,130#               | 3,420#               | 3,351#               |
| Color Option    | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| List            | \$12,670             | \$12,747             | \$13,051             | \$14,095             | \$14,852             | \$15,012             | \$15,520             | \$16,298             | \$16,230             |

**TW5 SERIES DUAL WHEEL MODELS (14' - 15')**

| MODEL #         | TW74420              | TW74422              | TW974220             | TW974222             | TW94020              | TW94022              |
|-----------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Cut Width (ft.) | 14'                  | 14'                  | 14'                  | 14'                  | 15'                  | 15'                  |
| Bearings        | 16                   | 16                   | 16                   | 16                   | 16                   | 16                   |
| Horsepower      | 70-85                | 70-85                | 70-85                | 70-85                | 70-85                | 70-85                |
| Blades          | 44-20"               | 44-22"               | 42-20"               | 42-22"               | 40-20"               | 40-22"               |
| Spacing (in.)   | 7 1/2"               | 7 1/2"               | 9 - 7 1/2"           | 9 - 7 1/2"           | 9"                   | 9"                   |
| Weight          | 3,340#               | 3,538#               | 3,330#               | 3,519#               | 3,390#               | 3,570#               |
| Color Option    | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| List            | \$17,123             | \$18,052             | \$16,540             | \$17,836             | \$16,948             | \$17,618             |

# OPTIONAL EQUIPMENT

PRICES HAVE BEEN UPDATED FOR 2024.

New catalog available soon. Please call or email for quote on current pricing.

## OPTIONAL EQUIPMENT FOR TW5

### HEAVY SCRAPER KIT FOR TW5 SERIES 8' - 9'6" MODELS

| Model # | Model Kit Fit | Weight | List    |
|---------|---------------|--------|---------|
| SK7245  | TW724         | 210#   | \$1,657 |
| SK9205  | TW920         | 192#   | \$1,596 |
| SK97225 | TW9722        | 205#   | \$1,619 |
| SK9245  | TW924         | 215#   | \$1,763 |
| SK97265 | TW9726        | 225#   | \$1,813 |
| SK7285  | TW728         | 235#   | \$1,889 |

### OPTIONAL EQUIPMENT FOR TW5 SERIES 8' - 9' 6" MODELS

| Part # | Description                        | Weight | List             |
|--------|------------------------------------|--------|------------------|
| T70316 | Outrigger Assembly with 16" blades | 42#    | \$395            |
| T70318 | Outrigger Assembly with 18" blades | 46#    | \$417            |
| 15169  | Outrigger Scraper Kit (both sides) | 22#    | \$189            |
| 11477  | Balk Breaker Assembly with Point   | 27#    | \$391            |
| 12875  | SMV Sign & Bracket                 | 6#     | \$70             |
| 13187  | Regreasable Bearings               | --     | \$49 per bearing |
|        | Plain Blades                       | --     | \$5              |

### OPTIONAL EQUIPMENT TW5 10'6" - 15' MODELS

| Part # | Description                         | Weight | List             |
|--------|-------------------------------------|--------|------------------|
| 13160T | Dual Wheel Kit with 9.5L Tires      | 118#   | \$1,446          |
| T70316 | Outrigger Kit with 16" plain blades | 42#    | \$391            |
| T70318 | Outrigger Kit with 18" plain blades | 46#    | \$417            |
| 15169  | Outrigger Scraper Kit (both sides)  | 22#    | \$189            |
| 11476  | Balk Breaker Assembly with Point    | 27#    | \$391            |
| 12875  | SMV Sign & Bracket                  | 6#     | \$75             |
| 13187  | Regreasable Bearings                | --     | \$49 per bearing |
|        | Plain Blades                        | --     | \$5 per blade    |



**PRICES HAVE BEEN UPDATED FOR 2024.**

**New catalog available soon. Please call or email for quote on current pricing.**

**OPTIONAL EQUIPMENT FOR TW5**

**TW5 ROLLER BASKET**

| Model # | Model Kit Fit            | Baskets | Width | Weight | List    |
|---------|--------------------------|---------|-------|--------|---------|
| RB1508  | TW5 series - 8' cut**    | 2-54    | 117"  | 788#   | \$3,534 |
| RB1509  | TW5 series - 9'6" cut**  | 2-60"   | 129"  | 798#   | \$3,873 |
| RB1510  | TW5 series - 10'6" cut** | 2-66"   | 141"  | 809#   | \$4,055 |
| RB1512  | TW5 series - 12' cut**   | 2-78"   | 165"  | 833#   | \$4,893 |



**TW973022**

\*Shown with optional Roller Basket -RB15410\*

**HEAVY SCRAPER KIT TW5 10'6" - 15' MODELS**

| Model # | Model Kit Fit | Weight | List    |
|---------|---------------|--------|---------|
| SK9285  | TW928         | 309#   | \$1,924 |
| SK97305 | TW9730        | 318#   | \$1,953 |
| SK7325  | TW732         | 328#   | \$2,190 |
| SK9325  | TW932         | 389#   | \$2,202 |
| SK97345 | TW9734        | 403#   | \$2,290 |
| SK7365  | TW736         | 413#   | \$2,392 |
| SK9365  | TW936         | 427#   | \$2,416 |
| SK7405  | TW740         | 456#   | \$2,563 |
| SK97385 | TW9738        | 442#   | \$2,579 |
| SK7445  | TW744         | 461#   | \$2,738 |
| SK97425 | TW9742        | 520#   | \$2,581 |
| SK9405  | TW940         | 446#   | \$2,709 |





# TW6 SERIES

**PRICES HAVE BEEN UPDATED FOR 2024.**

**New catalog available soon. Please call or email for quote on current pricing.**

## TW6 SERIES

### TANDEM WHEEL - TYPE DISC HARROW

- Designed for 60 to 160 horsepower tractors
- Heavy duty 6" x 4" and 4" x 4" main frame
- 1 1/2" Hi-strength gang axles
- Triple sealed ball bearings
- 9" or 10 1/2" blade spacing
- 22" or 24" blades
- Notched blades
- Tongue jack & safety chain
- 4 x 8 Hydraulic cylinder, set of hydraulic hoses
- Dual Wheels, 4- 9.5L 15 6 ply implement tires
- SMV Sign



**TW692822**

#### TW6 SERIES 22" BLADES (9' - 12')

| MODEL #         | TW6102022            | TW692422             | TW692822             | TW6102422            | TW693222             | TW6102822            |
|-----------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Cut Width (ft.) | 9'                   | 9' 6"                | 10' 6"               | 10' 6"               | 12'                  | 12'                  |
| Bearings        | 8                    | 8                    | 8                    | 8                    | 8                    | 8                    |
| Horsepower      | 60-75                | 65-75                | 65-75                | 70-85                | 80-90                | 85-95                |
| Blades          | 20-22"               | 24-22"               | 28-22"               | 24-22"               | 32-22"               | 28-22"               |
| Spacing (in.)   | 10 1/2"              | 9"                   | 9"                   | 10 1/2"              | 9"                   | 10 1/2"              |
| Weight          | 3,231#               | 3,349#               | 4,065#               | 3,991#               | 4,410#               | 4,260#               |
| Color Option    | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| List            | \$15,740             | \$16,320             | \$17,636             | \$16,802             | \$18,883             | \$18,239             |

#### TW6 SERIES 24" BLADES (9' - 12')

| MODEL #         | TW6102024            | TW692424             | TW692824             | TW6102424            | TW693224             | TW6102824            |
|-----------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Cut Width (ft.) | 9'                   | 9' 6"                | 10' 6"               | 10' 6"               | 12'                  | 12'                  |
| Bearings        | 8                    | 8                    | 8                    | 8                    | 8                    | 8                    |
| Horsepower      | 60-75                | 65-75                | 65-75                | 70-85                | 80-90                | 85-95                |
| Blades          | 20-24"               | 24-24"               | 28-24"               | 24-24"               | 32-24"               | 28-24"               |
| Spacing (in.)   | 10 1/2"              | 9"                   | 9"                   | 10 1/2"              | 9"                   | 10 1/2"              |
| Weight          | 3,511#               | 3,679#               | 4,401#               | 4,279#               | 4,794#               | 4,570#               |
| Color Option    | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| List            | \$16,388             | \$17,178             | \$18,497             | \$17,392             | \$20,242             | \$19,351             |

#### TW6 SERIES 22" BLADES (13' 4" - 17')

| MODEL #         | TW693622             | TW6103222            | TW694022             | TW6103622            | TW694422             | TW6104022            |
|-----------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Cut Width (ft.) | 13' 4"               | 13' 4"               | 15'                  | 15'                  | 16' 8"               | 17'                  |
| Bearings        | 12                   | 12                   | 12                   | 12                   | 16                   | 16                   |
| Horsepower      | 110-120              | 110-120              | 120-140              | 120-140              | 130-150              | 140-160              |
| Blades          | 36-22"               | 32-22"               | 40-22"               | 36-22"               | 44-22"               | 40-22"               |
| Spacing (in.)   | 9"                   | 10 1/2"              | 9"                   | 10 1/2"              | 9"                   | 10 1/2"              |
| Weight          | 4,726#               | 4,586#               | 5,059#               | 4,887#               | 5,409#               | 5,630#               |
| Color Option    | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| List            | \$21,141             | \$20,079             | \$22,774             | \$21,614             | \$24,199             | \$24,879             |

**New catalog available soon. Please call or email for quote on current pricing.**

| <b>TW6 SERIES 24" BLADES (13' 4" - 17')</b> |                      |                      |                      |                      |                      |                      |
|---|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| <b>MODEL #</b>                              | <b>TW693624</b>      | <b>TW6103224</b>     | <b>TW694024</b>      | <b>TW6103624</b>     | <b>TW694424</b>      | <b>TW6104024</b>     |
| <b>Cut Width (ft.)</b>                      | 13' 4"               | 13' 4"               | 15'                  | 15'                  | 16' 8"               | 17'                  |
| <b>Bearings</b>                             | 12                   | 12                   | 12                   | 12                   | 16                   | 16                   |
| <b>Horsepower</b>                           | 110-120              | 110-120              | 120-140              | 120-140              | 130-150              | 140-160              |
| <b>Blades</b>                               | 36-24"               | 32-24"               | 40-24"               | 36-24"               | 44-24"               | 40-24"               |
| <b>Spacing (in.)</b>                        | 9"                   | 10 1/2"              | 9"                   | 10 1/2"              | 9"                   | 10 1/2"              |
| <b>Weight</b>                               | 5,158#               | 4,970#               | 5,539#               | 5,319#               | 5,937                | 6,136#               |
| <b>Color Option</b>                         | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| <b>List</b>                                 | \$22,386             | \$21,526             | \$24,199             | \$23,058             | \$26,541             | \$26,411             |

**TW6 SERIES - SHOCK FLEX  
TANDEM WHEEL - TYPE DISC HARROW**

- Designed for 60 to 140 horsepower tractors
- Heavy duty 6" x 4" and 4" x 4" main frame
- 1 1/2" Hi-strength gang axles
- Triple sealed ball bearings
- 9" or 10 1/2" blade spacing
- 22" or 24" blades
- Notched blades
- Tongue jack & safety chain
- 4 x 8 Hydraulic cylinder, set of hydraulic hoses
- Dual Wheels, 4-9.5L 15 6 ply implement tires
- SMV Sign



**TW6 SERIES 22" BLADES (SHOCK FLEX)**

| <b>MODEL #</b>         | <b>TW692822SF</b>    | <b>TW6102422SF</b>   | <b>TW693222SF</b>    | <b>TW6102822SF</b>   | <b>TW693622SF</b>    | <b>TW6103222SF</b>   | <b>TW694022SF</b>    | <b>TW6103622SF</b>   |
|------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| <b>Cut Width (ft.)</b> | 10' 6"               | 10' 6"               | 12'                  | 12'                  | 13' 4"               | 13' 4"               | 15'                  | 15'                  |
| <b>Bearings</b>        | 8                    | 8                    | 8                    | 8                    | 12                   | 12                   | 12                   | 12                   |
| <b>Horsepower</b>      | 65-75                | 70-85                | 80-90                | 85-95                | 110-120              | 110-120              | 120-140              | 120-140              |
| <b>Blades</b>          | 28-22"               | 24-22"               | 32-22"               | 28-22"               | 36-22"               | 32-22"               | 40-22"               | 36-22"               |
| <b>Spacing (in.)</b>   | 9"                   | 10 1/2"              | 9"                   | 10 1/2"              | 9"                   | 10 1/2"              | 9"                   | 10 1/2"              |
| <b>Weight</b>          | 4,533#               | 4,595#               | 4,828#               | 4,550#               | 5,144#               | 4,940#               | 5,477#               | 5,305#               |
| <b>Color Option</b>    | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| <b>List</b>            | \$19,692             | \$18,326             | \$20,856             | \$20,293             | \$22,904             | \$22,914             | \$25,662             | \$24,906             |

**TW6 SERIES 24" BLADES (SHOCK FLEX)**

| <b>MODEL #</b>         | <b>TW692824SF</b>    | <b>TW6102424SF</b>   | <b>TW693224SF</b>    | <b>TW6102824SF</b>   | <b>TW693624SF</b>    | <b>TW6103224SF</b>   | <b>TW694024SF</b>    | <b>TW6103624SF</b>   |
|------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| <b>Cut Width (ft.)</b> | 10' 6"               | 10' 6"               | 12'                  | 12'                  | 13' 4"               | 13' 4"               | 15'                  | 15'                  |
| <b>Bearings</b>        | 8                    | 8                    | 8                    | 8                    | 12                   | 12                   | 12                   | 12                   |
| <b>Horsepower</b>      | 65-75                | 70-85                | 80-90                | 85-95                | 110-120              | 110-120              | 120-140              | 120-140              |
| <b>Blades</b>          | 28-24"               | 24-24"               | 32-24"               | 28-24"               | 36-24"               | 32-24"               | 40-24"               | 36-24"               |
| <b>Spacing (in.)</b>   | 9"                   | 10 1/2"              | 9"                   | 10 1/2"              | 9"                   | 10 1/2"              | 9"                   | 10 1/2"              |
| <b>Weight</b>          | 4,869#               | 4,883#               | 5,212#               | 4,886#               | 5,576#               | 5,324#               | 5,957#               | 5,737#               |
| <b>Color Option</b>    | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| <b>List</b>            | \$20,748             | \$19,409             | \$22,297             | \$21,554             | \$25,274             | \$24,357             | \$27,466             | \$26,895             |

# OPTIONAL EQUIPMENT

**PRICES HAVE BEEN UPDATED FOR 2024.**

**New catalog available soon. Please call or email for quote on current pricing.**

## OPTIONAL EQUIPMENT FOR TW6

### HEAVY SCRAPER KIT TW6 SERIES

| Model # | Model Kit Fit | Weight | List    |
|---------|---------------|--------|---------|
| SK10206 | TW61020       | 249#   | \$1,600 |
| SK9246  | TW6924        | 278#   | \$1,785 |
| SK9286  | TW6928        | 320#   | \$2,106 |
| SK10246 | TW61024       | 298#   | \$1,879 |
| SK9326  | TW6932        | 353#   | \$2,328 |
| SK9366  | TW6936        | 441#   | \$2,510 |
| SK10286 | TW61028       | 326#   | \$2,144 |
| SK10326 | TW61032       | 406#   | \$2,326 |
| SK10366 | TW61036       | 448#   | \$2,534 |
| SK9406  | TW6940        | 479#   | \$2,713 |
| SK9446  | TW6944        | 574#   | \$2,885 |
| SK10406 | TW61040       | 536#   | \$2,726 |

### OPTIONAL EQUIPMENT TW6 SERIES

| Part # | Description                         | Weight | List          |
|--------|-------------------------------------|--------|---------------|
| T70318 | Outrigger Kit with 18" plain blades | 46#    | \$417         |
| 15169  | Outrigger Scraper Kit (both sides)  | 22#    | \$125         |
| 11476  | Balk Breaker Assembly with Point    | 27#    | \$391         |
| 12875  | SMV Sign & Bracket                  | 6#     | \$75          |
| 13188  | Regreasable Bearings                | --     | \$49 Each     |
|        | Plain Blades                        | --     | \$5 per blade |

### TW6 ROLLER BASKET

| Model # | Model Kit Fit            | Baskets       | Width | Weight | List    |
|---------|--------------------------|---------------|-------|--------|---------|
| RB1610  | TW6 series - 10'6" cut** | 2-66"         | 141"  | 843#   | \$4,281 |
| RB1612  | TW6 series - 12' cut**   | 2-78"         | 165"  | 867#   | \$4,961 |
| RB1613  | TW6 series - 13'6" cut** | 2-78"         | 165"  | 867#   | \$5,300 |
| RB1615  | TW6 series - 15' cut**   | 1-54" / 2-66" | 198"  | 1,013# | \$5,979 |





**New catalog available soon. Please call or email for quote on current pricing.**

**38 SERIES**

**OFFSET DISC HARROWS 6' - 10' 6"  
9" BLADE SPACING MODELS**

- Designed for 50 to 80 horsepower tractors
- 4" Square tube main frame
- 5" x 3" Rectangle gang beams
- 1 1/2" RC steel axles
- Triple sealed ball bearings
- Depth control system
- Front to rear spring loaded leveling system
- Gang angle adjustable
- Tubular or Shock Flex Gang Hangers
- 4 x 8 cylinder, set of hoses
- 2-9.5L 6 ply implement tires
- Tongue jack
- Safety chain
- 22" or 24" Notched blades standard



**38 SERIES 22" BLADES (9" SPACING)**

| MODEL #         | 3891622             | 3891822             | 3892022             | 3892222             | 3892422             | 3892822             |
|-----------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| Cut Width (ft.) | 6'                  | 6' 8"               | 7' 6"               | 8' 4"               | 9'                  | 10' 6"              |
| Bearings        | 6                   | 6                   | 8                   | 8                   | 8                   | 8                   |
| Horsepower      | 50                  | 55                  | 55-60               | 60-65               | 65-70               | 75                  |
| Blades          | 16-22"              | 18-22"              | 20-22"              | 22-22"              | 24-22"              | 28-22"              |
| Spacing (in.)   | 9"                  | 9"                  | 9"                  | 9"                  | 9"                  | 9"                  |
| Tube Weight     | 2,614#              | 2,681#              | 2,851#              | 2,947#              | 3,044#              | 3,604#              |
| Color Option    | Tuflin Red<br>Black | Tuflin Red<br>Black | Tuflin Red<br>Black | Tuflin Red<br>Black | Tuflin Red<br>Black | Tuflin Red<br>Black |

**Tube List** TEMPORARILY SUSPENDED - PLEASE CALL FOR PRICING

**38 SERIES 22" BLADES (9" SPACING) SHOCK FLEX**

| MODEL #   | N/A | 3891822SF                                       | 3892022SF | 3892222SF | 3892422SF | 3892822SF |
|-----------|-----|---|-----------|-----------|-----------|-----------|
| SF Weight | N/A | 2,813#  | 3,027#    | 3,123#    | 3,220#    | 3,780#    |
| SF List   | N/A | TEMPORARILY SUSPENDED - PLEASE CALL FOR PRICING |           |           |           |           |

**38 SERIES 24" BLADES (9" SPACING)**

| MODEL #         | 3891624             | 3891824             | 3892024             | 3892224             | 3892424             | 3892824             |
|-----------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| Cut Width (ft.) | 6'                  | 6' 8"               | 7' 6"               | 8' 4"               | 9'                  | 10' 6"              |
| Bearings        | 6                   | 6                   | 8                   | 8                   | 8                   | 8                   |
| Horsepower      | 50                  | 55                  | 55-60               | 60-65               | 65-70               | 75                  |
| Blades          | 16-24"              | 18-24"              | 20-24"              | 22-24"              | 24-24"              | 28-24"              |
| Spacing (in.)   | 9"                  | 9"                  | 9"                  | 9"                  | 9"                  | 9"                  |
| Tube Weight     | 2,806#              | 2,897#              | 3,091#              | 3,211#              | 3,332#              | 3,940#              |
| Color Option    | Tuflin Red<br>Black | Tuflin Red<br>Black | Tuflin Red<br>Black | Tuflin Red<br>Black | Tuflin Red<br>Black | Tuflin Red<br>Black |

**Tube List** TEMPORARILY SUSPENDED - PLEASE CALL FOR PRICING

**38 SERIES 24" BLADES (9" SPACING) SHOCK FLEX**

| MODEL #   | N/A | 3891824SF                                       | 3892024SF | 3892224SF | 3892424SF | 3892824SF |
|-----------|-----|---|-----------|-----------|-----------|-----------|
| SF Weight | N/A | 3,029#  | 3,267#    | 3,387#    | 3,508#    | 4,116#    |
| SF List   | N/A | TEMPORARILY SUSPENDED - PLEASE CALL FOR PRICING |           |           |           |           |

# 38 SERIES

**PRICES HAVE BEEN UPDATED FOR 2024.**

**New catalog available soon. Please call or email for quote on current pricing.**

## 38 SERIES

### OFFSET DISC HARROWS 6' - 10' 2"

#### 10 1/2" SPACING MODELS

- Designed for 50 to 90 horsepower tractors
- 4" Square tube main frame
- 5" x 3" Rectangle gang beams
- 1 1/2" RC steel axles, triple sealed ball bearings
- Depth control system
- Front to rear spring loaded leveling system
- Tongue & yoke system for side draft control
- Gang angle adjustable
- Tubular gang hangers or shock flex hangers
- 4 x 8 cylinder, set of hoses
- 2-9.5L 6 ply implement tires
- Tongue jack & Safety chain
- 22" or 24" Notched blades standard



| 38 SERIES 22" BLADES (10 1/2" SPACING) |                      |                      |                      |                      |                      |                      |
|--|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| MODEL #                                | 38101422             | 38101622             | 38101822             | 38102022             | 38102222             | 38102422             |
| Cut Width (ft.)                        | 6'                   | 6' 10"               | 7' 8"                | 8' 6"                | 9' 4"                | 10' 2"               |
| Bearings                               | 6                    | 6                    | 8                    | 8                    | 8                    | 8                    |
| Horsepower                             | 50                   | 55                   | 60                   | 65                   | 70                   | 75                   |
| Blades                                 | 14-22"               | 16-22"               | 18-22"               | 20-22"               | 22-22"               | 24-22"               |
| Spacing (in.)                          | 10 1/2"              | 10 1/2"              | 10 1/2"              | 10 1/2"              | 10 1/2"              | 10 1/2"              |
| Tube Weight                            | 2,564#               | 2,777#               | 2,889#               | 2,999#               | 3,044#               | 3,312#               |
| Color Option                           | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |

**Tube List** TEMPORARILY SUSPENDED - PLEASE CALL FOR PRICING

| 38 SERIES 22" BLADES (10 1/2" SPACING) SHOCK FLEX |     |   |            |            |            |            |
|---|-----|---|------------|------------|------------|------------|
| MODEL #   | N/A | 38101622SF                                      | 38101822SF | 38102022SF | 38102222SF | 38102422SF |
| SF Weight   | N/A | 2,909#  | 3,065#     | 3,175#     | 3,220#     | 3,488#     |
| SF List   | N/A | TEMPORARILY SUSPENDED - PLEASE CALL FOR PRICING |            |            |            |            |

| 38 SERIES 24" BLADES (10 1/2" SPACING) |                      |                      |                      |                      |                      |                      |
|--|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| MODEL #                                | 38101424             | 38101624             | 38101824             | 38102024             | 38102224             | 38102424             |
| Cut Width (ft.)                        | 6'                   | 6' 10"               | 7' 8"                | 8' 6"                | 9' 4"                | 10' 2"               |
| Bearings                               | 6                    | 6                    | 8                    | 8                    | 8                    | 8                    |
| Horsepower                             | 50                   | 55                   | 60                   | 65                   | 70                   | 75                   |
| Blades                                 | 14-24"               | 16-24"               | 18-24"               | 20-24"               | 22-24"               | 24-24"               |
| Spacing (in.)                          | 10 1/2"              | 10 1/2"              | 10 1/2"              | 10 1/2"              | 10 1/2"              | 10 1/2"              |
| Tube Weight                            | 2,732#               | 2,969#               | 3,105#               | 3,239#               | 3,308#               | 3,600#               |
| Color Option                           | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |

**Tube List** TEMPORARILY SUSPENDED - PLEASE CALL FOR PRICING

| 38 SERIES 24" BLADES (10 1/2" SPACING) SHOCK FLEX |     |   |            |            |            |            |
|---|-----|---|------------|------------|------------|------------|
| MODEL #   | N/A | 38101624SF                                      | 38101824SF | 38102024SF | 38102224SF | 38102424SF |
| SF Weight   | N/A | 3,101#  | 3,281#     | 3,415#     | 3,484#     | 3,776#     |
| SF List   | N/A | TEMPORARILY SUSPENDED - PLEASE CALL FOR PRICING |            |            |            |            |

**PRICES HAVE BEEN UPDATED FOR 2024.**

**New catalog available soon. Please call or email for quote on current pricing.**

## OPTIONAL EQUIPMENT FOR 38 SERIES

### HEAVY SCRAPER KIT 38 SERIES 9" SPACING MODELS

| Model # | Model Kit Fit | Weight | List    |
|---------|---------------|--------|---------|
| SK91638 | 38916         | 233#   | \$1,462 |
| SK91838 | 38918         | 276#   | \$1,504 |
| SK92038 | 38920         | 294#   | \$1,526 |
| SK92238 | 38922         | 325#   | \$1,697 |
| SK92438 | 38924         | 359#   | \$1,793 |
| SK92838 | 38928         | 460#   | \$2,055 |

### HEAVY SCRAPER KIT 38 SERIES 10 1/2" SPACING MODELS

| Model #  | Model Kit Fit | Weight | List    |
|----------|---------------|--------|---------|
| SK101438 | 381014        | 219#   | \$1,495 |
| SK101638 | 381016        | 252#   | \$1,572 |
| SK101838 | 381018        | 277#   | \$1,572 |
| SK102038 | 381020        | 303#   | \$1,656 |
| SK102238 | 381022        | 330#   | \$1,726 |
| SK102438 | 381024        | 352#   | \$1,819 |

### OPTIONAL EQUIPMENT 38 SERIES

| Part #   | Description                        | Weight | List             |
|----------|------------------------------------|--------|------------------|
| T7031216 | Outrigger Kit with 16" plain blade | 21#    | \$203            |
| T7031218 | Outrigger Kit with 18" plain blade | 23#    | \$208            |
| 13188    | Regreasable Bearings 1 1/2         | --     | \$49 per bearing |
| 13160T   | Dual Wheel Kit WITH 9.5L TIRES     | 118#   | \$1,446          |
| 12875    | Slow Moving Vehicle Sign & Bracket | 6#     | \$75             |
| --       | Plain Blades                       | --     | \$5 per blade    |





**New catalog available soon. Please call or email for quote on current pricing.**

## 42 SERIES OFFSET DISC HARROWS 6'8" - 13' 6" 9" SPACING MODELS

- Designed for 60 to 120 horsepower tractors
- 6" x 4" Main frame and 6" x 4" gang beams
- 1 1/2" RC Steel axles, triple sealed ball bearings
- Depth control system and gangs adjustable by turnbuckles
- Standard dual wheels
- Tubular gang hangers or shock flex hangers
- 4 x 8 cylinder, set of hoses
- 4-9.5L 6 ply implement tires
- Tongue jack
- Safety chain
- 24" or 26" Notched blades standard



**42102424SF**

### 42 SERIES 24" BLADES (9" SPACING)

| MODEL #         | 4291824              | 4292024              | 4292224              | 4292424              | 4292824              | 4293224              | 4293624              |
|-----------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Cut Width (ft.) | 6' 8"                | 7' 6"                | 8' 4"                | 9'                   | 10' 6"               | 12'                  | 13' 6"               |
| Bearings        | 8                    | 8                    | 8                    | 8                    | 8                    | 12                   | 12                   |
| Horsepower      | 65                   | 75                   | 85-90                | 95                   | 100                  | 110                  | 120                  |
| Blades          | 18-24"               | 20-24"               | 22-24"               | 24-24"               | 28-24"               | 32-24"               | 36-24"               |
| Spacing (in.)   | 9"                   | 9"                   | 9"                   | 9"                   | 9"                   | 9"                   | 9"                   |
| Tube Weight     | 3,811#               | 3,904#               | 4,154#               | 4,444#               | 4,724#               | 5,016#               | 5,143#               |
| Color Option    | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| Tube List       | \$16,795             | \$17,345             | \$17,928             | \$18,405             | \$20,516             | \$21,953             | \$24,201             |

### 42 SERIES 24" BLADES (9" SPACING) SHOCK FLEX

| MODEL#    | 4291824SF | 4292024SF | 4292224SF | 4292424SF | 4292824SF | 4293224SF | 4293624SF |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| SF Weight | 3,907#    | 4,000#    | 4,250#    | 4,540#    | 4,868#    | 5,161#    | 5,311#    |
| SF List   | \$17,787  | \$18,306  | \$18,855  | \$19,305  | \$21,297  | \$23,429  | \$25,550  |

### 42 SERIES 26" BLADES (9" SPACING)

| MODEL #         | 4291826              | 4292026              | 4292226              | 4292426              | 4292826              | 4293226              | 4293626              |
|-----------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Cut Width (ft.) | 6' 8"                | 7' 6"                | 8' 4"                | 9'                   | 10' 6"               | 12'                  | 13' 6"               |
| Bearings        | 8                    | 8                    | 8                    | 8                    | 8                    | 12                   | 12                   |
| Horsepower      | 65                   | 75                   | 85-90                | 95                   | 100                  | 110                  | 120                  |
| Blades          | 18-26"               | 20-26"               | 22-26"               | 24-26"               | 28-26"               | 32-26"               | 36-26"               |
| Spacing (in.)   | 9"                   | 9"                   | 9"                   | 9"                   | 9"                   | 9"                   | 9"                   |
| Tube Weight     | 3,942#               | 4,070#               | 4,300#               | 4,576#               | 4,903#               | 5,200#               | 5,487#               |
| Color Option    | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| Tube List       | \$17,445             | \$18,070             | \$18,725             | \$19,275             | \$21,530             | \$22,971             | \$25,349             |

### 42 SERIES 26" BLADES (9" SPACING) SHOCK FLEX

| MODEL #   | 4291826SF | 4292026SF | 4292226SF | 4292426SF | 4292826SF | 4293226SF | 4293626SF |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| SF Weight | 4,038#    | 4,166#    | 4,396#    | 4,672#    | 5,047#    | 5,344#    | 5,655#    |
| SF List   | \$19,503  | \$20,129  | \$20,784  | \$21,334  | \$23,588  | \$25,853  | \$28,231  |

**PRICES HAVE BEEN UPDATED FOR 2024.**

**New catalog available soon. Please call or email for quote on current pricing.**

**42 SERIES**

**Offset Disc Harrows 7' 8" - 13' 6"**

**10 1/2" Spacing Models**

- Designed for 65 to 120 horsepower tractors
- 6" x 4" Main frame and 6" x 4" Gang beams
- 1 1/2" RC Steel axles
- Triple sealed ball bearings
- Depth control system
- Standard dual wheels
- Tongue & yoke system for side draft control
- Gangs adjustable by turnbuckles
- Tubular gang hangers or shock flex hangers
- 4 x 8 Cylinder, set of hoses
- 4-9.5L 6 ply implement tires
- Tongue jack & safety chain
- 24" or 26" Notched blades



| <b>42 SERIES 24" BLADES (10 1/2" SPACING)</b> |                      |                      |                      |                      |                      |                      |
|---|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| <b>MODEL #</b>                                | <b>42101824</b>      | <b>42102024</b>      | <b>42102224</b>      | <b>42102424</b>      | <b>42102824</b>      | <b>42103224</b>      |
| <b>Cut Width (ft.)</b>                        | 7' 8"                | 8' 6"                | 9' 4"                | 10' 2"               | 11' 10"              | 13' 6"               |
| <b>Bearings</b>                               | 8                    | 8                    | 8                    | 8                    | 12                   | 12                   |
| <b>Horsepower</b>                             | 80-85                | 90-95                | 95-100               | 100                  | 110-115              | 120                  |
| <b>Blades</b>                                 | 18-24"               | 20-24"               | 22-24"               | 24-24"               | 28-24"               | 32-24"               |
| <b>Spacing (in.)</b>                          | 10 1/2"              | 10 1/2"              | 10 1/2"              | 10 1/2"              | 10 1/2"              | 10 1/2"              |
| <b>Tube Weight</b>                            | 3,906#               | 4,132#               | 4,298#               | 4,541#               | 5,020#               | 5,134#               |
| <b>Color Option</b>                           | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| <b>Tube List</b>                              | \$17,016             | \$17,370             | \$17,995             | \$18,939             | \$21,500             | \$22,165             |

| <b>42 SERIES 24" BLADES (10 1/2" SPACING) SHOCK FLEX</b> |                   |                   |                   |                   |                   |                   |
|--|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| <b>MODEL #</b>   | <b>42101824SF</b> | <b>42102024SF</b> | <b>42102224SF</b> | <b>42102424SF</b> | <b>42102824SF</b> | <b>42103224SF</b> |
| <b>SF Weight</b>   | 4,002#            | 4,228#            | 4,394#            | 4,649#            | 5,164#            | 5,278#            |
| <b>SF List</b>   | \$18,938          | \$19,291          | \$19,916          | \$20,860          | \$24,382          | \$25,047          |

| <b>42 SERIES 26" BLADES (10 1/2" SPACING)</b> |                      |                      |                      |                      |                      |                      |
|---|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| <b>MODEL #</b>                                | <b>42101826</b>      | <b>42102026</b>      | <b>42102226</b>      | <b>42102426</b>      | <b>42102826</b>      | <b>42103226</b>      |
| <b>Cut Width (ft.)</b>                        | 7' 8"                | 8' 6"                | 9' 4"                | 10' 2"               | 11' 10"              | 13' 6"               |
| <b>Bearings</b>                               | 8                    | 8                    | 8                    | 8                    | 12                   | 12                   |
| <b>Horsepower</b>                             | 80-85                | 90-95                | 95-100               | 100                  | 110-115              | 120                  |
| <b>Blades</b>                                 | 18-26"               | 20-26"               | 22-26"               | 24-26"               | 28-26"               | 32-26"               |
| <b>Spacing (in.)</b>                          | 10 1/2"              | 10 1/2"              | 10 1/2"              | 10 1/2"              | 10 1/2"              | 10 1/2"              |
| <b>Tube Weight</b>                            | 3,995#               | 4,264#               | 4,430#               | 4,699#               | 5,525#               | 5,356#               |
| <b>Color Option</b>                           | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black | Tufline Red<br>Black |
| <b>Tube List</b>                              | \$17,670             | \$18,095             | \$18,793             | \$19,809             | \$22,512             | \$23,325             |

| <b>42 SERIES 26" BLADES (10 1/2" SPACING) SHOCK FLEX</b> |                   |                   |                   |                   |                   |                   |
|--|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| <b>MODEL #</b>   | <b>42101826SF</b> | <b>42102026SF</b> | <b>42102226SF</b> | <b>42102426SF</b> | <b>42102826SF</b> | <b>42103226SF</b> |
| <b>SF Weight</b>   | 4,091#            | 4,360#            | 4,526#            | 4,807#            | 5,394#            | 5,500#            |
| <b>SF List</b>   | \$19,591          | \$20,016          | \$20,714          | \$21,730          | \$25,394          | \$26,207          |

# OPTIONAL EQUIPMENT

PRICES HAVE BEEN UPDATED FOR 2024.

New catalog available soon. Please call or email for quote on current pricing.

## OPTIONAL EQUIPMENT FOR 42 SERIES

### HEAVY SCRAPER KIT 42 SERIES 9" SPACING MODELS

| Model # | Model Kit Fit | Weight | List    |
|---------|---------------|--------|---------|
| SK91842 | 42918         | 276#   | \$1,504 |
| SK92042 | 42920         | 294#   | \$1,526 |
| SK92242 | 42922         | 325#   | \$1,635 |
| SK92442 | 42924         | 359#   | \$1,793 |
| SK92842 | 42928         | 460#   | \$2,055 |
| SK93242 | 42932         | 527#   | \$2,327 |
| SK93642 | 42936         | 580#   | \$2,450 |

### HEAVY SCRAPER KIT 42 SERIES 10 1/2" SPACING MODELS

| Model #  | Model Kit Fit | Weight | List    |
|----------|---------------|--------|---------|
| SK101842 | 421018        | 277#   | \$1,572 |
| SK102042 | 421020        | 303#   | \$1,656 |
| SK102242 | 421022        | 330#   | \$1,726 |
| SK102442 | 421024        | 352#   | \$1,819 |
| SK102842 | 421028        | 410#   | \$2,172 |
| SK103242 | 421032        | 527#   | \$2,327 |

### OPTIONAL EQUIPMENT 42 SERIES

| Part #   | Description                        | Weight | List             |
|----------|------------------------------------|--------|------------------|
| T7031218 | Outrigger Kit with 18" plain blade | 23#    | \$227            |
| T7031220 | Outrigger kit with 20" plain blade | 23#    | \$243            |
| 13188    | Regreasable Bearings 1 1/2"        | --     | \$49 per bearing |
| 12875    | Slow Moving Vehicle Sign & Bracket | 6#     | \$75             |
| --       | Plain Blades                       | --     | \$5 per blade    |





**New catalog available soon. Please call or email for quote on current pricing.**

**VT SERIES**

**VERTICAL TILLAGE**

- Designed for 85-150 horsepower tractors
- 1 1/8" RC Square cold drawn axles,
- Sealed ball bearings
- Front to rear leveling system
- Angle adjustable by 0-12\*
- 20" Straight Fluted or 22" V-Trex Concave blades
- Shock Flex Hangers
- Tongue jack & safety chain
- Hydraulic cylinder & hoses
- (4) 11L- 15 8 ply Imp. tires
- Rolling Basket
- SMV Sign



**VT SERIES FLUTED BLADES**

| MODEL #                | VT73220S              | TV73220L              | VT73620S              | VT73620L              | VT74020S              | VT74020L              | VT74420S              | VT74420L              |
|------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| <b>Cut Width (ft.)</b> | 10'6"                 | 10' 6"                | 12'                   | 12'                   | 13' 6"                | 13' 6"                | 15'                   | 15'                   |
| <b>Bearings</b>        | 12 Sealed             | 12 Re-lube            | 12 Sealed             | 12 Re-lube            | 16 Sealed             | 16 Re-lube            | 16 Sealed             | 16 Re-lube            |
| <b>Horsepower</b>      | 85-100                | 85-100                | 95-120                | 95-120                | 105-130               | 105-130               | 120-150               | 120-150               |
| <b>Blades</b>          | 32-20"                | 32-20"                | 36-20"                | 36-20"                | 40-20"                | 40-20"                | 44-20"                | 44-20"                |
| <b>Spacing (in.)</b>   | 7 1/2"                | 7 1/2"                | 7 1/2"                | 7 1/2"                | 7 1/2"                | 7 1/2"                | 7 1/2"                | 7 1/2"                |
| <b>Weight</b>          | 5,980#                | 5,980#                | 6,864#                | 6,864#                | 7,760#                | 7,760#                | 8,075#                | 8,075#                |
| <b>Color Option</b>    | Tuffline Red<br>Black | Tuffline Red<br>Black | Tuffline Red<br>Black | Tuffline Red<br>Black | Tuffline Red<br>Black | Tuffline Red<br>Black | Tuffline Red<br>Black | Tuffline Red<br>Black |
| <b>List</b>            | \$33,006              | \$33,670              | \$34,787              | \$35,451              | \$36,640              | \$37,525              | \$39,150              | \$40,036              |

**VT SERIES VT-REX BLADES**

| MODEL #                | VT73222S              | TV73222L              | VT73622S              | VT73622L              | VT74022S              | VT74022L              | VT74422S              | VT74422L              |
|------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| <b>Cut Width (ft.)</b> | 10'6"                 | 10' 6"                | 12'                   | 12'                   | 13' 6"                | 13' 6"                | 15'                   | 15'                   |
| <b>Bearings</b>        | 12 Sealed             | 12 Re-lube            | 12 Sealed             | 12 Re-lube            | 16 Sealed             | 16 Re-lube            | 16 Sealed             | 16 Re-lube            |
| <b>Horsepower</b>      | 85-100                | 85-100                | 95-120                | 95-120                | 105-130               | 105-130               | 120-150               | 120-150               |
| <b>Blades</b>          | 32-22"                | 32-22"                | 36-22"                | 36-22"                | 40-22"                | 40-22"                | 44-22"                | 44-22"                |
| <b>Spacing (in.)</b>   | 7 1/2"                | 7 1/2"                | 7 1/2"                | 7 1/2"                | 7 1/2"                | 7 1/2"                | 7 1/2"                | 7 1/2"                |
| <b>Weight</b>          | 6,140#                | 6,140#                | 7,044#                | 7,044#                | 7,960#                | 7,960#                | 8,295#                | 8,295#                |
| <b>Color Option</b>    | Tuffline Red<br>Black | Tuffline Red<br>Black | Tuffline Red<br>Black | Tuffline Red<br>Black | Tuffline Red<br>Black | Tuffline Red<br>Black | Tuffline Red<br>Black | Tuffline Red<br>Black |
| <b>List</b>            | \$33,449              | \$34,112              | \$35,285              | \$35,950              | \$37,194              | \$38,080              | \$39,759              | \$40,645              |



**TV73620S**

# OPTIONAL EQUIPMENT

**PRICES HAVE BEEN UPDATED FOR 2024.**

**New catalog available soon. Please call or email for quote on current pricing.**

## OPTIONAL EQUIPMENT FOR VT SERIES

### HEAVY SCRAPER KIT VT SERIES

| Model # | Model Kit Fit | Weight | List    |
|---------|---------------|--------|---------|
| SK732VT | VT732         | 328#   | \$2,236 |
| SK736VT | VT736         | 413#   | \$2,434 |
| SK740VT | VT740         | 456#   | \$2,609 |
| SK744VT | VT744         | 461#   | \$2,777 |

### OPTIONAL EQUIPMENT VT SERIES

| Part # | Description                        | Weight | List  |
|--------|------------------------------------|--------|-------|
| T70318 | Outrigger Kit with 18" plain blade | 46#    | \$417 |
| T70320 | Outrigger Kit with 20" plain blade | 52#    | \$433 |
| 11476  | Balk Breaker, with Point           | 34#    | \$391 |



**PRICES HAVE BEEN UPDATED FOR 2024.  
New catalog available soon. Please call or email for quote on current pricing.**

# **Tufline**

**Well Built, Performance Driven Implements**

**Monroe Tufline Mfg.**

P.O. Box 7755 • 2219 Tufline Lane  
Columbus, MS 39705  
Phone: 662-328-8347  
Fax: 662-328-8361  
[www.monroetufline.com](http://www.monroetufline.com)



**GENUINE  
MS**

