



CUMMINGS & BRICKER


www.cummingsandbricker.com
support@cummingsandbricker.com

Effective: 12/05/2023

F.O.B. C&B

TUBE-LINE™

Click here for ordering programs-Select Program
#2A from Bookmarks



NITRO SPREADERS



Hydraulic-Driven Apron Chain



The variable speed apron chain ensures that your load is delivered to the beaters at the right speed regardless of manure consistency. This provides accurate control when metering, application speed, and thickness.

The Nitro is equipped with a fully reversible apron drive. This allows the load to be backed away from the beater assembly should foreign objects get in-between the beaters and jam them.

Apron Chain Limited Lifetime Warranty

Tubeline will replace a broken apron chain or connecting link on any Nitro model manure spreader. Restrictions may apply.



Apron Chain
The heavy-duty chain and sprocket are designed to move heavy manure without chain breaks.



Galvanized Slats
Apron slats are attached to the chain using a heavy tab and slot design. This free-floating design minimizes stress on joints.



Quick-Drop Beater System

The Nitro can be easily converted to a self-unloading trailer when the beater assembly is removed. Transport bulk materials and easily unload them by lifting the guillotine endgate and run the apron to activate the live floor.

Drive Protection

Nitro spreaders are equipped with both an over running clutch and a torque limiter. The over running clutch allows the beaters to freewheel after the tractors PTO drive is shut down preventing hard stops and reducing wear. A torque limiter connects the rear PTO shaft and the beater assembly. It will disengage the driveline from the beaters should pressure build.



FEATURES



GUILLOTINE ENDGATE

Can be opened partially to meter the amount of material being delivered to the beater assembly.



SLIP SLIDE POLY BOARDS

Resists corrosion and are secured with stainless steel hardware.



INDUSTRIAL JACK

Easy to use and makes unhitching safer.



CENTRAL GREASE BANKS

Ensure easy lubrication of components located in hard to reach areas.

Standard on 450/600/750/950 Models



CV SHAFT

Select Nitro models come equipped with a CV (Constant Velocity) Shaft allowing for a tighter turning radius.



REPLACEABLE REVERSIBLE KNIVES

AR400 knives are used on all Nitro models. Each knife can be easily flipped for longer life or replaced.



ROBUST & DYNAMICALLY BALANCED

Ensures minimal flex and vibration when running the beaters at full speed.



BEATER WEDGE

Ensures manure is delivered to the beaters preventing large clumps from falling off the back of the unit.



OPTIONAL COLORS

In addition to the standard yellow, the Nitro lineup is available in red, green, blue and orange.

100-120 LEHIGH AVE.
P.O. BOX 928
BATAVIA, NY 14021
PHONE: 800-252-1552 FAX: 888-852-7406

100 STOVER DRIVE
CARLISLE, PA 17015
PHONE: 800-222-8969
FAX: 717-249-9384

**NITRO RANCHER MANURE SPREADER****MODEL N275RS**

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
N275T425225	10 Ton Capacity - Vertical Beaters, Tandem Axle, 425 X 22.5 Recap Truck Tires	8800	\$52,942.00
N275T550225	10 Ton Capacity - Vertical Beaters, Tandem Axle, 550/45 X 22.5 Flotation Tires/Bias Ply	8800	\$55,484.00
N275S425225	10 Ton Capacity - Vertical Beaters, Single Axle, 425 X 22.5 Recap Truck Tires	8800	\$50,357.00
N275S550225	10 Ton Capacity - Vertical Beaters, Single Axle, 550/45 X 22.5 Flotation Tires/Bias Ply	8800	\$51,628.00
N275S48030	10 Ton Capacity - Vertical Beaters, Single Axle, 480/30 Tractor Lug Tires	8800	\$56,711.00

Nitro 275RS – 10 Ton Manure Spreader**Specifications**

Capacity (Heaped)	294 cubic feet
Capacity (Struck)	201 cubic feet
Horsepower Required	80 HP
Beater Diameter	34"
Beater Speed	420 RPM
PTO Speed (std/opt)	1000RPM/540 RPM
Shipping Weight (est.)	8,800 lbs.
Overall Length	23'5"
Overall Width (Tandem)	115.5"
Overall Width (Single)	118"

**OPTIONS FOR 275RS SPREADERS**

ITEMNUMBER	DESCRIPTION	PRICE
ML1800BLUEA	Custom Color (Blue)	
ML1800GREENA	Custom Color (Green)	
ML1800ORANGEA	Customer Color (Orange)	
ML1800REDA	Custom Color (Red)	
31578A	Manual Flow Control	\$745.00
31797A	Electric Flow Control	\$2,170.00
39290A	Articulated Ball Hitch 2"	\$452.00
45826A	1.25" Insert Bushing 2" Hitch	\$79.00
45827A	1.5" Insert Bushing 2" Hitch	\$79.00
41444A	End Gate Rubber Seal Kit	\$807.00
43622A	Light Kit	\$1,105.00
43864	Flange Paddle Kit For Vertical Beater	\$1,052.00
45865	Gate Indicator	\$816.00
N750LCA	Digistar GT400 5-Point Scale System	\$7,700.00
N750LCNTATHENE	Athene ISO Bus Variable Rate Control System	\$13,664.00
398501ILOA	PTO To Tractor 1-3/4 20 Spline 275 In Lieu Of Standard	\$163.00
N275540	540 RPM Option - No Charge	
N275TB	Brake Kit (Comes With 2 Calipers)	\$3,024.00
49985	Scale Ready Axle N275RS (Option required for in field scale install at a later date)	\$1,030.00

**CUMMINGS & BRICKER**www.cummingsandbricker.com
support@cummingsandbricker.com

Effective: 12/05/2023

F.O.B. C&B

TUBE•LINE™**NITRO RANCHER MANURE SPREADER****MODEL N375RS**

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
N375T425225	13 Ton Capacity - Vertical Beaters, Tandem Axle, 425/22.5 Used Truck Tires	9139	\$62,003.00
N375T550225	13 Ton Capacity - Vertical Beaters, Tandem Axle, 550/45-22.5 Flotation Tires	9139	\$64,589.00
N375S60034	13 Ton Capacity - Vertical Beaters, Single Axle, 600/34 Tractor Tires	9139	\$66,955.00

Nitro 375RS – 13 Ton Manure Spreader**Specifications**

Capacity (Heaped)	444 cubic feet
Capacity (Struck)	266 cubic feet
Horsepower Required	90 HP
Beater Diameter	34"
Beater Speed	420 RPM
PTO Speed	1000RPM
Shipping Weight (est.)	9,139 lbs.
Overall Length	25'
Overall Width (Tandem)	115"
Overall Width (Single)	118"

**OPTIONS FOR 375RS SPREADERS**

ITEMNUMBER	DESCRIPTION	PRICE
ML1800BLUEB	Custom Color (Blue)	
ML1800GREENB	Custom Color (Green)	
ML1800ORANGEB	Custom Color (Orange)	
ML1800REDB	Custom Color (Red)	
31578B	Manual Flow Control	\$745.00
31797B	Electric Flow Control	\$2,170.00
39290B	Articulated Ball Hitch 2"	\$452.00
45826B	1.25" Insert Bushing 2" Hitch	\$79.00
45827B	1.5" Insert Bushing 2" Hitch	\$79.00
41444B	End Gate Rubber Seal Kit	\$807.00
43622B	Light Kit	\$1,105.00
41504B	Flange Paddle Kit	\$1,052.00
45861	Gate Indicator	\$816.00
N750LCB	Digistar GT400 5-Point Scale System	\$7,700.00
N750LCNT560B	Digistar NT560 With GPS, 5-Point Scale System	\$12,065.00
N750LCNTATHENEB	Athene Iso Bus Variable Rate Control System	\$13,664.00
398501ILOB	PTO To Tractor 1-3/4" 20 Spline 375 - In Lieu Of Standard	\$163.00
N375TB	Brake Kit (Comes With 4 Calipers)	\$6,092.00
49984	Scale Ready Axle N375RS (Option required for in field scale install at a later date)	\$1,455.00

100-120 LEHIGH AVE.
P.O. BOX 928
BATAVIA, NY 14021
PHONE: 800-252-1552 FAX: 888-852-7406100 STOVER DRIVE
CARLISLE, PA 17015
PHONE: 800-222-8969
FAX: 717-249-9384

**NITRO RANCHER MANURE SPREADER****MODEL N575RS**

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
N575T550225	16 Ton Capacity - Vertical Beaters, Tandem Axle, 550/45X22.5 Flotation Tires	11000	\$75,106.00
N575T700265	16 Ton Capacity - Vertical Beaters, Tandem Axle, 700/50-26.5 Flotation Tires	11000	\$83,476.00
N575S71038	16 Ton Capacity - Vertical Beaters, Single Axle, 710/70 R38 Tractor Tires	11000	\$76,859.00
N575T425225SD	16 Ton Capacity - Spinner Deck, Tandem Axle, 425/22.5 Used Tires	11000	\$84,440.00
N575T550225SD	16 Ton Capacity - Spinner Deck, Tandem Axle, 550/45-22.5 Flotation Tires	11000	\$86,982.00
N575T700265SD	16 Ton Capacity - Spinner Deck, Tandem Axle, 700/50-26.5 Flotation Tires	11000	\$95,308.00
N575S710398SD	16 Ton Capacity - Spinner Deck, Single Axle, 710/70 R38 Tires		\$88,647.00
N575T425225	16 Ton Capacity - Vertical Beaters, Tandem Axle, 425/22.5 Used Truck Tires	11000	\$72,652.00

Nitro 575RS – 16 Ton Manure Spreader**Specifications**

Capacity (Heaped)	576 cubic feet
Capacity (Struck)	379 cubic feet
Horsepower Required	125 HP
Beater Diameter	34"
Beater Speed	420 RPM
PTO Speed	1000RPM
Shipping Weight (est.)	11,000 lbs.
Overall Length	27.5'
Overall Width (Tandem)	116"
Overall Width (Single)	131"

**OPTIONS FOR 575RS SPREADERS**

ITEMNUMBER	DESCRIPTION	PRICE
ML1800BLUED	Custom Color (Blue)	
ML1800GREEND	Custom Color (Green)	
ML1800ORANGED	Custom Color (Orange)	
ML1800REDD	Custom Color (Red)	
31578D	Manual Flow Control	\$745.00
31797D	Electric Flow Control	\$2,170.00
39290D	Articulated Ball Hitch 2"	\$452.00
45826D	1.25" Insert Bushing 2" Hitch	\$79.00
45827D	1.5" Insert Bushing 2" Hitch	\$79.00
41444D	End Gate Rubber Seal Kit	\$807.00
43673D	Light Kit - Automatic Open/Close	\$1,105.00
41504D	Flanged Paddle Kit	\$1,052.00
45862	Gate Indicator	\$816.00
N750LCD	Digistar GT400 5-Point Scale System	\$7,700.00
N750LCNT560D	Digistar NT560 With GPS, 5-Point Scale System	\$12,065.00
N750LCNTATHENED	Athene ISO Bus Variable Rate Control System	\$13,664.00
398501ILOD	PTO To Tractor 1-3/4" 20 Spline 575 - In Lieu Of Standard	\$163.00
N575TB	Brake Kit (Comes With 4 Calipers)	\$6,092.00
396481D	Poultry Litter Assembly - Outright Purchase	\$28,647.00
49937	Scale Ready Axle N575RS (Option required for in field scale install at a later date)	\$1,885.00

**NITRO RANCHER MANURE SPREADER****MODEL N725RS**

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
N725T700265	19 Ton Capacity - Vertical Beaters, Tandem Axle, 700/50-26.5 Flotation Tires	15652	\$99,814.00
N725S71042	19 Ton Capacity - Vertical Beaters, Single Axle, 710/70 R42 Tires	15652	\$100,253.00
N725T700265SD	19 Ton Capacity - Spinner Deck, Tandem Axle, 700/50-26.5 Flotation Tires	15652	\$115,678.00
N725S71042SD	19 Ton Capacity - Spinner Deck, Single Axle, 710/70 R42 Tires	15652	\$116,204.00

Nitro 725RS – 19 Ton Manure Spreader**Specifications**

Capacity (Heaped)	767 cubic feet
Capacity (Struck)	507 cubic feet
Horsepower Required	165+ HP
Beater Diameter	36"
Beater Speed	420 RPM
PTO Speed	1000RPM
Shipping Weight (est.)	15,652 lbs.
Overall Length	30.3'
Overall Width (Tandem)	136"
Overall Width (Single)	136"

**OPTIONS FOR 725RS SPREADERS**

ITEMNUMBER	DESCRIPTION	PRICE
ML1800BLUEF	Custom Color (Blue)	
ML1800GREENF	Custom Color (Green)	
ML1800ORANGEF	Custom Color (Orange)	
ML1800REDF	Custom Color (Red)	
31578F	Manual Flow Control	\$745.00
31797F	Electric Flow Control	\$2,170.00
39290F	Articulated Ball Hitch 2"	\$452.00
45826F	1.25" Insert Bushing 2" Hitch	\$79.00
45827F	1.5" Insert Bushing 2" Hitch	\$79.00
41443F	Rubber Seal Kit	\$947.00
43674F	Light Kit - Automatic Open/Close	\$1,105.00
41504F	Flanged Paddle Kit	\$1,052.00
45414F	Gate Indicator	\$912.00
N725FS	Front Tongue Suspension	\$3,590.00
N750LCF	Digistar GT400 5-Point Scale System	\$7,700.00
N750LCNT560A	Digistar NT560 With GPS, 5-Point Scale System	\$12,065.00
N750LCNT560F	Digistar NT560 With GPS, 5-Point Scale System	\$12,065.00
N750LCNTATHENEFF	Athene ISO Bus Variable Rate Control System	\$13,664.00
398501ILOF	PTO To Tractor 1-3/4" 20 Spline 725 - In Lieu Of Standard	\$163.00
N725TB	Brake Kit (Comes With 4 Calipers)	\$6,092.00
458711	Spinner Deck Assembly (Outright Purchase)	\$34,879.00
TLVSSE725	Silage Side Extensions For 725 Models	\$5,623.00
50070	Scale Ready Axle N725RS (Option required for in field scale install at a later date)	\$2,625.00



NITRO LS SERIES MANURE SPREADER

300LS Series

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
N300S19161	6 Ton Capacity - Vertical Beaters, Single Axle, 19L - 16.1 Implement Tires	6250	\$41,671.00
N300S425225	6 Ton Capacity - Vertical Beaters, Single Axle, 425/22.5 Truck Tires	6250	\$41,759.00
N300S550225	6 Ton Capacity - Vertical Beaters, Single Axle, 550/45 22.5 Flotation Tires	6250	\$42,328.00
N300S11225U	6 Ton Capacity - Vertical Beaters, Single Axle, 11R-22.5 Used Truck Tires	6250	\$40,181.00
N300S11225N	6 Ton Capacity - Vertical Beaters, Single Axle, 11R-22.5 New Truck Tires	6250	\$40,970.00

300LS Series Options

ITEMNUMBER	DESCRIPTION	PRICE
ML1800BLACKJ	Custom Color - Black	
ML1800BLUEJ	Custom Color - Blue	
ML1800GREENJ	Custom Color - Green	
ML1800ORANGEJ	Custom Color - Orange	
ML1800REDJ	Custom Color - Red	
31578J	Manual Flow Control - For N300LS	\$745.00
31797J	Electric Flow Control - For N300LS	\$2,170.00
39290J	Articulated Ball Hitch 2" - For N300LS	\$452.00
45826J	1.25" Insert Bushing 2" Hitch - For N300LS	\$79.00
45827J	1.5" Insert Bushing 2" Hitch - For N300LS	\$79.00
41444J	Rubber Seal Kit - For N300LS	\$807.00
51406J	Flanged Paddle Kit KIT - For N300LS	\$1,052.00
45176J	Light Kit Automatic Open/Close - For N300LS	\$1,105.00
51900J	Gate Indicator - For N300LS	\$912.00

NITRO 300LS – 6 Ton Manure Spreader

- Guillotine-style endgate
- Reversible live apron floor
- Quick drop vertical beaters
- Single axle

Specifications

Minimum Load Height	60"
Capacity (Heaped)	300 cu. ft.
Capacity (Struck)	171 cu. ft.
Horsepower Required	50HP
Beater Speed	540 RPM
PTO Speed	540 RPM
Overall Length	23'5"
Overall Width	110"



**NITRO LS SERIES MANURE SPREADER****340LS Series**

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
N340T165161	6.5 Ton Capacity - Vertical Beaters, Tandem Axle, 16.5 - 16.1 Implement Tires	7128	\$43,336.00
N340T425225	6.5 Ton Capacity - Vertical Beaters, Tandem Axle, 425/22.5 Truck Tires	7128	\$44,476.00
N340T550225	6.5 Ton Capacity - Vertical Beaters, Tandem Axle, 550/45-22.5 Flotation Tires	7128	\$45,562.00
N340T11225U	6.5 Ton Capacity - Vertical Beaters, Tandem Axle, 11R-22.5 Used Truck Tires	7128	\$41,320.00
N340T11225N	6.5 Ton Capacity - Vertical Beaters, Tandem Axle, 11R-22.5 New Truck Tires	7128	\$42,854.00

340LS Series Options

ITEMNUMBER	DESCRIPTION	PRICE
ML1800BLACKK	Custom Color - Black	
ML1800BLUEK	Custom Color - Blue	
ML1800GREENK	Custom Color - Green	
ML1800ORANGEK	Custom Color - Orange	
ML1800REDK	Custom Color - Red	
31578K	Manual Flow Control - For N340LS	\$745.00
31797K	Electric Flow Control - For N340LS	\$2,170.00
39290K	Articulated Ball Hitch 2" - For N340LS	\$452.00
45826K	1.25" Insert Bushing 2" Hitch - For N340LS	\$79.00
45827K	1.5" Insert Bushing 2" Hitch - For N340LS	\$79.00
41444K	Rubber Seal Kit - For N340LS	\$807.00
51406K	Flanged Paddle Kit - For N340LS	\$1,052.00
45176K	Light Kit Automatic Open/Close - For N340LS	\$1,105.00
51900K	Gate Indicator - For N340LS	\$912.00

NITRO 340LS – 6.5 Ton Manure Spreader

- Guillotine-style endgate
- Reversible live apron floor
- Quick drop vertical beaters
- Tandem axle

Specifications

Minimum Load Height	62.75"
Capacity (Heaped)	344 cu. ft.
Capacity (Struck)	187 cu. ft.
Horsepower Required	60HP
Beater Speed	540 RPM
PTO Speed	540 RPM
Overall Length	24'5"
Overall Width	107"



**NITRO LS SERIES MANURE SPREADER****440LS Series**

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
N440T165161	10 Ton Capacity - Vertical Beaters, Tandem Axle, 16.5 - 16.1 Implement Tires	8050	\$47,543.00
N440T425225	10 Ton Capacity - Vertical Beaters, Tandem Axle, 425/22.5 Truck Tires	8050	\$48,683.00
N440T550225	10 Ton Capacity - Vertical Beaters, Tandem Axle, 550/45-22.5 Flotation Tires	8050	\$49,734.00
N440T11225U	10 Ton Capacity - Vertical Beaters, Tandem Axle, 11R-22.5 Used Truck Tires	8050	\$45,527.00
N440T11225N	10 Ton Capacity - Vertical Beaters, Tandem Axle, 11R-22.5 New Truck Tires	8050	\$47,105.00

440LS Series Options

ITEMNUMBER	DESCRIPTION	PRICE
ML1800BLACKL	Custom Color - Black	
ML1800BLUEL	Custom Color - Blue	
ML1800GREENL	Custom Color - Green	
ML1800ORANGEL	Custom Color - Orange	
ML1800REDL	Custom Color - Red	
31578L	Manual Flow Control - For N440LS	\$745.00
31797L	Electric Flow Control - For N440LS	\$2,170.00
39290L	Articulated Ball Hitch 2" - For N440LS	\$452.00
45826L	1.25" Insert Bushing 2" Hitch - For N440LS	\$79.00
45827L	1.5" Insert Bushing 2" Hitch - For N440LS	\$79.00
41444L	Rubber Seal Kit - For N440LS	\$807.00
51406L	Flanged Paddle Kit - For N440LS	\$1,052.00
45177	Light Kit Automatic Open/Close - For N440LS	\$1,105.00
51900L	Gate Indicator - For N440LS	\$912.00

NITRO 440LS – 10 Ton Manure Spreader

- Guillotine-style endgate
- Reversible live apron floor
- Quick drop vertical beaters
- Tandem axle

Specifications

Minimum Load Height	67"
Capacity (Heaped)	440 cu. ft.
Capacity (Struck)	256 cu. ft.
Horsepower Required	100HP
Beater Speed	540 RPM
PTO Speed	540 RPM
Overall Length	27'5"
Overall Width	107"



**NITRO COMMERCIAL MANURE SPREADERS****MODEL N450**

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
N450S60034	13 Ton Capacity - Vertical Beaters, Single Axle, 600/65 R34 Tractor Tires (Replaces N450S52034)	11355	\$79,488.00
N450T425225	13 Ton Capacity - Vertical Beaters, Tandem Axle, 425/22.5 Recap Truck Tires	11355	\$78,042.00
N450T550225	13 Ton Capacity - Vertical Beaters, Tandem Axle, 550/45-22.5 Flotation Tires	11355	\$80,452.00
N450S60034SD	13 Ton Capacity - Spinner Deck, Single Axle, 600/65 R34 Tires	11355	\$91,277.00
N450T425225SD	13 Ton Capacity - Spinner Deck, Tandem Axle, 425/22.5 Used Tires	11355	\$89,874.00
N450T550225SD	13 Ton Capacity - Spinner Deck, Tandem Axle, 550/45-22.5 Flotation Tires	11355	\$92,328.00

Nitro 450 – 13 Ton Manure Spreader**Specifications**

Capacity (Heaped)	481 cubic feet
Capacity (Struck)	290 cubic feet
Horsepower Required	125+ HP
Beater Diameter	34"
Beater Speed	420 RPM
PTO Speed	1000RPM
Shipping Weight (est.)	11,355 lbs.
Overall Length	27'
Overall Width (Tandem)	116"
Overall Width (Single)	115"

**OPTIONS FOR 450 SPREADERS**

ITEMNUMBER	DESCRIPTION	PRICE
ML1800BLUEC	Custom Color (Blue)	
ML1800GREENC	Custom Color (Green)	
ML1800ORANGEC	Customer Color (Orange)	
ML1800REDC	Custom Color (Red)	
31578C	Manual Flow Control	\$745.00
31797C	Electric Flow Control	\$2,170.00
39290C	Articulated Ball Hitch 2"	\$452.00
45826C	1.25" Insert Bushing 2" Hitch	\$79.00
45827C	1.5" Insert Bushing 2" Hitch	\$79.00
41444C	End Gate Rubber Seal Kit	\$807.00
43673C	Light Kit - Automatic Open/Close	\$1,105.00
41504C	Flanged Paddle Kit	\$1,052.00
45816C	Gate Indicator	\$816.00
N450FS	Front Tongue Suspension	\$3,594.00
N750LCC	Digistar GT400 5-Point Scale System	\$7,700.00
N750LCNT560C	Digistar NT560 With GPS, 5-Point Scale System	\$12,065.00
N750LCNTATHENEC	Athene ISO Bus Variable Rate Control System	\$13,664.00
398501ILOC	PTO To Tractor 1-3/4" 20 Spline 450 - In Lieu Of Standard	\$163.00
N450TB	Brake Kit (Comes With 4 Calipers)	\$6,092.00
396481C	Poultry Litter Assembly - Outright Purchase	\$28,647.00

**NITRO COMMERCIAL MANURE SPREADERS****MODEL N600**

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
N600S71038	17 Ton Capacity - Vertical Beaters, Single Axle, 710/70-38 Tractor Tires	13930	\$94,731.00
N600T425225	17 Ton Capacity - Vertical Beaters, Tandem Axle, 425/22.5 Recap Truck Tires	13930	\$88,683.00
N600T550225	17 Ton Capacity - Vertical Beaters, Tandem Axle, 550/45-22.5 Flotation Tires	13930	\$91,137.00
N600T700265	17 Ton Capacity - Vertical Beaters, Tandem Axle, 700/50-26.5 Flotation Tires	13930	\$97,886.00
N600S71038SD	17 Ton Capacity - Spinner Deck, Single Axle, 710/70 R38 Tires	13930	\$106,563.00
N600T425225SD	17 Ton Capacity - Spinner Deck, Tandem, 425/22.5 Used Tires	13930	\$100,472.00
N600T550225SD	17 Ton Capacity - Spinner Deck, Tandem, 550/45-22.5 Flot Tires	13930	\$103,057.00
N600T700265SD	17 Ton Capacity - Spinner Deck, Tandem, 700/50-26.5 Flotation Tires	13930	\$109,631.00

Nitro 600 – 17 Ton Manure Spreader**Specifications**

Capacity (Heaped)	636 cubic feet
Capacity (Struck)	406 cubic feet
Horsepower Required	150+ HP
Beater Diameter	34"
Beater Speed	420 RPM
PTO Speed	1000RPM
Shipping Weight (est.)	13,930 lbs.
Overall Length	29.5'
Overall Width (Tandem)	131"
Overall Width (Single)	131"

**OPTIONS FOR 600 SPREADERS**

ITEMNUMBER	DESCRIPTION	PRICE
ML1800BLUEE	Custom Color (Blue)	
ML1800GREENE	Custom Color (Green)	
ML1800ORANGEE	Custom Color (Orange)	
ML1800REDE	Custom Color (Red)	
31578E	Manual Flow Control	\$745.00
31797E	Electric Flow Control	\$2,170.00
39290E	Articulated Ball Hitch 2"	\$452.00
45826E	1.25" Insert Bushing 2" Hitch	\$79.00
45827E	1.5" Insert Bushing 2" Hitch	\$79.00
41444E	End Gate Rubber Seal Kit	\$807.00
43674E	Light Kit - Automatic Open/Close	\$1,105.00
41504E	Flanged Paddle Kit	\$1,052.00
45816E	Gate Indicator	\$816.00
N600FS	Front Tongue Suspension	\$3,594.00
N750LCE	Digistar GT400 5-Point Scale System	\$7,700.00
N750LCNT560E	Digistar NT560 With GPS, 5-Point Scale System	\$12,065.00
N750LCNTATHENEE	Athene ISO Bus Variable Rate Control System	\$13,664.00
398501ILOE	PTO To Tractor 1-3/4" 20 Spline 600 - In Lieu Of Standard	\$163.00
N600TB	Brake Kit (Comes With 4 Calipers)	\$6,092.00
TLVSSE600	Silage Side Extensions	\$5,399.00
396471	Spinner Deck Assembly (Outright Purchase)	\$28,647.00

**CUMMINGS & BRICKER**www.cummingsandbricker.com
support@cummingsandbricker.com

Effective: 12/05/2023

F.O.B. C&B

TUBE-LINE™**NITRO COMMERCIAL MANURE SPREADERS****MODEL N750**

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
N750S71042	20 Ton Capacity - Vertical Beaters, Single Axle, 710/70-42 Tractor Tires	16195	\$109,455.00
N750T700265	20 Ton Capacity - Vertical Beaters, Tandem Axle, 700/50-26.5 Flotation Tires	16195	\$113,750.00
N750S71042SD	20 Ton Capacity - Spinner Deck, Single Axle, 710/70 R42 Tires	16195	\$125,363.00
N750T700265SD	20 Ton Capacity - Spinner Deck, Tandem, 700/50-26.5 Flotation Tires	16195	\$129,745.00

Nitro 750 – 20 Ton Manure Spreader**Specifications**

Capacity (Heaped)	838 cubic feet
Capacity (Struck)	560 cubic feet
Horsepower Required	180+ HP
Beater Diameter	36"
Beater Speed	420 RPM
PTO Speed	1000RPM
Shipping Weight (est.)	16,195 lbs.
Overall Length	32.5'
Overall Width (Tandem)	136"
Overall Width (Single)	136"

**OPTIONS FOR 750 SPREADERS**

ITEMNUMBER	DESCRIPTION	PRICE
ML1800BLUEG	Custom Color (Blue)	
ML1800GREENG	Custom Color (Green)	
ML1800ORANGEG	Custom Color (Orange)	
ML1800REDG	Custom Color (Red)	
31578G	Manual Flow Control	\$745.00
31797G	Electric Flow Control	\$2,170.00
39290G	Articulated Ball Hitch 2"	\$452.00
45826G	1.25" Insert Bushing 2" Hitch	\$79.00
45827G	1.5" Insert Bushing 2" Hitch	\$79.00
41443G	Rubber Seal Kit	\$947.00
43675G	Light Kit Automatic Open/Close	\$1,105.00
41503G	Flanged Paddle Kit	\$1,052.00
45813G	Gate Indicator	\$912.00
N750FS	Front Tongue Suspension	\$3,769.00
N750LCG	Digistar GT400 5-Point Scale System	\$7,700.00
N750LCNT560G	Digistar NT560 With GPS, 5-Point Scale System	\$12,065.00
N750LCNTATHENEG	Athene ISO Bus Variable Rate Control System	\$13,664.00
398501ILOG	PTO To Tractor 1-3/4" 20 Spline 750 - In Lieu Of Standard	\$163.00
N750TB	Brake Kit (Comes With 4 Calipers)	\$6,092.00
TLVSSE750	Silage Side Extensions	\$5,684.00
430141G	Poultry Litter Assembly - Outright Purchase	\$34,879.00

100-120 LEHIGH AVE.
P.O. BOX 928
BATAVIA, NY 14021
PHONE: 800-252-1552 FAX: 888-852-7406100 STOVER DRIVE
CARLISLE, PA 17015
PHONE: 800-222-8969
FAX: 717-249-9384

**NITRO COMMERCIAL MANURE SPREADERS****MODEL N950**

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
N950T750305	25 Ton Capacity - Vertical Beaters, Tandem Axle, 750/60-30.5 Flotation Tires	19890	\$145,914.00
N950T750305R	25 Ton Capacity - Vertical Beaters, Tandem Axle, 750/60-30.5 Radial Tires	19890	\$152,706.00
N950T750305SD	25 Ton Capacity - Spinner Deck, Tandem Axle, 750/60-30.5 Flotation Tires	19890	\$161,734.00
N950T750305RSD	25 Ton Capacity - Spinner Deck, Tandem Axle, 750/60-30.5 Radial Tires	19890	\$168,702.00
N950TRI700265	25 Ton Capacity - Vertical Beaters, Tri-Axle, 700/50-26.5 Flotation Tires	22340	\$201,407.00
N950TRI700265SD	25 Ton Capacity - Spinner Deck, Tri-Axle, 750/50-26.5 Flotation Tires	22340	\$217,402.00

Nitro 950 – 25 Ton Manure Spreader

Specifications	950 / 950TRI Models
Capacity (Heaped)	1028 cubic feet
Capacity (Struck)	695 cubic feet
Horsepower Required	200 HP
Beater Diameter	36"
Beater Speed	420 RPM
PTO Speed	1000RPM
Shipping Weight (est.)	19,890 lbs. / 22,340 lbs
Overall Length	35.25'
Overall Width (Tandem)	136" / 155"



Nitro 950



Nitro 950TRI

OPTIONS FOR 950 SPREADERS

ITEMNUMBER	DESCRIPTION	PRICE
ML1800BLUEH	Custom Color (Blue)	
ML1800GREENH	Custom Color (Green)	
ML1800ORANGEH	Custom Color (Orange)	
ML1800REDH	Custom Color (Red)	
31578H	Manual Flow Control	\$745.00
31797H	Electric Flow Control	\$2,170.00
39290H	Articulated Ball Hitch 2"	\$452.00
45826H	1.25" Insert Bushing 2" Hitch	\$79.00
45827H	1.5" Insert Bushing 2" Hitch	\$79.00
41443H	Rubber Seal Kit	\$947.00
43675H	Light Kit Automatic Open/Close	\$1,105.00
41503H	Flanged Paddle Kit	\$1,052.00
45813H	Gate Indicator	\$912.00
N750LCH	Digistar GT400 5-Point Scale System	\$7,700.00
N750LCNT560	Digistar NT560 With GPS, 5-Point Scale System	\$12,065.00
N750LCNTATHENEH	Athene ISO Bus Variable Rate Control System	\$13,664.00
398501ILOH	PTO To Tractor 1-3/4" 20 Spline 950 - In Lieu Of Standard	\$163.00
N950TB	Brake Kit (Comes With 4 Calipers)	\$7,201.00
TLVSSE950	Silage Side Extensions	\$5,860.00
N9501050TIREUPGRADE H	Michelin Cargo Bib 710/50R26.5 llos On Tri Axle Spreaders	\$28,463.00
430141H	Poultry Litter Assembly - Outright Purchase	\$34,879.00

**CUMMINGS & BRICKER**www.cummingsandbricker.com
support@cummingsandbricker.com

Effective: 12/05/2023

F.O.B. C&B

TUBE-LINE™**NITRO COMMERCIAL MANURE SPREADERS****MODEL N1050**

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
N1050700265	30 Ton Capacity - Vertical Beaters, Tri-Axle, 700/50-26.5 Flotation Tires	25755	\$212,787.00
N1050700265SD	30 Ton Capacity - Spinner Deck, Tri-Axle, 700/50-26.5 Flotation Tires	25755	\$228,782.00

Nitro 1050 – 30 Ton Manure Spreader**Specifications**

Capacity (Heaped)	1159 cubic feet
Capacity (Struck)	769 cubic feet
Horsepower Required	200+ HP
Beater Diameter	36"
Beater Speed	420 RPM
PTO Speed	1000RPM
Shipping Weight (est.)	25,755 lbs.
Overall Length	39.25'
Overall Width (Tandem)	155"

**OPTIONS FOR 1050 SPREADERS**

ITEMNUMBER	DESCRIPTION	PRICE
ML1800BLUEI	Custom Color (Blue)	
ML1800GREENI	Custom Color (Green)	
ML1800ORANGEI	Custom Color (Orange)	
ML1800REDI	Custom Color (Red)	
31578I	Manual Flow Control	\$745.00
31797I	Electric Flow Control	\$2,170.00
39290I	Articulated Ball Hitch 2"	\$452.00
45826I	1.25" Insert Bushing 2" Hitch	\$79.00
45827I	1.5" Insert Bushing 2" Hitch	\$79.00
41443I	Rubber Seal Kit	\$947.00
43675I	Light Kit Automatic Open/Close	\$1,105.00
41503I	Flanged Paddle Kit	\$1,052.00
45813I	Gate Indicator	\$912.00
N750LCI	Digistar GT400 5-Point Scale System	\$7,700.00
N750LCNT560I	Digistar NT560 With GPS, 5 - Point Scale System	\$12,065.00
N750LCNTTHENEI	Athene ISO Bus Variable Rate Control System	\$13,664.00
39850ILOI	PTO To Tractor 1-3/4" 20 Spline 1050 - In Lieu Of Standard	\$163.00
N1050TB	Brake Kit (Comes With 4 Calipers)	\$7,201.00
TLVSSE1050	Silage Side Extensions	\$6,228.00
N9501050TIREUPGRADEI	Michelin Cargo Bib 710/50R26.5 Ilos On Tri Axle Spreaders	\$28,463.00
430141I	Poultry Litter Assembly - Outright Purchase	\$34,879.00

100-120 LEHIGH AVE.
P.O. BOX 928
BATAVIA, NY 14021
PHONE: 800-252-1552 FAX: 888-852-7406100 STOVER DRIVE
CARLISLE, PA 17015
PHONE: 800-222-8969
FAX: 717-249-9384



NITRO COMMERCIAL MANURE SPREADERS

MODEL N1050



Spinner Deck Assembly

Nitro spreaders can be equipped with an optional spinner assembly. Designed to maximize distribution while metering the flow of material, the spinner deck utilizes a complete gear box drive system that drives both the horizontal beaters and spinners together to ensure consistent unloading.



DUAL HORIZONTAL BEATERS

Delivers a consistent amount of material to the spinners.



DUAL SPINNERS

High speed spinners hold material accelerating it to maximize the spread.



DROP-ON ADJUSTMENT

Adjustable apron allows material to drop across more of the spinner for better distribution.

Scale Systems



GT400

- Backlit LCD display
- External record storage option
- External printer option
- Short field names w/ basic entry
- Displays weight w/ start-stop loading, field & zero functions.



NT 560

- (w/AutoLog™)
- Indicator displays actual tons/acres
- View & react to tons/acre reading by adjusting speed
- Software creates custom reports
- Calculate nutrient value



Athene System

- ISOBUS UT displays spreader controls & variable rate/overlap
- Speed control – Application rate is correct regardless of speed
- Variable rate capability – Adjusts rates in fields to suit conditions
- ISOBUS TC GEO compliant – Auto adjusts in fields according to a pre-defined treatment map
- ISOBUS TC sectional control compliant – Auto on/off to avoid overlaps and misses

Tire Options 6'



425 x 22.5 (16 x 22.5) 550/45 - 22.5 700/50 - 26.5 750/60 - 30.5 480/70 R30 600/65 R34 710/70-38 710/70-42

OPTIONS



LED LIGHTS (All Models)

LED lights and flashers ensure transit safety. Automatic activated covers open & close in sequence with the end gate.



SILAGE EXTENSIONS

(725RS/600/750/950/1050 Models)

The Nitro can double as a silage hauler, with the addition of optional height-extenders.



RUBBER SEAL KIT (All Models)

Adds a compression seal to the front panel & endgate to help contain semi solid materials.



BRAKE KIT (All Models)

Hydraulically operated brake system (4 calipers).

Single axle shown. Configurations may vary.



RUBBER TONGUE

(725RS/450/600/750/ Models)

Provides operator comfort and reduces mechanical stress and fatigue of both the spreader and the tractor.



PADDLE KIT (All Models)

Bolt on paddle kit cups material to provide better throw.



ARTICULATED PIN HITCH

Available in various pin sizes.




AXLE CHOICE

Single Axle – All Models except 950/1050

Tandem Axle – All Models except 1050

Tri Axle – 950TRI/1050 Only



GATE INDICATOR (All Models)

Indicates when gate is open/closed